

Electricity metering data exchange - The DLMS/COSEM suite - Part 7-3: Wired and wireless M-Bus communication profiles for local and neighbourhood networks

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 62056-7-3:2017 sisaldab Euroopa standardi EN 62056-7-3:2017 ingliskeelset teksti.	This Estonian standard EVS-EN 62056-7-3:2017 consists of the English text of the European standard EN 62056-7-3:2017.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 09.06.2017.	Date of Availability of the European standard is 09.06.2017.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 17.220.20, 35.100.01, 91.140.50

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:
Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

ICS 17.220.20; 35.100.01; 91.140.50

English Version

Electricity metering data exchange - The DLMS/COSEM suite -
Part 7-3: Wired and wireless M-Bus communication profiles for
local and neighbourhood networks
(IEC 62056-7-3:2017)

Échange des données de comptage de l'électricité - La
suite DLMS/COSEM - Partie 7-3: Profils de communication
M-Bus filaires et sans fil pour les réseaux locaux et de
voisinage
(IEC 62056-7-3:2017)

Datenkommunikation der elektrischen Energiemessung -
DLMS/COSEM - Teil 7-3: Kommunikationsprofile für
drahtgebundenen und funkbasierten M-Bus für lokale und
Areal-Netze
(IEC 62056-7-3:2017)

This European Standard was approved by CENELEC on 2017-04-11. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

European foreword

The text of document 13/1729/FDIS, future edition 1 of IEC 62056-7-3, prepared by IEC/TC 13 "Electrical energy measurement and control" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 62056-7-3:2017.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2018-01-11
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2020-04-11

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 62056-7-3:2017 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60870-5-1:1990	NOTE	Harmonized as EN 60870-5-1:1993 (not modified).
IEC 62056-1-0	NOTE	Harmonized as EN 62056-1-0.
IEC 62056-7-5	NOTE	Harmonized as EN 62056-7-5.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
-	-	Communication systems for meters - Part 1: Data exchange	EN 13757-1	-
-	-	Communication systems for meters and remote reading of meters - Part 2: Physical and link layer	EN 13757-2	2004
-	-	Communication systems for meters and remote reading of meters - Part 3: Dedicated application layer	EN 13757-3	2013
-	-	Communication systems for meters and remote reading of meters - Part 4: Wireless meter readout (Radio meter reading for operation in SRD bands)	EN 13757-4	2013
IEC 62056-5-3	2016	Electricity metering data exchange - The DLMS/COSEM suite - Part 5-3: DLMS/COSEM application layer	EN 62056-5-3	2016
IEC 62056-6-1	2015	Electricity metering data exchange - The DLMS/COSEM suite - Part 6-1: Object Identification System (OBIS)	EN 62056-6-1	2016
IEC 62056-6-2	2016	Electricity metering data exchange - The DLMS/COSEM suite - Part 6-2: COSEM interface classes	EN 62056-6-2	2016
IEC 62056-6-2 ¹⁾	-	Electricity metering data exchange - The DLMS/COSEM suite - Part 6-2: COSEM interface classes	EN 62056-6-2 ¹⁾	-

¹⁾ At draft stage.

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references	7
3 Terms, definitions and abbreviated terms	8
3.1 Terms and definitions.....	8
3.2 Abbreviated terms.....	8
4 Targeted communication environments.....	9
5 Use of the communication layers for this profile.....	9
5.1 Information related to the use of the standard specifying the lower layers	9
5.2 Structure of the communication profiles	9
5.3 Lower protocol layers and their use	10
5.3.1 Physical layer	10
5.3.2 Link layer.....	10
5.3.3 Transport layer	11
5.4 Service mapping and adaptation layers.....	11
5.4.1 Overview	11
5.4.2 MBUS-DATA service primitives.....	12
5.4.3 MBUS-DATA protocol specification.....	14
5.5 Registration and connection management.....	16
6 Identification and addressing scheme	16
6.1 Overview	16
6.2 Link Layer Address for wired M-Bus.....	17
6.3 Link Layer Address for wireless M-Bus	18
6.4 Link Layer Address for M-Bus broadcast.....	18
6.5 Transport layer address	19
6.6 Application addressing extension – M-Bus wrapper.....	21
7 Specific considerations and constraints for using certain services within profile.....	22
7.1 Overview	22
7.2 Application association establishment and release: ACSE services.....	22
7.3 xDLMS services	23
7.3.1 Request – response type services	23
7.3.2 Unsolicited services.....	23
7.3.3 Broadcast messages	23
7.4 Security mechanisms	24
7.5 Transporting long application messages	24
7.6 Media access, bandwidth and timing considerations	24
8 Communication configuration and management.....	24
Annex A (informative) M-Bus frame structures, addressing schemes and examples.....	25
A.1 General.....	25
A.2 None, short or long M-Bus data header.....	26
A.2.1 Wired M-Bus.....	26
A.2.2 Wireless M-Bus	27
A.3 Encoding example: Data-Notification carrying daily billing data	30
A.3.1 Overview	30
A.3.2 Example: Daily billing data.....	31

Annex B (normative) New COSEM interface classes related to the M-Bus communication profiles	33
Annex C (informative) Message sequence charts	34
Bibliography.....	37
Figure 1 – Entities and interfaces of a smart metering system using the terminology of IEC 62056-1-0	9
Figure 2 – The DLMS/COSEM wired and wireless M-Bus communication profiles	10
Figure 3 – Summary of DLMS/COSEM M-Bus-based TL services	12
Figure 4 – Identification and addressing scheme in the wired M-Bus profile	17
Figure 5 – Link Layer Address for wireless M-Bus.....	18
Figure 6 – M-Bus TPDU formats	20
Figure 7 – CI _{TL} without M-Bus data header	20
Figure A.1 – M-Bus communication paths direct or cascaded.....	25
Figure A.2 – Wired M-Bus frame structure, none M-Bus data header	27
Figure A.3 – Wired M-Bus frame structure with long M-Bus data header	27
Figure A.4 – Wireless M-Bus frame structure with short ELL, no M-Bus data header.....	29
Figure A.5 – Wireless M-Bus frame structure with long ELL, no M-Bus data header	29
Figure A.6 – Wireless M-Bus frame structure with long ELL and long M-Bus data header	30
Figure A.7 – Daily billing data without / with DLMS/COSEM security applied.....	32
Figure C.1 – MSC for the COSEM-OPEN service for wired M-Bus, no M-Bus header	35
Figure C.2 – MSC the GET service for wired M-Bus, no M-Bus header	36
Table 1 – Wired M-Bus Link Layer Addresses	18
Table 2 – DLMS/COSEM M-Bus-based TL CI _{TL} values	19
Table 3 – CI fields used for link management purposes	21
Table 4 – Client and server SAPs	21
Table 5 – Application associations and data exchange in the M-Bus-based profiles	22
Table A.1 – Example: Daily billing data	31

INTRODUCTION

As defined in IEC 62056-1-0, the IEC 62056 DLMS/COSEM suite provides specific communication profile standards for communication media relevant for smart metering.

Such communication profile standards specify how the COSEM data model and the DLMS/COSEM application layer can be used on the lower, communication media-specific protocol layers.

Communication profile standards refer to communication standards that are part of the IEC 62056 DLMS/COSEM suite or to any other open communication standard.

This International Standard specifies DLMS/COSEM communication profiles for wired and wireless M-Bus networks using the lower layers specified in the EN 13757 series.

It follows the rules defined in IEC 62056-5-3, Annex A.

The DLMS/COSEM wired and wireless M-Bus communication profiles for local and neighbourhood networks may be used for smart energy data exchange with meters as well as with simple consumer displays and home automation systems.

Document is a preview generated by EVS

ELECTRICITY METERING DATA EXCHANGE – THE DLMS/COSEM SUITE –

Part 7-3: Wired and wireless M-Bus communication profiles for local and neighbourhood networks

1 Scope

This International Standard specifies DLMS/COSEM wired and wireless M-Bus communication profiles for local and neighbourhood networks.

Setting up and managing the M-Bus communication channels of M-Bus devices, the M-Bus network, registering slave devices and – when required – repeaters is out of the scope of this International Standard.

The scope of this communication profile standard is restricted to aspects concerning the use of communication protocols in conjunction with the COSEM data model and the DLMS/COSEM application layer. Data structures specific to a communication protocol are out of the scope of this standard. Any project-specific definitions of data structures and data contents may be provided in project-specific companion specifications.

Annex A (informative) provides information on M-Bus frame structures, addressing schemes and an encoding example.

Annex B (normative) points to COSEM interface classes to set up and manage the wired and wireless M-Bus communication channel.

Annex C (informative) provides MSCs for representative instances of communication.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 62056-5-3:2016, *Electricity metering data exchange – The DLMS/COSEM suite – Part 5-3: DLMS/COSEM application layer*

IEC 62056-6-1:2015, *Electricity metering data exchange – The DLMS/COSEM suite – Part 6-1: Object identification system (OBIS)*

IEC 62056-6-2:2016, *Electricity metering data exchange – The DLMS/COSEM suite – Part 6-2: COSEM interface classes*

IEC 62056-6-2:—², *Electricity metering data exchange – The DLMS/COSEM suite – Part 6-2: COSEM interface classes*

² Under preparation. Stage at the time of publication: IEC/CDV 62056-6-2:2016.