

**Aerospace series - Nuts, self-locking, bi-hexagonal
(double reduced), in heat resisting nickel base alloy
- NIP101HT (Waspaloy), silver plated,
Classification: 1210 MPa/730 °C**

This document is a preview generated by EVS

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

Käesolev Eesti standard EVS-EN 3637:2008 sisaldab Euroopa standardi EN 3637:2008 ingliskeelset teksti.

Standard on kinnitatud Eesti Standardikeskuse 25.09.2008 käskkirjaga ja jõustub sellekohase teate avaldamisel EVS Teatajas.

Euroopa standardimisorganisatsioonide poolt rahvuslikele liikmetele Euroopa standardi teksti kättesaadavaks tegemise kuupäev on 06.08.2008.

Standard on kättesaadav Eesti standardiorganisatsioonist.

This Estonian standard EVS-EN 3637:2008 consists of the English text of the European standard EN 3637:2008.

This standard is ratified with the order of Estonian Centre for Standardisation dated 25.09.2008 and is endorsed with the notification published in the official bulletin of the Estonian national standardisation organisation.

Date of Availability of the European standard text 06.08.2008.

The standard is available from Estonian standardisation organisation.

ICS 49.030.30

Võtmesõnad:

Standardite reprodutseerimis- ja levitamisoigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonilisse süsteemi või edastamine ükskõik millises vormis või millisel teel on keelatud ilma Eesti Standardikeskuse poolt antud kirjaliku loata.

Kui Teil on küsimusi standardite autorikaitse kohta, palun võtke ühendust Eesti Standardikeskusega:
Aru 10 Tallinn 10317 Eesti; www.evs.ee; Telefon: 605 5050; E-post: info@evs.ee

ICS 49.030.30

English Version

Aerospace series - Nuts, self-locking, bi-hexagonal (double reduced), in heat resisting nickel base alloy - NI-P101HT (Waspaloy), silver plated, Classification: 1210 MPa/730 °C

Série aérospatiale - Écrous bihexagonaux, auto-freinant (double réduit), en alliage résistant à chaud à base de nickel - NI-P101HT (Waspaloy), argentés, Classification: 1210 MPa/730 °C

Luft- und Raumfahrt - Zwölfkantmuttern, selbstsichernd (Doppel reduziert), aus hochwarmfester Nickelbasislegierung - NI-P101HT (Waspaloy), versilbert, Klasse: 1210 MPa/730 °C

This European Standard was approved by CEN on 2 February 2008.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Contents

Page

Foreword.....3

1 Scope and field of application.....4

2 References.....4

3 Required characteristics.....4

3.1 Configuration – dimensions – tolerances4

3.2 Material4

3.3 Surface treatment4

4 Designation6

5 Marking6

6 Technical specification6

This document is a preview generated by EVS