
**Implants for surgery — Active
implantable medical devices —**

**Part 3:
Implantable neurostimulators**

*Implants chirurgicaux — Dispositifs médicaux implantables actifs —
Partie 3: Neurostimulateurs en implant*



This document is a preview generated by EMS



COPYRIGHT PROTECTED DOCUMENT

© ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

	Page
Foreword.....	v
Introduction.....	vi
1 Scope.....	1
2 Normative references.....	1
3 Terms and definitions.....	1
4 Symbols and abbreviated terms.....	2
5 General requirements for active implantable medical devices.....	2
6 Requirements for particular ACTIVE IMPLANTABLE MEDICAL DEVICES.....	2
7 General arrangement of the packaging.....	3
8 General markings for ACTIVE IMPLANTABLE MEDICAL DEVICES.....	3
9 Markings on the sales packaging.....	3
10 Construction of the sales packaging.....	3
11 Markings on the sterile pack.....	3
12 Construction of the non-reusable pack.....	3
13 Markings on the ACTIVE IMPLANTABLE MEDICAL DEVICE.....	3
14 Protection from unintentional biological effects being caused by the ACTIVE IMPLANTABLE MEDICAL DEVICE.....	3
15 Protection from harm to the patient or user caused by external physical features of the ACTIVE IMPLANTABLE MEDICAL DEVICE.....	3
16 Protection from harm to the patient caused by electricity.....	3
17 Protection from harm to the patient caused by heat.....	3
18 Protection from ionizing radiation released or emitted from the active implantable medical device.....	4
19 Protection from unintended effects caused by the ACTIVE IMPLANTABLE MEDICAL DEVICE.....	4
20 Protection of the ACTIVE IMPLANTABLE MEDICAL DEVICE from damage caused by external defibrillators.....	5
21 Protection of the ACTIVE IMPLANTABLE MEDICAL DEVICE from changes caused by electrical fields applied directly to the patient.....	5
22 Protection of the ACTIVE IMPLANTABLE MEDICAL DEVICE from changes caused by miscellaneous medical treatments.....	5
23 Protection of the ACTIVE IMPLANTABLE MEDICAL DEVICE from mechanical forces.....	6
24 Protection of the ACTIVE IMPLANTABLE MEDICAL DEVICE from damage caused by electrostatic discharge.....	6
25 Protection of the ACTIVE IMPLANTABLE MEDICAL DEVICE from damage caused by atmospheric pressure changes.....	7
26 Protection of the ACTIVE IMPLANTABLE MEDICAL DEVICE from damage caused by temperature changes.....	7
27 Protection of the active implantable medical device from electromagnetic non-ionizing radiation.....	7
28 Accompanying documentation.....	16

Annex AA (normative) Relationship between the fundamental principles in ISO/ TR 14283 [1] and the clauses of this document	18
Annex BB (informative) Rationale	30
Annex CC (informative) Injection network example and board layout guidance	41
Bibliography	53

This document is a preview generated by EVS

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 150, *Implants for surgery*, SC 6, *Active implants*.

This second edition cancels and replaces the first edition (ISO 14708-3:2008), which has been technically revised.

A list of all parts in the ISO 14708 series can be found on the ISO website.

Introduction

This document specifies particular requirements for active implantable medical devices intended for electrical stimulation of the central or peripheral nervous system, to provide basic assurance of safety for both patients and users. It amends and supplements ISO 14708-1:2014, hereinafter referred to as ISO 14708-1.

The requirements of this document take priority over those of ISO 14708-1.

Devices that use electricity to stimulate the nervous system are commonly called “neurostimulators.” They produce controlled electrical pulses that are delivered through electrodes in contact with a specific target area. Whether or not a neurostimulator is totally or partially implantable, a lead or extension is usually required to convey stimulation pulses from a form of pulse generator to the electrodes, although newer forms of devices might not utilize leads or extensions. An external programmer might be used to adjust device parameters.

Currently, several types of neurostimulators exist for treating the central or peripheral nervous system. This document is intended to apply to these neurostimulator types regardless of therapy.

This document is relevant to all parts and accessories of implantable neurostimulators, including programmers, software, and technical manuals. Not all parts or accessories might be intended to be totally or partially implanted, but there is a need to specify some requirements of non-implantable parts and accessories if they could affect the safety or performance intended by the manufacturer.

Not included in the scope of this document are non-implantable medical devices, such as external neurostimulators and RF-coupled neurostimulators, even though such devices might have implantable parts, because they are covered under the IEC 60601-1 series of standards.

Within this document, the following terms are used to amend and supplement ISO 14708-1:

“Replacement”: the clause of ISO 14708-1 is replaced completely by the text of this document.

“Addition”: the text of this document is additional to the requirements of ISO 14708-1.

“Amendment”: the clause of ISO 14708-1 is amended as indicated by the text of this document.

“Not used”: the clause of ISO 14708-1 is not applied in this document.

Subclauses, figures, or tables that are additional to those of ISO 14708-1 are numbered starting from 101; additional annexes are lettered AA, BB, etc.

Implants for surgery — Active implantable medical devices —

Part 3: Implantable neurostimulators

1 Scope

This document is applicable to ACTIVE IMPLANTABLE MEDICAL DEVICES intended for electrical stimulation of the central or peripheral nervous system.

The tests that are specified in this document are type tests and are to be carried out on a sample of a device to assess device behavioural responses, and are not intended to be used for the routine testing of manufactured products.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 14117:2012, *Active implantable medical devices — Electromagnetic compatibility — EMC test protocols for implantable cardiac pacemakers, implantable cardioverter defibrillators and cardiac resynchronization devices*

ISO 14708-1:2014, *Implants for surgery — Active implantable medical devices — Part 1: General requirements for safety, marking and for information to be provided by the manufacturer*

ISO 14971, *Medical devices — Application of risk management to medical devices*

ISO/TS 10974:—¹⁾, *Assessment of the safety of magnetic resonance imaging for patients with an active implantable medical device*

IEC 60601-1:2005+A1:2012, *Medical electrical equipment — Part 1: General requirements for basic safety and essential performance*

IEC 60601-1-2:2014, *Medical electrical equipment — Part 1-2: General requirements for basic safety and essential performance — Collateral standard: Electromagnetic disturbances — Requirements and tests*

IEC 61000-4-3:2006+A1:2007+A2:2010, *Electromagnetic compatibility (EMC) — Part 4-3: Testing and measurement techniques — Radiated, radio-frequency, electromagnetic field immunity test*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 14708-1 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

1) Under preparation.