

Alarm systems - Intrusion and hold-up systems - Part 2-7-3: Intrusion detectors - Glass break detectors (active)

This document is a preview generated by EVS

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 50131-2-7-3:2012 sisaldab Euroopa standardi EN 50131-2-7-3:2012 ingliskeelset teksti.	This Estonian standard EVS-EN 50131-2-7-3:2012 consists of the English text of the European standard EN 50131-2-7-3:2012.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 14.09.2012.	Date of Availability of the European standard is 14.09.2012.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 13.320

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:
Aru 10, 10317 Tallinn, Eesti; www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:
Aru 10, 10317 Tallinn, Estonia; www.evs.ee; phone 605 5050; e-mail info@evs.ee

English version

**Alarm systems -
Intrusion and hold-up systems -
Part 2-7-3: Intrusion detectors -
Glass break detectors (active)**

Systemes d'alarme -
Systemes d'alarme contre l'intrusion et les
hold-up -
Partie 2-7-3: Détecteurs d'intrusion -
Détecteurs bris de glace (actifs)

Alarmanlagen -
Einbruch- und Überfallmeldeanlagen -
Teil 2-7-3: Einbruchmelder -
Glasbruchmelder (Aktiv)

This European Standard was approved by CENELEC on 2012-08-13. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

Contents

Foreword	5
1 Scope	6
2 Normative references	6
3 Terms, definitions and abbreviations	6
3.1 Terms and definitions	6
3.2 Abbreviations	7
4 Functional Requirements	7
4.1 Event Processing	7
4.2 Operational requirements	9
4.2.1 Time interval between intrusion signals or messages	9
4.2.2 Switch on delay	9
4.2.3 Self tests	9
4.3 Detection	9
4.3.1 Detection performance	9
4.3.2 Indication of detection	10
4.4 Immunity to false alarm sources	10
4.4.1 General	10
4.4.2 Immunity to Small objects hitting the glass	10
4.4.3 Immunity to Soft objects hitting the glass	10
4.4.4 Immunity to Hard objects hitting the glass	10
4.4.5 Immunity to Static pressure	10
4.4.6 Immunity to Dynamic pressure	11
4.4.7 Immunity to wide band noise	11
4.5 Tamper security	11
4.5.1 Resistance to and detection of unauthorised access to the inside of the detector through covers and existing holes	11
4.5.2 Detection of removal from the mounting surface	11
4.5.3 Detection of masking	11
4.5.4 Immunity to magnetic field interference	12
4.6 Electrical requirements	12
4.6.1 General	12

4.6.2	Detector current consumption	12
4.6.3	Slow input voltage rise and voltage range limits	12
4.6.4	Input voltage ripple	12
4.6.5	Input voltage step change	12
4.7	Environmental classification and conditions	12
4.7.1	Environmental classification	12
4.7.2	Immunity to environmental conditions	13
5	Marking, identification and documentation.....	13
5.1	Marking and/or identification.....	13
5.2	Documentation.....	13
6	Testing.....	13
6.1	General	13
6.2	General test conditions	13
6.2.1	Standard laboratory conditions for testing	13
6.2.2	General detection testing environment and procedures.....	14
6.3	Basic Detection Test.....	14
6.3.1	General	14
6.3.2	Basic Test Source.....	14
6.3.3	Basic Detection Test Method.....	14
6.4	Performance tests.....	15
6.4.1	General	15
6.4.2	Verification of detection performance	15
6.4.3	Hole drilling with a diamond hole saw	16
6.4.4	Glass cutting	16
6.5	Switch-on delay, time interval between signals, and indication of detection	17
6.6	Fault condition signals or messages: self tests	17
6.7	Tests of immunity to false alarm sources	18
6.7.1	General	18
6.7.2	Immunity to Small objects hitting the glass.....	18
6.7.3	Immunity to Soft objects hitting the glass	18
6.7.4	Immunity to Hard objects hitting the glass.....	19
6.7.5	Immunity to Static pressure	19
6.7.6	Immunity to Dynamic pressure	20

6.7.7	Immunity to wide band noise based using Flat steel rulers.....	20
6.7.8	Immunity to wide band noise based using IC's	21
6.8	Tamper security	21
6.8.1	Prevention of unauthorised access to the inside of the detector through covers and existing holes	21
6.8.2	Detection of removal from the mounting surface.....	21
6.8.3	Resistance to magnetic field interference.....	22
6.8.4	Detection of masking	22
6.9	Electrical tests.....	22
6.9.1	General.....	22
6.9.2	Detector current consumption	22
6.9.3	Slow input voltage change and input voltage range limits.....	22
6.9.4	Input voltage ripple	23
6.9.5	Input voltage step change	23
6.9.6	Total loss of power supply	23
6.10	Environmental classification and conditions	24
6.11	Marking, identification and documentation	25
6.11.1	Marking and/or identification.....	25
6.11.2	Documentation	25
Annex A	(normative) Catalogue of standard glass types.....	26
Annex B	(informative) List of small tools suitable for testing immunity of casing to attack.....	27
Annex C	(normative) Dimensions & Requirements of a standard test magnet	28
Annex D	(normative) Immunity test: Small objects hit sensitivity	31
Annex E	(normative) Immunity test: Soft objects hit sensitivity	32
Annex F	(normative) Immunity test: Hard objects hit sensitivity	33
Annex G	(normative) Immunity test: Static pressure sensitivity.....	34
Annex H	(normative) Immunity test: Dynamic pressure sensitivity.....	35
Annex I	(normative) General testing matrix	36
Annex J	(normative) Performance test setup and alternative performance test setup	38
Annex K	(normative) Performance sensitivity test	41

Foreword

This document (EN 50131-2-7-3:2012) has been prepared by CLC/TC 79 "Alarm systems".

The following dates are fixed:

- latest date by which this document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2013-08-13
- latest date by which the national standards conflicting with this document have to be withdrawn (dow) 2015-08-13

This document supersedes CLC/TS 50131-2-7-3:2009.

This European Standard provides for security Grades 1 to 4 (see EN 50131-1) glass break detectors (active) installed in buildings, and uses environmental classes I to IV (see EN 50130-5).

The purpose of a detector is to detect changes to the integrity of a glass barrier (for example in doors, windows or enclosures) that the transmitting and receiving unit(s) are directly mounted on, which allows intrusion to the monitored area and to provide the necessary range of signals or messages to be used by the rest of the intruder alarm system.

Functions additional to the mandatory functions specified in this standard may be included in the detector, providing they do not adversely influence the correct operation of the mandatory functions.

The number and scope of these signals or messages may be more comprehensive for systems that are specified at the higher Grades.

This standard is only concerned with the requirements and tests for the detector. Other types of detectors are covered by other documents identified as TS / EN 50131-2-x.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

1 Scope

This European Standard is for active surface mounted glass break detectors installed in buildings and provides for security Grades 1 to 4 (see EN 50131-1), specific or non-specific wired or wire-free detectors, and uses environmental classes I to IV (see EN 50130-5). This European Standard does not include requirements for active surface mounted glass break detectors intended for use outdoors.

A detector shall fulfil all the requirements of the specified Grade.

Functions additional to the mandatory functions specified in this standard may be included in the detector, providing they do not adversely influence the correct operation of the mandatory functions.

This European Standard does not apply to system interconnections.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 50130-4	<i>Alarm systems — Part 4: Electromagnetic compatibility — Product family standard: Immunity requirements for components of fire, intruder and social alarm systems</i>
EN 50130-5	<i>Alarm systems — Part 5: Environmental test methods</i>
EN 50131-1:2006	<i>Alarm systems — Intrusion and hold-up systems — Part 1: System requirements</i>
EN 50131-6	<i>Alarm systems — Intrusion systems — Part 6: Power supplies</i>
EN 60068-1:1994	<i>Environmental testing — Part 1: General and guidance (IEC 60068-1:1988 + A1:1992 + corrigendum Oct. 1988)</i>
EN 60529	<i>Degrees of protection provided by enclosures (IP code) (IEC 60529)</i>

3 Terms, definitions and abbreviations

For the purposes of this document, the terms, definitions and abbreviations given in EN 50131-1:2006 and the following apply.

3.1 Terms and definitions

3.1.1

Glass Breakage

physical destruction of a glass pane, which allows intrusion to the monitored area, for example in doors, windows or enclosures

3.1.2

active surface mounted glass break detector

detector that detects changes to the integrity of a glass surface it is mounted on by sending, receiving and processing signals

3.1.3

Basic Test Source

signal simulator designed to verify the basic function of the detector