
**Supply chain applications of RFID —
Freight containers**

Applications RFID à la chaîne logistique — Conteneurs de fret



This document is a preview generated by EMS



COPYRIGHT PROTECTED DOCUMENT

© ISO 2013

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

	Page
Foreword	v
Introduction	vi
1 Scope	1
2 Conformance and performance specifications	1
3 Normative references	2
4 Terms and definitions	3
5 Concepts	3
5.1 Differentiation between this layer and the preceding and following layers	3
5.2 Unique item identifier	4
5.3 International unique identification of freight containers	5
5.4 Types of tags	5
5.5 Addition to other identification requirements	6
6 Differentiation within this layer	6
6.1 General	6
6.2 Containerized cargo supply chain RFID system requirements	6
6.3 Business processes relevant for the standards suite supply chain applications of RFID	8
7 Data content	9
7.1 General	9
7.2 Mandatory data	9
7.3 Optional cargo shipment-specific (CSS) data	9
8 Data security	11
8.1 General	11
8.2 Confidentiality	11
8.3 Data integrity	12
8.4 Authentication	12
8.5 Encryption	12
8.6 Non-repudiation/audit trail	12
9 Tag location	12
10 Tag operation	12
10.1 Data protocol	12
10.2 Minimum performance requirements	12
10.3 Environmental requirements	12
10.4 Air interface	13
10.5 Memory requirements	13
10.6 Indication of impending power source failure	13
10.7 Real time clock option	13
10.8 External communications	13
10.9 Safety and regulatory considerations	14
10.10 Minimum reliability and accuracy	14
10.11 Tag recyclability	14
10.12 Tag reusability	15
11 Privacy of cargo shipment-specific (CSS) data	15
11.1 Data privacy	15
11.2 Personal data privacy	15
11.3 Authentication and identification	15
12 Interoperability, compatibility and non-interference with other RF systems	15
13 Human readable information	16
13.1 Human readable interpretation	16
13.2 Human readable translation	16

Annex A (normative) Environmental parameters for ISO 17363 electronic devices	17
Annex B (normative) Metadata of commonly used Data Identifiers	22
Bibliography	26

This document is a preview generated by EVS

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 17363 was prepared by Technical Committee ISO/TC 122, *Packaging*.

This second edition cancels and replaces the first edition (ISO 17363:2007), which has been technically revised.

ISO 17363 has two annexes, [Annexes A](#) and [B](#), which provide normative information.

Introduction

The 'Supply Chain' is a multi-level concept that covers all aspects of taking a product from raw materials to a final product to shipping to a final place of sale. Each of these levels covers many aspects of dealing with products and the business process for each level is both unique and overlapping with other levels.

This International Standard has been created with a vision of compatibility both at the physical and command level and the data level with the four other standards within the suite of International Standards, *Supply chain applications of RFID*. Due to the different data structures in each of these International Standards they cannot take the form of interchangeability. However, these International Standards are designed to be interoperable and non-interfering. They include:

- ISO 17363, *Supply chain applications of RFID – Freight containers*;
- ISO 17364, *Supply chain applications of RFID – Returnable transport items (RTIs) and returnable packaging items (RPIs)*;
- ISO 17365, *Supply chain applications of RFID – Transport units*;
- ISO 17366, *Supply chain applications of RFID – Product packaging*;
- ISO 17367, *Supply chain applications of RFID – Product tagging*.

These International Standards define the technical aspects and data hierarchy of supply chain management information required in each layer of the supply chain. Air interface and communication protocol standards supported within these International Standards are ISO/IEC 18000 and ISO/IEC/IEEE 8802; commands and messages are supported by ISO/IEC 15961 and ISO/IEC 15962. The semantics of these International Standards are defined in ISO/IEC 15418 and their syntax is defined in ISO/IEC 15434.

Excluded, though embraced, is the work of:

- ISO/IEC JTC 1/SC 31 in the area of technical standards related to air interface, data semantic and syntax construction, and conformance standards;
- ISO/TC 104 in the area of freight container security, including electronic seals (e-seals) (ISO 18185), and container identification.

Supply chain applications of RFID — Freight containers

1 Scope

This International Standard defines the usage of read/write radio-frequency identification technology (RFID) cargo shipment-specific tags associated with containerized freight for supply chain management purposes (“manifest tags”). This International Standard defines the air interface communications, a common set of required data structures, and a commonly organized, through common syntax and semantics, set of optional data requirements.

This International Standard:

- makes recommendations about a second generation supply chain tag intended to monitor the condition and security of the freight resident within a freight container;
- specifies the implementation of sensors for freight resident in a freight container;
- makes specific recommendations about mandatory non-reprogrammable information on the shipment tag;
- makes specific recommendations about optional, re-programmable information on the shipment tag;
- makes specific recommendations about the data link interface for GPS or GLS services;
- specifies the reuse and recyclability of the RF tag;
- specifies the means by which the data in a compliant RF tag is “backed-up” by bar codes and two-dimensional symbols, as well as human-readable information.

2 Conformance and performance specifications

The underlying conformance requirements of this International Standard are to provide the structure necessary to raise the level of interoperability of components and systems built according to this International Standard, while leaving open opportunity for continued technical improvement and differentiation.

Implementation of a containerized cargo supply chain RFID system and its components shall be deemed in conformance with this International Standard if it meets, and supports, the following six requirements:

- a) the required functional performance specified in [Clause 6](#);
- b) the data requirements specified in [Clause 7](#);
- c) the data security requirements specified in [Clause 8](#);
- d) the tag location requirements specified in [Clause 9](#);
- e) the tag operation requirements specified in [Clause 10](#);
- f) the security and privacy requirements specified in [Clause 11](#).