

This document is a preview generated by EVS

Dentistry - Pre-capsulated dental amalgam (ISO 20749:2017)

## EESTI STANDARDI EESSÕNA

## NATIONAL FOREWORD

See Eesti standard EVS-EN ISO 20749:2018 sisaldab Euroopa standardi EN ISO 20749:2018 ingliskeelset teksti.	This Estonian standard EVS-EN ISO 20749:2018 consists of the English text of the European standard EN ISO 20749:2018.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 05.09.2018.	Date of Availability of the European standard is 05.09.2018.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile [standardiosakond@evs.ee](mailto:standardiosakond@evs.ee).

ICS 11.060.10

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:

Koduleht [www.evs.ee](http://www.evs.ee); telefon 605 5050; e-post [info@evs.ee](mailto:info@evs.ee)

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage [www.evs.ee](http://www.evs.ee); phone +372 605 5050; e-mail [info@evs.ee](mailto:info@evs.ee)

EUROPEAN STANDARD

EN ISO 20749

NORME EUROPÉENNE

EUROPÄISCHE NORM

September 2018

ICS 11.060.10

English Version

## Dentistry - Pre-capsulated dental amalgam (ISO 20749:2017)

Médecine bucco-dentaire - Amalgame dentaire en capsules prédosées (ISO 20749:2017)

Zahnheilkunde - Gekapseltes zahnärztliches Amalgam (ISO 20749:2017)

This European Standard was approved by CEN on 22 July 2018.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

## European foreword

The text of ISO 20749:2017 has been prepared by Technical Committee ISO/TC 106 "Dentistry" of the International Organization for Standardization (ISO) and has been taken over as EN ISO 20749:2018 by Technical Committee CEN/TC 55 "Dentistry" the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2019, and conflicting national standards shall be withdrawn at the latest by March 2019.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

### Endorsement notice

The text of ISO 20749:2017 has been approved by CEN as EN ISO 20749:2018 without any modification.

# Contents

	Page
<b>Foreword</b> .....	<b>v</b>
<b>Introduction</b> .....	<b>vi</b>
<b>1 Scope</b> .....	<b>1</b>
<b>2 Normative references</b> .....	<b>1</b>
<b>3 Terms and definitions</b> .....	<b>2</b>
<b>4 Requirements</b> .....	<b>3</b>
4.1 Package and capsule contamination.....	3
4.2 Chemical composition and purity of the dental amalgam alloy.....	3
4.3 Large particles in the dental amalgam alloy powder.....	3
4.4 Loss of mass from the capsule during mixing.....	3
4.5 The yield of amalgam from the capsule.....	3
4.6 Consistency of the dental amalgam from capsule to capsule.....	4
4.7 Properties of the dental amalgam.....	4
4.7.1 Creep.....	4
4.7.2 Dimensional changes during hardening.....	4
4.7.3 Compressive strength at 1 h.....	4
4.7.4 Compressive strength at 24 h.....	4
4.8 Appearance of the mixed dental amalgam before setting.....	4
4.9 Length tolerance for the capsule.....	4
<b>5 Sampling</b> .....	<b>5</b>
<b>6 Test methods</b> .....	<b>5</b>
6.1 Package and capsule contamination.....	5
6.1.1 Principle.....	5
6.1.2 Test sample.....	5
6.1.3 Apparatus.....	5
6.1.4 Procedure.....	5
6.1.5 Expression of the results.....	5
6.1.6 Report.....	5
6.2 Chemical composition and purity of the dental amalgam alloy.....	5
6.2.1 Principle.....	5
6.2.2 Test sample.....	6
6.2.3 Apparatus.....	6
6.2.4 Procedure.....	6
6.2.5 Expression of results.....	6
6.2.6 Report.....	6
6.3 Large particles in the dental amalgam alloy powder.....	6
6.3.1 Principle.....	6
6.3.2 Test sample.....	7
6.3.3 Apparatus.....	7
6.3.4 Test procedure.....	7
6.3.5 Expression of the results.....	7
6.3.6 Report.....	7
6.4 Loss of mass from the capsule during mixing.....	8
6.4.1 Principle.....	8
6.4.2 Test sample.....	8
6.4.3 Apparatus.....	8
6.4.4 Test procedure.....	8
6.4.5 Expression of the results.....	9
6.4.6 Report.....	9
6.5 Yield of amalgam from the capsule.....	9
6.5.1 Principle.....	9
6.5.2 Test sample.....	9

6.5.3	Apparatus.....	9
6.5.4	Test procedure.....	10
6.5.5	Expression of the results.....	10
6.5.6	Report.....	10
6.6	Consistency of the dental amalgam from capsule to capsule.....	10
6.6.1	Principle.....	10
6.6.2	Test sample.....	11
6.6.3	Apparatus.....	11
6.6.4	Test-piece production.....	12
6.6.5	Microhardness measurement.....	13
6.6.6	Expression of the results.....	13
6.6.7	Report.....	14
6.7	Properties of the dental amalgam.....	14
6.7.1	Principle.....	14
6.7.2	Sample.....	14
6.7.3	Mould for the preparation of cylindrical test-pieces for determining creep, dimensional change during hardening and compressive strength.....	14
6.7.4	Preparation of cylindrical test-pieces to determine compliance with the requirements for creep, dimensional change during hardening and compressive strength.....	18
6.7.5	Determination of creep.....	20
6.7.6	Determination of dimensional change during hardening.....	21
6.7.7	Determination of compressive strength.....	22
6.8	Appearance of the mixed dental amalgam before setting.....	23
6.8.1	Principle.....	23
6.8.2	Apparatus.....	24
6.8.3	Test procedure.....	24
6.8.4	Expression of the results.....	24
6.8.5	Report.....	25
6.9	Length tolerance for the capsule.....	25
6.9.1	Principle.....	25
6.9.2	Test sample.....	25
6.9.3	Apparatus.....	25
6.9.4	Test procedure.....	25
6.9.5	Expression of the results.....	25
6.9.6	Report.....	25
<b>7</b>	<b>Marking, labelling and packaging.....</b>	<b>26</b>
7.1	Packaging.....	26
7.2	Marking and labelling.....	26
7.2.1	Information.....	26
7.2.2	Labelling of a package for dental mercury.....	26
7.2.3	Labelling of the outer surface of package or container used for shipping.....	27
7.3	Manufacturer's instructions.....	27
7.3.1	General instructions.....	27
7.3.2	Precautionary notes.....	27
	<b>Bibliography.....</b>	<b>28</b>

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).

This document was prepared by ISO/TC 106, *Dentistry*, Subcommittee SC 1, *Filling and restorative materials*.

## Introduction

This is the first edition of this document. Its scope is limited solely to dental amalgam alloy and dental mercury that are supplied pre-capsulated in masses that are sufficient to produce a mass of dental amalgam that is considered to be suitable for a single small or medium size restoration in a single tooth.

Dental amalgam alloy and dental mercury are the essential and only components of dental amalgam restorative material. This document specifies the requirements and the test methods for dental amalgam alloy that is suitable for the preparation of dental amalgam, together with those for the set dental amalgam, those for the capsules themselves and the requirements for packaging and marking.

This document has been developed in response to the UNEP Minamata Convention on Mercury. The objective of the Minamata Convention is to reduce anthropogenic mercury pollution by restricting the use of mercury, products containing mercury and materials that release mercury during use. In this convention, dental amalgam is classified as a “mercury-added product”, for which parties to the agreement are to adopt two or more measures from a list of nine. One of these is “restricting the use of dental amalgam to its encapsulated form”. In some countries, the term *encapsulated* has been interpreted as the *pre-capsulated* form alone. Given the increased vigilance on the use of dental amalgam products since 2013, when the Minamata Agreement was signed, this document will enable countries that do not allow the use of products other than those that are pre-capsulated to adopt an ISO standard on dental amalgam. Not all of the membership of the UN has signed the Minamata Convention and in non-signatory countries, dental amalgam products outside the scope of this document, but within the scope of ISO 24234, will continue to be marketed. Thus, both standards are required to provide full global coverage for compliance.

Although this document is based on ISO 24234, there have been significant technical changes. Also, the requirements for the capsule that were in ISO 13897 have been transferred to this document, treating a product that falls within the scope as an entity. This document differs technically from ISO 24234 in the following respects:

- The scope of this document is restricted to pre-capsulated products alone.
- A requirement for packaging and capsule to be free from contamination is present.
- The requirement concerning foreign matter in the dental amalgam alloy powder has been removed.
- A requirement for loss of mass from the capsule during mixing has been added.
- A requirement for the yield of dental amalgam from a capsule replaces the requirement for the masses of dental mercury and dental amalgam powder present before mixing.
- A requirement for the consistency in the ratio of dental mercury to dental amalgam alloy powder in capsules has been changed radically. Determination of the effect of variation in this ratio upon properties replaces weighing the dental mercury and the dental amalgam alloy powder.
- Requirements for the capsule have been introduced and revised technically.

A decision was taken not to alter requirements upon which capsulation has no bearing, these being:

- the requirements on chemical composition and purity of the dental amalgam alloy;
- the requirements for the properties of dental amalgam;
- the requirement for the appearance of dental amalgam before setting.

As with ISO 24234, the inclusion of a requirement for corrosion resistance was considered. However, it was agreed that the data available were insufficient to set a corrosion resistance requirement in this edition of this document. A requirement for the corrosion resistance will be set and incorporated at the earliest possible date. It is recommended that in assessing corrosion resistance of a dental amalgam product (relative to other dental amalgam products), reference can be made to ISO/TS 17988.

# Dentistry — Pre-capsulated dental amalgam

## 1 Scope

This document specifies the requirements and test methods for dental amalgam products supplied to the user in capsules, pre-dosed with dental amalgam alloy and dental mercury in quantities suitable for the creation of a single dental restoration.

This document specifies the requirements and test methods for dental amalgam alloys that are suitable for the preparation of dental amalgam and the capsule, together with the requirements and test methods for that dental amalgam and the requirements for packaging and marking.

This document is not applicable to dental amalgam alloys supplied as a free-flowing powder in bulk quantities or as powder compressed into tablets, or to dental mercury supplied in sachets or bulk quantities.

This document is not applicable to other metallic materials in which an alloy powder reacts with an alloy that is liquid at ambient temperature to produce a solid metallic material intended for dental restoration.

Specific qualitative and quantitative test methods for demonstrating freedom from unacceptable biological hazard are not included in this document. For the assessment of possible biological hazards, reference can be made to ISO 10993-1 and ISO 7405.

The scope of this document is restricted to dental amalgam products marketed in pre-capsulated form alone. Other products intended for use in the production of dental amalgam restorations (dental amalgam alloy as a free-flowing powder supplied in bulk masses, dental amalgam alloy powder supplied as compressed tablets and dental mercury sachets) are within the scope of ISO 24234.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 286-2, *Geometrical product specifications (GPS) — ISO code system for tolerances on linear sizes — Part 2: Tables of standard tolerance classes and limit deviations for holes and shafts*

ISO 3310-1, *Test sieves — Technical requirements and testing — Part 1: Test sieves of metal wire cloth*

ISO 3864-2, *Graphical symbols — Safety colours and safety signs — Part 2: Design principles for product safety labels*

ISO 6344-1, *Coated abrasives — Grain size analysis — Part 1: Grain size distribution test*

ISO 7488, *Dental amalgamators*

ISO 13565-2, *Geometrical Product Specifications (GPS) — Surface texture: Profile method; Surfaces having stratified functional properties — Part 2: Height characterization using the linear material ratio curve*

ISO 15223-1, *Medical devices — Symbols to be used with medical device labels, labelling and information to be supplied — Part 1: General requirements*

*Globally Harmonized System of Classification and Labelling of Chemicals (GHS)*. United Nations, New York and Geneva, 5th Revised Edition, 2013, ISBN 978-92-1-117067-2

*UN Recommendations on the Transport of Dangerous Goods, Model Regulations.* United Nations, New York and Geneva, 18th Edition, 2013, ISBN 978-92-1-193146-6

### 3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 1942 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

**3.1 dental amalgam alloy**  
alloy in fine particles, composed mainly of silver, tin and copper, which, when mixed with *dental mercury* (3.2), produces a dental amalgam

**3.2 dental mercury**  
mercury supplied for use in the preparation of dental amalgam

**3.3 pre-capsulated product**  
product supplied in a sealed capsule that contains measured amounts of *dental amalgam alloy* (3.1) powder and *dental mercury* (3.2) with masses that are appropriate for the production of a mass of dental amalgam that is considered to be suitable for a single small or medium size restoration in a single tooth

Note 1 to entry: The *dental amalgam alloy* powder and *dental mercury* (3.2) are separated by a barrier that is broken immediately prior to mixing to allow their contact. The capsule remains sealed until mixing has been completed.

**3.4 self-activating capsule**  
*pre-capsulated product* (3.3) capsule in which contact between the *dental amalgam alloy* (3.1) powder and the *dental mercury* (3.2) occurs automatically during mixing

Note 1 to entry: There is another type of design that requires a physical action by the user to rupture the separating barrier for *activation* (3.6) before placing the capsule in the mechanical mixing machine.

**3.5 percentage by mass**  
mass fraction expressed as a percentage

Note 1 to entry: The terminology "mass fraction" is favoured when expressing a composition in which this is measured by mass. However, for *dental amalgam alloys* (3.1), the terminology "by mass" is in general use. Because it is the intention for this document to be user-friendly, the latter has been adopted. In both cases, the composition is expressed as a percentage.

**3.6 activation**  
action that renders the capsulated *dental amalgam alloy* (3.1) powder and *dental mercury* (3.2) mixable

**3.7 dental amalgam pellet**  
coherent mass of dental amalgam that is produced by mixing and drops from the opened and upended capsule

Note 1 to entry: A light tap of the rim of the open capsule on a hard surface may be required to dislodge the pellet and is permitted.