

INTERNATIONAL STANDARD

ISO
10045

First edition
1991-07-15

Alpine skis — Binding mounting area — Requirements for test screws

*Skis alpins — Zone de montage de la fixation — Spécifications des vis
d'essai*



Reference number
ISO 10045:1991(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

International Standard ISO 10045 was prepared by Technical Committee ISO/TC 83, *Sports and recreational equipment*.

© ISO 1991

All rights reserved. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Organization for Standardization
Case Postale 56 • CH-1211 Genève 20 • Switzerland

Printed in Switzerland

This document is a preview generated by EVS

Introduction

The use of test screws ensures the comparability of measurement data, which are determined by the manufacturer or other institutions by testing the binding mounting area of alpine skis.

This document is a preview generated by EVS

This page intentionally left blank

Alpine skis — Binding mounting area — Requirements for test screws

1 Scope

This International Standard specifies the dimensions, mechanical properties and fastening characteristics of test screws used for testing the binding mounting area of alpine skis.¹⁾

2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this International Standard. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this International Standard are encouraged to investigate the possibility of applying the most recent editions of the standards indicated below. Members of IEC and ISO maintain registers of currently valid International Standards.

ISO 1478:1983, *Tapping screws thread*.

ISO 4042:1989, *Threaded components — Electroplated coatings*.

ISO 4757:1983, *Cross recesses for screws*.

ISO 6004:1981, *Alpine skis — Ski binding screws — Requirements*.

ISO 6005:1981, *Alpine skis — Ski binding screws — Test methods*.

DIN 17 210:1984, *Case hardening steels — Technical delivery conditions*

3 Definitions

For the purposes of this International Standard, the definitions given in ISO 6004 and the following definition apply.

test screw: A fastener, which is used for testing the binding mounting area and for ensuring the comparability of measurement data.

4 Designation

Designation of a test screw according to this International Standard with a nominal diameter of 5,4 mm and a length of 12 mm:

Test screw ISO 10045 — TBS 5,4 × 12

5 Requirements

The strength requirements and typical application characteristics shall be tested according to ISO 6005.

5.1 Materials

1,1141 (= XC 8)

Ck 15 according to DIN 17 210 (= XC 15)

5.2 Dimensions

5.2.1 Screw head

Ski binding screws shall

- have a maximum head diameter of 10 mm, and
- be cross-recess type Z No. 3 according to ISO 4757, with a recommended penetration depth of 2,72 mm to 3,18 mm.

The bottom side of the head shall be coarse-toothed (see figure 1).

1) Details of suitable test screws and test assemblies can be obtained from the Secretariat of ISO/TC 83/SC 4 (ON, Austria) or from the ISO Central Secretariat.