

This document is a preview generated by EVS

OPC Unified Architecture - Part 5: Information Model

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

| | |
|---|--|
| See Eesti standard EVS-EN IEC 62541-5:2020 sisaldab Euroopa standardi EN IEC 62541-5:2020 ingliskeelset teksti. | This Estonian standard EVS-EN IEC 62541-5:2020 consists of the English text of the European standard EN IEC 62541-5:2020. |
| Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas | This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation. |
| Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 18.09.2020. | Date of Availability of the European standard is 18.09.2020. |
| Standard on kättesaadav Eesti Standardikeskusest. | The standard is available from the Estonian Centre for Standardisation. |

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 25.040.40, 35.100

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:
Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD

EN IEC 62541-5

NORME EUROPÉENNE

EUROPÄISCHE NORM

September 2020

ICS 35.100.05; 25.040.40

Supersedes EN 62541-5:2015 and all of its amendments
and corrigenda (if any)

English Version

OPC Unified Architecture - Part 5: Information Model (IEC 62541-5:2020)

Architecture unifiée OPC - Partie 5: Modèle d'information
(IEC 62541-5:2020)

OPC Unified Architecture - Teil 5: Informationsmodell
(IEC 62541-5:2020)

This European Standard was approved by CENELEC on 2020-08-14. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

The text of document 65E/717/FDIS, future edition 3 of IEC 62541-5, prepared by SC 65E "Devices and integration in enterprise systems" of IEC/TC 65 "Industrial-process measurement, control and automation" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 62541-5:2020.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2021-05-14
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2023-08-14

This document supersedes EN 62541-5:2015 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association.

Endorsement notice

The text of the International Standard IEC 62541-5:2020 was approved by CENELEC as a European Standard without any modification.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

| <u>Publication</u> | <u>Year</u> | <u>Title</u> | <u>EN/HD</u> | <u>Year</u> |
|--------------------|-------------|--|-----------------|-------------|
| IEC/TR 62541-1 | - | OPC unified architecture - Part 1: Overview and concepts | CLC/TR 62541-1 | - |
| IEC 62541-3 | - | OPC Unified Architecture - Part 3: Address Space Model | EN IEC 62541-3 | - |
| IEC 62541-4 | - | OPC Unified Architecture - Part 4: Services | EN IEC 62541-4 | - |
| IEC 62541-6 | - | OPC Unified Architecture - Part 6: Mappings | EN IEC 62541-6 | - |
| IEC 62541-7 | - | OPC unified architecture - Part 7: Profiles | EN IEC 62541-7 | - |
| IEC 62541-9 | - | OPC Unified Architecture - Part 9: Alarms and Conditions | EN IEC 62541-9 | - |
| IEC 62541-10 | - | OPC Unified Architecture - Part 10: Programs | EN IEC 62541-10 | - |
| IEC 62541-11 | - | OPC Unified Architecture - Part 11: Historical Access | EN IEC 62541-11 | - |
| ISO/IEC/IEEE 60559 | 2011 | Information technology - Microprocessor Systems - Floating-Point arithmetic | - | - |
| IETF RFC 2045 | - | Multipurpose Internet Mail Extensions (MIME) Part 1: Format of Internet Message Bodies | - | - |
| IETF RFC 2046 | - | Multipurpose Internet Mail Extensions (MIME) - Part Two: Media Types | - | - |

| <u>Publication</u> | <u>Year</u> | <u>Title</u> | <u>EN/HD</u> | <u>Year</u> |
|--------------------|-------------|--|--------------|-------------|
| IETF RFC 2047 | - | Multipurpose Internet Mail Extensions - Part Three: Message Header Extensions for Non-ASCII Text | - | - |
| XML-1 | - | XML Schema Part 1: Structures, W3C | - | - |
| XML-2 | - | XML Schema Part 2: Datatypes, W3C | - | - |
| W3C Xpath | - | XML Path Language (XPath) | - | - |
| IETF RFC 3629 | - | UTF-8, a transformation format of ISO 10646 | - | - |

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**OPC unified architecture –
Part 5: Information Model**

**Architecture unifiée OPC –
Partie 5: Modèle d'information**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2020 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**OPC unified architecture –
Part 5: Information Model**

**Architecture unifiée OPC –
Partie 5: Modèle d'information**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 25.040.40; 35.100.05

ISBN 978-2-8322-8592-3

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

| | |
|---|----|
| FOREWORD | 14 |
| 1 Scope | 16 |
| 2 Normative references | 16 |
| 3 Terms, definitions, abbreviated terms and conventions | 17 |
| 3.1 Terms and definitions | 17 |
| 3.2 Abbreviated terms | 17 |
| 3.3 Conventions for Node descriptions | 17 |
| 4 Nodelds and BrowseNames | 19 |
| 4.1 Nodelds | 19 |
| 4.2 BrowseNames | 19 |
| 5 Common Attributes | 19 |
| 5.1 General | 19 |
| 5.2 Objects | 20 |
| 5.3 Variables | 20 |
| 5.4 VariableTypes | 21 |
| 5.5 Methods | 21 |
| 6 Standard ObjectTypes | 21 |
| 6.1 General | 21 |
| 6.2 BaseObjectType | 22 |
| 6.3 ObjectTypes for the Server Object | 22 |
| 6.3.1 ServerType | 22 |
| 6.3.2 ServerCapabilitiesType | 25 |
| 6.3.3 ServerDiagnosticsType | 28 |
| 6.3.4 SessionsDiagnosticsSummaryType | 29 |
| 6.3.5 SessionDiagnosticsObjectType | 29 |
| 6.3.6 VendorServerInfoType | 30 |
| 6.3.7 ServerRedundancyType | 30 |
| 6.3.8 TransparentRedundancyType | 31 |
| 6.3.9 NonTransparentRedundancyType | 31 |
| 6.3.10 NonTransparentNetworkRedundancyType | 32 |
| 6.3.11 OperationLimitsType | 33 |
| 6.3.12 AddressSpaceFileType | 34 |
| 6.3.13 NamespaceMetadataType | 35 |
| 6.3.14 NamespacesType | 36 |
| 6.4 ObjectTypes used as EventTypes | 37 |
| 6.4.1 General | 37 |
| 6.4.2 BaseEventType | 37 |
| 6.4.3 AuditEventType | 40 |
| 6.4.4 AuditSecurityEventType | 41 |
| 6.4.5 AuditChannelEventType | 42 |
| 6.4.6 AuditOpenSecureChannelEventType | 42 |
| 6.4.7 AuditSessionEventType | 43 |
| 6.4.8 AuditCreateSessionEventType | 44 |
| 6.4.9 AuditUriMismatchEventType | 45 |
| 6.4.10 AuditActivateSessionEventType | 45 |

| | | |
|--------|---|----|
| 6.4.11 | AuditCancelEventType | 46 |
| 6.4.12 | AuditCertificateEventType | 47 |
| 6.4.13 | AuditCertificateDataMismatchEventType | 47 |
| 6.4.14 | AuditCertificateExpiredEventType | 48 |
| 6.4.15 | AuditCertificateInvalidEventType | 48 |
| 6.4.16 | AuditCertificateUntrustedEventType | 48 |
| 6.4.17 | AuditCertificateRevokedEventType | 49 |
| 6.4.18 | AuditCertificateMismatchEventType | 49 |
| 6.4.19 | AuditNodeManagementEventType | 50 |
| 6.4.20 | AuditAddNodesEventType | 50 |
| 6.4.21 | AuditDeleteNodesEventType | 50 |
| 6.4.22 | AuditAddReferencesEventType | 51 |
| 6.4.23 | AuditDeleteReferencesEventType | 51 |
| 6.4.24 | AuditUpdateEventType | 52 |
| 6.4.25 | AuditWriteUpdateEventType | 52 |
| 6.4.26 | AuditHistoryUpdateEventType | 53 |
| 6.4.27 | AuditUpdateMethodEventType | 54 |
| 6.4.28 | SystemEventType | 54 |
| 6.4.29 | DeviceFailureEventType | 54 |
| 6.4.30 | SystemStatusChangeEvent | 55 |
| 6.4.31 | BaseModelChangeEvent | 55 |
| 6.4.32 | GeneralModelChangeEvent | 56 |
| 6.4.33 | SemanticChangeEvent | 56 |
| 6.4.34 | EventQueueOverflowEventType | 57 |
| 6.4.35 | ProgressEventType | 57 |
| 6.5 | ModellingRuleType | 58 |
| 6.6 | FolderType | 58 |
| 6.7 | DataTypeEncodingType | 58 |
| 6.8 | AggregateFunctionType | 58 |
| 7 | Standard VariableTypes | 59 |
| 7.1 | General | 59 |
| 7.2 | BaseVariableType | 59 |
| 7.3 | PropertyType | 59 |
| 7.4 | BaseDataVariableType | 60 |
| 7.5 | ServerVendorCapabilityType | 60 |
| 7.6 | ServerStatusType | 61 |
| 7.7 | BuildInfoType | 61 |
| 7.8 | ServerDiagnosticsSummaryType | 62 |
| 7.9 | SamplingIntervalDiagnosticsArrayType | 63 |
| 7.10 | SamplingIntervalDiagnosticsType | 63 |
| 7.11 | SubscriptionDiagnosticsArrayType | 63 |
| 7.12 | SubscriptionDiagnosticsType | 64 |
| 7.13 | SessionDiagnosticsArrayType | 65 |
| 7.14 | SessionDiagnosticsVariableType | 66 |
| 7.15 | SessionSecurityDiagnosticsArrayType | 69 |
| 7.16 | SessionSecurityDiagnosticsType | 69 |
| 7.17 | OptionSetType | 70 |
| 7.18 | SelectionListType | 71 |
| 7.19 | AudioVariableType | 72 |

| | | |
|--------|---|----|
| 8 | Standard Objects and their Variables..... | 73 |
| 8.1 | General..... | 73 |
| 8.2 | Objects used to organise the AddressSpace structure | 73 |
| 8.2.1 | Overview | 73 |
| 8.2.2 | Root | 73 |
| 8.2.3 | Views | 74 |
| 8.2.4 | Objects | 74 |
| 8.2.5 | Types | 75 |
| 8.2.6 | ObjectTypes | 75 |
| 8.2.7 | VariableTypes | 76 |
| 8.2.8 | ReferenceTypes | 77 |
| 8.2.9 | DataTypes | 78 |
| 8.2.10 | EventTypes | 78 |
| 8.3 | Server Object and its containing Objects..... | 79 |
| 8.3.1 | General | 79 |
| 8.3.2 | Server Object..... | 80 |
| 8.4 | ModellingRule Objects | 80 |
| 8.4.1 | ExposesItsArray | 80 |
| 8.4.2 | Mandatory | 81 |
| 8.4.3 | Optional..... | 81 |
| 8.4.4 | OptionalPlaceholder | 81 |
| 8.4.5 | MandatoryPlaceholder | 82 |
| 9 | Standard Methods | 82 |
| 9.1 | GetMonitoredItems | 82 |
| 9.2 | ResendData..... | 83 |
| 9.3 | SetSubscriptionDurable | 83 |
| 9.4 | RequestServerStateChange..... | 84 |
| 10 | Standard Views | 85 |
| 11 | Standard ReferenceTypes | 85 |
| 11.1 | References | 85 |
| 11.2 | HierarchicalReferences | 86 |
| 11.3 | NonHierarchicalReferences | 86 |
| 11.4 | HasChild | 87 |
| 11.5 | Aggregates | 87 |
| 11.6 | Organizes | 87 |
| 11.7 | HasComponent | 87 |
| 11.8 | HasOrderedComponent | 88 |
| 11.9 | HasProperty..... | 88 |
| 11.10 | HasSubtype | 88 |
| 11.11 | HasModellingRule..... | 89 |
| 11.12 | HasTypeDefinition..... | 89 |
| 11.13 | HasEncoding | 89 |
| 11.14 | HasEventSource | 90 |
| 11.15 | HasNotifier..... | 90 |
| 11.16 | GeneratesEvent..... | 90 |
| 11.17 | AlwaysGeneratesEvent | 91 |
| 12 | Standard DataTypes | 91 |
| 12.1 | Overview..... | 91 |

| | | |
|---------|--|-----|
| 12.2 | DataTypes defined in IEC 62541-3..... | 91 |
| 12.3 | DataTypes defined in IEC 62541-4..... | 98 |
| 12.4 | BuildInfo | 99 |
| 12.5 | RedundancySupport | 99 |
| 12.6 | ServerState..... | 100 |
| 12.7 | RedundantServerDataType | 101 |
| 12.8 | SamplingIntervalDiagnosticsDataType | 101 |
| 12.9 | ServerDiagnosticsSummaryDataType | 102 |
| 12.10 | ServerStatusDataType | 102 |
| 12.11 | SessionDiagnosticsDataType..... | 103 |
| 12.12 | SessionSecurityDiagnosticsDataType | 106 |
| 12.13 | ServiceCounterDataType | 107 |
| 12.14 | StatusResult | 107 |
| 12.15 | SubscriptionDiagnosticsDataType..... | 107 |
| 12.16 | ModelChangeStructureDataType | 109 |
| 12.17 | SemanticChangeStructureDataType | 110 |
| 12.18 | BitFieldMaskDataType | 110 |
| 12.19 | NetworkGroupDataType..... | 110 |
| 12.20 | EndpointUrlListDataType | 111 |
| 12.21 | KeyValuePair | 111 |
| 12.22 | EndpointType..... | 112 |
| Annex A | (informative) Design decisions when modelling the server information | 113 |
| A.1 | Overview..... | 113 |
| A.2 | ServerType and Server Object..... | 113 |
| A.3 | Typed complex Objects beneath the Server Object | 113 |
| A.4 | Properties versus DataVariables | 113 |
| A.5 | Complex Variables using complex DataTypes | 114 |
| A.6 | Complex Variables having an array..... | 114 |
| A.7 | Redundant information..... | 114 |
| A.8 | Usage of the BaseDataVariableType..... | 115 |
| A.9 | Subtyping | 115 |
| A.10 | Extensibility mechanism..... | 115 |
| Annex B | (normative) StateMachines | 116 |
| B.1 | General..... | 116 |
| B.2 | Examples of finite state machines | 116 |
| B.2.1 | Simple state machine | 116 |
| B.2.2 | State machine containing substates..... | 117 |
| B.3 | Definition of state machine..... | 118 |
| B.4 | Representation of state machines in the AddressSpace | 118 |
| B.4.1 | Overview | 118 |
| B.4.2 | StateMachineType | 119 |
| B.4.3 | StateVariableType | 120 |
| B.4.4 | TransitionVariableType..... | 121 |
| B.4.5 | FiniteStateMachineType | 122 |
| B.4.6 | FiniteStateVariableType | 124 |
| B.4.7 | FiniteTransitionVariableType | 125 |
| B.4.8 | StateType | 126 |
| B.4.9 | InitialStateType | 126 |
| B.4.10 | TransitionType..... | 127 |

| | | |
|---------------------|--|-----|
| B.4.11 | FromState..... | 127 |
| B.4.12 | ToState..... | 128 |
| B.4.13 | HasCause..... | 128 |
| B.4.14 | HasEffect..... | 129 |
| B.4.15 | HasSubStateMachine | 129 |
| B.4.16 | TransitionEventType..... | 130 |
| B.4.17 | AuditUpdateStateEventType | 130 |
| B.4.18 | Special Restrictions on subtyping StateMachines | 131 |
| B.4.19 | Specific StatusCodes for StateMachines..... | 131 |
| B.5 | Examples of StateMachines in the AddressSpace..... | 132 |
| B.5.1 | StateMachineType using inheritance | 132 |
| B.5.2 | StateMachineType with a SubStateMachine using inheritance | 133 |
| B.5.3 | StateMachineType using containment..... | 134 |
| B.5.4 | Example of a StateMachine having Transition to SubStateMachine | 134 |
| Annex C (normative) | File Transfer | 137 |
| C.1 | Overview..... | 137 |
| C.2 | FileType..... | 137 |
| C.2.1 | General | 137 |
| C.2.2 | Open | 138 |
| C.2.3 | Close..... | 139 |
| C.2.4 | Read | 140 |
| C.2.5 | Write..... | 141 |
| C.2.6 | GetPosition..... | 142 |
| C.2.7 | SetPosition | 142 |
| C.3 | File System..... | 143 |
| C.3.1 | FileDirectoryType | 143 |
| C.3.2 | FileSystem Object | 144 |
| C.3.3 | CreateDirectory | 144 |
| C.3.4 | CreateFile..... | 145 |
| C.3.5 | Delete..... | 146 |
| C.3.6 | MoveOrCopy | 147 |
| C.4 | Temporary file transfer..... | 148 |
| C.4.1 | TemporaryFileTransferType..... | 148 |
| C.4.2 | File transfer sequences | 149 |
| C.4.3 | GenerateFileForRead | 150 |
| C.4.4 | GenerateFileForWrite | 151 |
| C.4.5 | CloseAndCommit..... | 151 |
| C.4.6 | FileTransferStateMachineType | 152 |
| C.4.7 | Reset..... | 155 |
| Annex D (normative) | DataTypeDictionary..... | 156 |
| D.1 | Overview..... | 156 |
| D.2 | Data Type Model..... | 156 |
| D.3 | DataTypeDictionary, DataTypeDescription, DataTypeEncoding and DataTypeSystem..... | 157 |
| D.4 | AddressSpace organization..... | 159 |
| D.5 | Node definitions | 161 |
| D.5.1 | HasDescription | 161 |
| D.5.2 | DataTypeDictionaryType..... | 161 |
| D.5.3 | DataTypeDescriptionType..... | 162 |

| | | |
|----------|--|-----|
| D.5.4 | DataTypeSystemType..... | 162 |
| D.5.5 | OPC Binary | 162 |
| D.5.6 | XML Schema | 163 |
| Annex E | (normative) OPC Binary Type Description System | 164 |
| E.1 | Concepts | 164 |
| E.2 | Schema description | 165 |
| E.2.1 | TypeDictionary | 165 |
| E.2.2 | TypeDescription..... | 165 |
| E.2.3 | OpaqueType..... | 166 |
| E.2.4 | EnumeratedType | 166 |
| E.2.5 | StructuredType | 167 |
| E.2.6 | FieldType | 167 |
| E.2.7 | EnumeratedValue | 169 |
| E.2.8 | ByteOrder..... | 169 |
| E.2.9 | ImportDirective | 170 |
| E.3 | Standard Type descriptions..... | 170 |
| E.4 | Type description examples..... | 171 |
| E.4.1 | A 128-bit signed integer..... | 171 |
| E.4.2 | A 16-bit value divided into several fields | 171 |
| E.4.3 | A structured type with optional fields | 171 |
| E.4.4 | An array of integers | 171 |
| E.4.5 | An array of integers with a terminator instead of a length prefix..... | 171 |
| E.4.6 | A simple union..... | 171 |
| E.4.7 | An enumerated type | 172 |
| E.4.8 | A nullable array | 172 |
| E.5 | OPC Binary XML schema..... | 172 |
| E.6 | OPC Binary Standard TypeDictionary | 174 |
| Annex F | (normative) User Authorization..... | 176 |
| F.1 | Overview..... | 176 |
| F.2 | RoleSetType | 176 |
| F.2.1 | RoleSetType definition..... | 176 |
| F.2.2 | AddRole Method | 176 |
| F.2.3 | RemoveRole Method | 177 |
| F.3 | RoleType | 178 |
| F.3.1 | RoleType definition..... | 178 |
| F.3.2 | IdentityMappingRuleType | 179 |
| F.3.3 | AddIdentity Method | 180 |
| F.3.4 | RemoveIdentity Method | 180 |
| F.3.5 | AddApplication Method | 181 |
| F.3.6 | RemoveApplication Method | 181 |
| F.3.7 | AddEndpoint Method | 182 |
| F.3.8 | RemoveEndpoint Method..... | 182 |
| F.4 | RoleMappingRuleChangedAuditEventType | 183 |
| Figure 1 | – Standard AddressSpace structure | 73 |
| Figure 2 | – Views organization | 74 |
| Figure 3 | – Objects organization | 75 |
| Figure 4 | – ObjectTypes organization..... | 76 |

| | |
|---|-----|
| Figure 5 – VariableTypes organization | 76 |
| Figure 6 – ReferenceType definitions | 77 |
| Figure 7 – EventTypes organization | 78 |
| Figure 8 – Excerpt of diagnostic information of the Server | 80 |
| Figure B.1 – Example of a simple state machine | 117 |
| Figure B.2 – Example of a state machine having a sub-machine | 117 |
| Figure B.3 – The StateMachine Information Model | 119 |
| Figure B.4 – Example of a FiniteStateMachine type | 124 |
| Figure B.5 – Example of a FiniteStateMachine instance | 124 |
| Figure B.6 – Example of an initial State in a sub-machine | 126 |
| Figure B.7 – Example of a StateMachineType using inheritance | 132 |
| Figure B.8 – Example of a StateMachineType with a SubStateMachine using inheritance | 133 |
| Figure B.9 – Example of a StateMachineType using containment | 134 |
| Figure B.10 – Example of a StateMachine with Transitions from sub-states | 135 |
| Figure B.11 – Example of a StateMachineType having Transition to SubStateMachine | 136 |
| Figure C.1 – FileSystem example | 144 |
| Figure C.2 – Read file transfer example sequence | 149 |
| Figure C.3 – Write file transfer example sequence | 149 |
| Figure C.4 – File transfer States | 152 |
| Figure C.5 – FileTransferStateMachineType | 153 |
| Figure D.1 – DataType model | 156 |
| Figure D.2 – Example of DataType modelling | 159 |
| Figure D.3 – DataTypes organization | 160 |
| Figure E.1 – OPC Binary Dictionary structure | 164 |
| | |
| Table 1 – Examples of DataTypes | 18 |
| Table 2 – TypeDefinitionTable | 18 |
| Table 3 – Common Node Attributes | 20 |
| Table 4 – Common Object Attributes | 20 |
| Table 5 – Common Variable Attributes | 21 |
| Table 6 – Common VariableType Attributes | 21 |
| Table 7 – Common Method Attributes | 21 |
| Table 8 – BaseObjectType definition | 22 |
| Table 9 – ServerType definition | 23 |
| Table 10 – ServerCapabilitiesType definition | 26 |
| Table 11 – ServerDiagnosticsType definition | 28 |
| Table 12 – SessionsDiagnosticsSummaryType definition | 29 |
| Table 13 – SessionDiagnosticsObjectType definition | 30 |
| Table 14 – VendorServerInfoType definition | 30 |
| Table 15 – ServerRedundancyType definition | 31 |
| Table 16 – TransparentRedundancyType definition | 31 |
| Table 17 – NonTransparentRedundancyType definition | 32 |

| | |
|---|----|
| Table 18 – NonTransparentNetworkRedundancyType definition | 32 |
| Table 19 – OperationLimitsType definition | 33 |
| Table 20 – AddressSpaceFileType definition..... | 34 |
| Table 21 – NamespaceMetadataType definition | 35 |
| Table 22 – NamespacesType definition..... | 37 |
| Table 23 – BaseEventType definition | 38 |
| Table 24 – AuditEventType definition | 41 |
| Table 25 – AuditSecurityEventType definition | 42 |
| Table 26 – AuditChannelEventType definition | 42 |
| Table 27 – AuditOpenSecureChannelEventType definition..... | 43 |
| Table 28 – AuditSessionEventType definition..... | 44 |
| Table 29 – AuditCreateSessionEventType definition | 44 |
| Table 30 – AuditUrlMismatchEventType definition..... | 45 |
| Table 31 – AuditActivateSessionEventType definition | 46 |
| Table 32 – AuditCancelEventType definition | 46 |
| Table 33 – AuditCertificateEventType definition | 47 |
| Table 34 – AuditCertificateDataMismatchEventType definition | 47 |
| Table 35 – AuditCertificateExpiredEventType definition | 48 |
| Table 36 – AuditCertificateInvalidEventType definition | 48 |
| Table 37 – AuditCertificateUntrustedEventType definition | 49 |
| Table 38 – AuditCertificateRevokedEventType definition | 49 |
| Table 39 – AuditCertificateMismatchEventType definition | 49 |
| Table 40 – AuditNodeManagementEventType definition..... | 50 |
| Table 41 – AuditAddNodesEventType definition | 50 |
| Table 42 – AuditDeleteNodesEventType definition | 51 |
| Table 43 – AuditAddReferencesEventType definition | 51 |
| Table 44 – AuditDeleteReferencesEventType definition | 52 |
| Table 45 – AuditUpdateEventType definition..... | 52 |
| Table 46 – AuditWriteUpdateEventType definition..... | 53 |
| Table 47 – AuditHistoryUpdateEventType definition | 53 |
| Table 48 – AuditUpdateMethodEventType definition | 54 |
| Table 49 – SystemEventType definition | 54 |
| Table 50 – DeviceFailureEventType definition..... | 55 |
| Table 51 – SystemStatusChangeEvent definition | 55 |
| Table 52 – BaseModelChangeEvent definition..... | 55 |
| Table 53 – GeneralModelChangeEvent definition | 56 |
| Table 54 – SemanticChangeEvent definition | 56 |
| Table 55 – EventQueueOverflowEventType definition | 57 |
| Table 56 – ProgressEventType definition | 57 |
| Table 57 – ModellingRuleType definition..... | 58 |
| Table 58 – FolderType definition..... | 58 |
| Table 59 – DataTypeEncodingType definition | 58 |
| Table 60 – AggregateFunctionType definition | 59 |

| | |
|--|----|
| Table 61 – BaseVariableType definition | 59 |
| Table 62 – PropertyType definition | 60 |
| Table 63 – BaseDataVariableType definition | 60 |
| Table 64 – ServerVendorCapabilityType definition | 61 |
| Table 65 – ServerStatusType definition | 61 |
| Table 66 – BuildInfoType definition | 62 |
| Table 67 – ServerDiagnosticsSummaryType definition | 62 |
| Table 68 – SamplingIntervalDiagnosticsArrayType definition | 63 |
| Table 69 – SamplingIntervalDiagnosticsType definition | 63 |
| Table 70 – SubscriptionDiagnosticsArrayType definition | 64 |
| Table 71 – SubscriptionDiagnosticsType definition | 65 |
| Table 72 – SessionDiagnosticsArrayType definition | 66 |
| Table 73 – SessionDiagnosticsVariableType definition | 67 |
| Table 74 – SessionSecurityDiagnosticsArrayType definition | 69 |
| Table 75 – SessionSecurityDiagnosticsType definition | 70 |
| Table 76 – OptionSetType definition | 71 |
| Table 77 – SelectionListType definition | 72 |
| Table 78 – AudioVariableType definition | 72 |
| Table 79 – Root definition | 73 |
| Table 80 – Views definition | 74 |
| Table 81 – Objects definition | 75 |
| Table 82 – Types definition | 75 |
| Table 83 – ObjectTypes definition | 76 |
| Table 84 – VariableTypes definition | 77 |
| Table 85 – ReferenceTypes definition | 78 |
| Table 86 – DataTypes definition | 78 |
| Table 87 – EventTypes definition | 79 |
| Table 88 – Server definition | 80 |
| Table 89 – ExposesItsArray definition | 81 |
| Table 90 – Mandatory definition | 81 |
| Table 91 – Optional definition | 81 |
| Table 92 – OptionalPlaceholder definition | 81 |
| Table 93 – MandatoryPlaceholder definition | 82 |
| Table 94 – GetMonitoredItems Method AddressSpace definition | 83 |
| Table 95 – ResendData Method AddressSpace definition | 83 |
| Table 96 – SetSubscriptionDurable Method AddressSpace definition | 84 |
| Table 97 – RequestServerStateChange Method AddressSpace definition | 85 |
| Table 98 – References ReferenceType | 86 |
| Table 99 – HierarchicalReferences ReferenceType | 86 |
| Table 100 – NonHierarchicalReferences ReferenceType | 86 |
| Table 101 – HasChild ReferenceType | 87 |
| Table 102 – Aggregates ReferenceType | 87 |
| Table 103 – Organizes ReferenceType | 87 |

| | |
|---|-----|
| Table 104 – HasComponent ReferenceType | 88 |
| Table 105 – HasOrderedComponent ReferenceType | 88 |
| Table 106 – HasProperty ReferenceType..... | 88 |
| Table 107 – HasSubtype ReferenceType | 89 |
| Table 108 – HasModellingRule ReferenceType..... | 89 |
| Table 109 – HasTypeDefinition ReferenceType | 89 |
| Table 110 – HasEncoding ReferenceType | 90 |
| Table 111 – HasEventSource ReferenceType | 90 |
| Table 112 – HasNotifier ReferenceType..... | 90 |
| Table 113 – GeneratesEvent ReferenceType..... | 91 |
| Table 114 – AlwaysGeneratesEvent ReferenceType | 91 |
| Table 115 – IEC 62541-3 DataType definitions | 92 |
| Table 116 – BaseDataType definition..... | 93 |
| Table 117 – Structure definition | 94 |
| Table 118 – Enumeration definition..... | 95 |
| Table 119 – ByteString definition | 95 |
| Table 120 – Number definition | 95 |
| Table 121 – Double definition | 96 |
| Table 122 – Integer definition | 96 |
| Table 123 – DateTime definition | 96 |
| Table 124 – String definition | 96 |
| Table 125 – UInteger definition | 97 |
| Table 126 – Image definition..... | 97 |
| Table 127 – UInt64 definition | 97 |
| Table 128 – DataTypeDefinition definition..... | 97 |
| Table 129 – EnumValueType definition | 98 |
| Table 130 – IEC 62541-4 DataType definitions | 98 |
| Table 131 – UserIdentityToken definition | 99 |
| Table 132 – BuildInfo structure | 99 |
| Table 133 – BuildInfo definition..... | 99 |
| Table 134 – RedundancySupport values | 100 |
| Table 135 – RedundancySupport definition | 100 |
| Table 136 – ServerState values | 100 |
| Table 137 – ServerState definition | 101 |
| Table 138 – RedundantServerDataType Structure | 101 |
| Table 139 – RedundantServerDataType definition | 101 |
| Table 140 – SamplingIntervalDiagnosticsDataType Structure | 101 |
| Table 141 – SamplingIntervalDiagnosticsDataType definition..... | 101 |
| Table 142 – ServerDiagnosticsSummaryDataType Structure..... | 102 |
| Table 143 – ServerDiagnosticsSummaryDataType definition..... | 102 |
| Table 144 – ServerStatusDataType Structure | 103 |
| Table 145 – ServerStatusDataType definition | 103 |
| Table 146 – SessionDiagnosticsDataType Structure | 104 |

| | |
|--|-----|
| Table 147 – SessionDiagnosticsDataType definition | 106 |
| Table 148 – SessionSecurityDiagnosticsDataType Structure | 106 |
| Table 149 – SessionSecurityDiagnosticsDataType definition..... | 106 |
| Table 150 – ServiceCounterDataType Structure | 107 |
| Table 151 – ServiceCounterDataType definition..... | 107 |
| Table 152 – StatusResult Structure..... | 107 |
| Table 153 – StatusResult definition..... | 107 |
| Table 154 – SubscriptionDiagnosticsDataType structure..... | 108 |
| Table 155 – SubscriptionDiagnosticsDataType definition | 109 |
| Table 156 – ModelChangeStructureDataType structure | 109 |
| Table 157 – ModelChangeStructureDataType definition | 109 |
| Table 158 – SemanticChangeStructureDataType structure | 110 |
| Table 159 – SemanticChangeStructureDataType definition..... | 110 |
| Table 160 – BitFieldMaskDataType definition..... | 110 |
| Table 161 – NetworkGroupDataType Structure | 111 |
| Table 162 – NetworkGroupDataType definition | 111 |
| Table 163 – EndpointUrlListDataType Structure..... | 111 |
| Table 164 – EndpointUrlListDataType definition..... | 111 |
| Table 165 – KeyValuePair structure | 111 |
| Table 166 – EndpointType structure..... | 112 |
| Table B.1 – StateMachineType definition | 120 |
| Table B.2 – StateVariableType definition | 121 |
| Table B.3 – TransitionVariableType definition | 122 |
| Table B.4 – FiniteStateMachineType definition | 123 |
| Table B.5 – FiniteStateVariableType definition..... | 125 |
| Table B.6 – FiniteTransitionVariableType definition | 125 |
| Table B.7 – StateType definition | 126 |
| Table B.8 – InitialStateType definition..... | 127 |
| Table B.9 – TransitionType definition..... | 127 |
| Table B.10 – FromState ReferenceType | 128 |
| Table B.11 – ToState ReferenceType | 128 |
| Table B.12 – HasCause ReferenceType..... | 129 |
| Table B.13 – HasEffect ReferenceType | 129 |
| Table B.14 – HasSubStateMachine ReferenceType | 130 |
| Table B.15 – TransitionEventType | 130 |
| Table B.16 – AuditUpdateStateEventType | 131 |
| Table B.17 – Specific StatusCodes for StateMachines | 131 |
| Table C.1 – FileType..... | 138 |
| Table C.2 – Open Method AddressSpace definition | 139 |
| Table C.3 – Close Method AddressSpace definition | 140 |
| Table C.4 – Read Method AddressSpace definition..... | 141 |
| Table C.5 – Write Method AddressSpace definition..... | 142 |
| Table C.6 – GetPosition Method AddressSpace definition..... | 142 |

| | |
|---|-----|
| Table C.7 – SetPosition Method AddressSpace definition | 143 |
| Table C.8 – FileDirectoryType..... | 143 |
| Table C.9 – CreateDirectory Method AddressSpace definition | 145 |
| Table C.10 – CreateFile Method AddressSpace definition..... | 146 |
| Table C.11 – Delete Method AddressSpace definition..... | 147 |
| Table C.12 – MoveOrCopy Method AddressSpace definition..... | 148 |
| Table C.13 – TemporaryFileTransferType | 148 |
| Table C.14 – GenerateFileForRead Method AddressSpace definition | 150 |
| Table C.15 – GenerateFileForWrite Method AddressSpace definition..... | 151 |
| Table C.16 – CloseAndCommit Method AddressSpace definition | 152 |
| Table C.17 – FileTransferStateMachineType..... | 154 |
| Table C.18 – FileTransferStateMachineType transitions | 155 |
| Table D.1 – HasDescription ReferenceType..... | 161 |
| Table D.2 – DataTypeDictionaryType definition..... | 161 |
| Table D.3 – DataTypeDescriptionType definition..... | 162 |
| Table D.4 – DataTypeSystemType definition..... | 162 |
| Table D.5 – OPC Binary definition | 162 |
| Table D.6 – XML Schema definition | 163 |
| Table E.1 – TypeDictionary components..... | 165 |
| Table E.2 – TypeDescription components | 166 |
| Table E.3 – OpaqueType components | 166 |
| Table E.4 – EnumeratedType components..... | 167 |
| Table E.5 – StructuredType components..... | 167 |
| Table E.6 – FieldType components | 168 |
| Table E.7 – EnumeratedValue components..... | 169 |
| Table E.8 – ImportDirective components..... | 170 |
| Table E.9 – Standard Type descriptions..... | 170 |
| Table F.1 – RoleSetType definition | 176 |
| Table F.2 – RoleType definition | 178 |
| Table F.3 – IdentityMappingRuleType | 179 |
| Table F.4 – RoleMappingRuleChangedAuditEventType definition | 183 |

INTERNATIONAL ELECTROTECHNICAL COMMISSION

OPC UNIFIED ARCHITECTURE –**Part 5: Information Model**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62541-5 has been prepared by subcommittee 65E: Devices and integration in enterprise systems, of IEC technical committee 65: Industrial-process measurement, control and automation.

This third edition cancels and replaces the second edition published in 2015. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) Added Annex F on User Authentication. Describes the Role Information Model that also allows configuration of Roles.
- b) Added new data types: "Union", "Decimal", "OptionSet", "DateString", "TimeString", "DurationString", NormalizedString", "DecimalString", and "AudioDataType".
- c) Added Method to request a state change in a Server.
- d) Added Method to set Subscription to persistent mode.

- e) Added Method to request resending of data from a Subscription.
- f) Added concept allowing to temporarily create a file to write to or read from a server in C.4.
- g) Added new Variable type to support Selection Lists.
- h) Added optional properties to FiniteStateMachineType to expose currently available states and transitions.
- i) Added UrisVersion Property to ServerType. This version information can be used for session-less service invocation.

The text of this standard is based on the following documents:

| FDIS | Report on voting |
|--------------|------------------|
| 65E/717/FDIS | 65E/733/RVD |

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

Throughout this document and the other parts of the IEC 62541 series, certain document conventions are used:

Italics are used to denote a defined term or definition that appears in Clause 3 in one of the parts of the series.

Italics are also used to denote the name of a service input or output parameter or the name of a structure or element of a structure that are usually defined in tables.

The *italicized terms and names* are also often written in camel-case (the practice of writing compound words or phrases in which the elements are joined without spaces, with each element's initial letter capitalized within the compound). For example the defined term is *AddressSpace* instead of Address Space. This makes it easier to understand that there is a single definition for *AddressSpace*, not separate definitions for Address and Space.

A list of all parts of the IEC 62541 series, published under the general title *OPC Unified Architecture*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.