
**Information technology — ASN.1
encoding rules —**

Part 1:
**Specification of Basic Encoding Rules
(BER), Canonical Encoding Rules
(CER) and Distinguished Encoding
Rules (DER)**

Technologies de l'information — Règles de codage ASN.1 —

*Partie 1: Spécification des règles de codage de base (BER), des règles
de codage canoniques (CER) et des règles de codage distinctives
(DER)*



This document is a preview generated by EFS



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier; Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives or www.iec.ch/members_experts/refdocs)

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents) or the IEC list of patent declarations received (see patents.iec.ch).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html. In the IEC, see www.iec.ch/understanding-standards.

This document was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology, Subcommittee SC 6, Telecommunications and information exchange between systems*, in collaboration with ITU-T. The identical text is published as ITU-T X.690 (02/2021).

This sixth edition cancels and replaces the fifth edition (ISO/IEC 8825-1:2015), which has been technically revised.

A list of all parts in the ISO/IEC 8825 series can be found on the ISO and IEC websites.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html and www.iec.ch/national-committees.

CONTENTS

	<i>Page</i>
Introduction	v
1 Scope	1
2 Normative references.....	1
2.1 Identical Recommendations International Standards.....	1
2.2 Additional references.....	1
3 Definitions	2
4 Abbreviations	2
5 Notation	3
6 Convention	3
7 Conformance	3
8 Basic encoding rules.....	3
8.1 General rules for encoding.....	3
8.1.1 Structure of an encoding.....	3
8.1.2 Identifier octets	4
8.1.3 Length octets.....	5
8.1.4 Contents octets.....	6
8.1.5 End-of-contents octets.....	6
8.2 Encoding of a boolean value.....	7
8.3 Encoding of an integer value.....	7
8.4 Encoding of an enumerated value	7
8.5 Encoding of a real value	7
8.6 Encoding of a bitstring value	9
8.7 Encoding of an octetstring value.....	10
8.8 Encoding of a null value	10
8.9 Encoding of a sequence value	10
8.10 Encoding of a sequence-of value.....	11
8.11 Encoding of a set value.....	11
8.12 Encoding of a set-of value	11
8.13 Encoding of a choice value	11
8.14 Encoding of a value of a prefixed type.....	11
8.15 Encoding of an open type	12
8.16 Encoding of an instance-of value	12
8.17 Encoding of a value of the embedded-pdv type.....	13
8.18 Encoding of a value of the external type	13
8.19 Encoding of an object identifier value.....	14
8.20 Encoding of a relative object identifier value	15
8.21 Encoding of an OID internationalized resource identifier value.....	15
8.22 Encoding of a relative OID internationalized resource identifier value	15
8.23 Encoding for values of the restricted character string types	15
8.24 Encoding for values of the unrestricted character string type.....	18
8.25 Encoding for values of the Useful Types.....	18
8.26 Encoding for values of the TIME type and the useful time types	18
8.26.1 Encoding for values of the TIME type	18
8.26.2 Encoding for values of the DATE type	18
8.26.3 Encoding for values of the TIME-OF-DAY type	18
8.26.4 Encoding for values of the DATE-TIME type.....	18
8.26.5 Encoding for values of the DURATION type	18

ISO/IEC 8825-1:2021(E)

9	Canonical encoding rules.....	19
9.1	Length forms	19
9.2	String encoding forms.....	19
9.3	Set components.....	19
10	Distinguished encoding rules	19
10.1	Length forms	19
10.2	String encoding forms.....	20
10.3	Set components.....	20
11	Restrictions on BER employed by both CER and DER.....	20
11.1	Boolean values	20
11.2	Unused bits.....	20
11.3	Real values	20
11.4	GeneralString values.....	21
11.5	Set and sequence components with default value	21
11.6	Set-of components	21
11.7	GeneralizedTime	21
11.8	UTCTime	21
	11.8.4 Examples of valid representations	22
	11.8.5 Examples of invalid representations	22
11.9	The TIME type and the useful time types.....	22
12	Use of BER, CER and DER in transfer syntax definition	22
Annex A	– Example of encodings.....	24
A.1	ASN.1 description of the record structure	24
A.2	ASN.1 description of a record value	24
A.3	Representation of this record value	24
Annex B	– Identification of Encoding Rules	26
Annex C	– Illustration of real value encoding	27

Introduction

Rec. ITU-T X.680 | ISO/IEC 8824-1, Rec. ITU-T X.681 | ISO/IEC 8824-2, Rec. ITU-T X.682 | ISO/IEC 8824-3, Rec. ITU-T X.683 | ISO/IEC 8824-4 (Abstract Syntax Notation One or ASN.1) together specify a notation for the definition of abstract syntaxes, enabling application standards to define the types of information they need to transfer. It also specifies a notation for the specification of values of a defined type.

This Recommendation | International Standard defines encoding rules that may be applied to values of types defined using the ASN.1 notation. Application of these encoding rules produces a transfer syntax for such values. It is implicit in the specification of these encoding rules that they are also to be used for decoding.

There may be more than one set of encoding rules that can be applied to values of types that are defined using the ASN.1 notation. This Recommendation | International Standard defines three sets of encoding rules, called *basic encoding rules*, *canonical encoding rules* and *distinguished encoding rules*. Whereas the basic encoding rules give the sender of an encoding various choices as to how data values may be encoded, the canonical and distinguished encoding rules select just one encoding from those allowed by the basic encoding rules, eliminating all of the sender's options. The canonical and distinguished encoding rules differ from each other in the set of restrictions that they place on the basic encoding rules.

The distinguished encoding rules is more suitable than the canonical encoding rules if the encoded value is small enough to fit into the available memory and there is a need to rapidly skip over some nested values. The canonical encoding rules is more suitable than the distinguished encoding rules if there is a need to encode values that are so large that they cannot readily fit into the available memory or it is necessary to encode and transmit a part of a value before the entire value is available. The basic encoding rules is more suitable than the canonical or distinguished encoding rules if the encoding contains a set value or set-of value and there is no need for the restrictions that the canonical and distinguished encoding rules impose. This is due to the memory and CPU overhead that the latter encoding rules exact in order to guarantee that set values and set-of values have just one possible encoding.

Annex A gives an example of the application of the basic encoding rules. It does not form an integral part of this Recommendation | International Standard.

Annex B summarizes the assignment of object identifier and OID internationalized resource identifier values made in this Recommendation | International Standard. It does not form an integral part of this Recommendation | International Standard.

Annex C gives examples of applying the basic encoding rules for encoding reals. It does not form an integral part of this Recommendation | International Standard.

**INTERNATIONAL STANDARD
ITU-T RECOMMENDATION**

**Information technology – ASN.1 encoding rules:
Specification of Basic Encoding Rules (BER),
Canonical Encoding Rules (CER)
and Distinguished Encoding Rules (DER)**

1 Scope

This Recommendation | International Standard specifies a set of basic encoding rules that may be used to derive the specification of a transfer syntax for values of types defined using the notation specified in Rec. ITU-T X.680 | ISO/IEC 8824-1, Rec. ITU-T X.681 | ISO/IEC 8824-2, Rec. ITU-T X.682 | ISO/IEC 8824-3, and Rec. ITU-T X.683 | ISO/IEC 8824-4, collectively referred to as Abstract Syntax Notation One or ASN.1. These basic encoding rules are also to be applied for decoding such a transfer syntax in order to identify the data values being transferred. It also specifies a set of canonical and distinguished encoding rules that restrict the encoding of values to just one of the alternatives provided by the basic encoding rules.

2 Normative references

The following Recommendations and International Standards contain provisions which, through reference in this text, constitute provisions of this Recommendation | International Standard. At the time of publication, the editions indicated were valid. All Recommendations and Standards are subject to revision, and parties to agreements based on this Recommendation | International Standard are encouraged to investigate the possibility of applying the most recent edition of the Recommendations and Standards listed below. Members of IEC and ISO maintain registers of currently valid International Standards. The Telecommunication Standardization Bureau of the ITU maintains a list of currently valid ITU-T Recommendations.

NOTE – This Recommendation | International Standard is based on ISO/IEC 10646:2003. It cannot be applied using later versions of this standard.

2.1 Identical Recommendations | International Standards

- Recommendation ITU-T X.200 (1994) | ISO/IEC 7498-1: 1994, *Information technology – Open Systems Interconnection – Basic Reference Model: The basic model.*
- Recommendation ITU-T X.680 (2021) | ISO/IEC 8824-1:2021, *Information technology – Abstract Syntax Notation One (ASN.1): Specification of basic notation.*
- Recommendation ITU-T X.681 (2021) | ISO/IEC 8824-2:2021, *Information technology – Abstract Syntax Notation One (ASN.1): Information object specification.*
- Recommendation ITU-T X.682 (2021) | ISO/IEC 8824-3:2021, *Information technology – Abstract Syntax Notation One (ASN.1): Constraint specification.*
- Recommendation ITU-T X.683 (2021) | ISO/IEC 8824-4:2021, *Information technology – Abstract Syntax Notation One (ASN.1): Parameterization of ASN.1 specifications.*

NOTE – The references above shall be interpreted as references to the identified Recommendations | International Standards together with all their published amendments and technical corrigenda.

2.2 Additional references

- ISO *International Register of Coded Character Sets to be used with Escape Sequences.*
- ISO/IEC 2022:1994, *Information technology – Character code structure and extension techniques.*
- ISO/IEC 2375:2003, *Information technology – Procedure for registration of escape sequences and coded character sets.*

ISO/IEC 8825-1:2021 (E)

- ISO 6093:1985, *Information processing – Representation of numerical values in character strings for information interchange*.
- ISO/IEC 6429:1992, *Information technology – Control functions for coded character sets*.
- ISO/IEC 10646:2003, *Information technology – Universal Multiple-Octet Coded Character Set (UCS)*.

3 Definitions

For the purposes of this Recommendation | International Standard, the definitions of Rec. ITU-T X.200 | ISO/IEC 7498-1 and Rec. ITU-T X.680 | ISO/IEC 8824-1 and the following definitions apply.

3.1 canonical encoding: A complete encoding of an abstract value obtained by the application of encoding rules that have no implementation-dependent options. Such rules result in the definition of a 1-1 mapping between unambiguous and unique encodings and values in the abstract syntax.

3.2 constructed encoding: A data value encoding in which the contents octets are the complete encoding of one or more data values.

3.3 contents octets: That part of a data value encoding which represents a particular value, to distinguish it from other values of the same type.

3.4 data value: Information specified as the value of a type; the type and the value are defined using ASN.1.

3.5 dynamic conformance: A statement of the requirement for an implementation to adhere to the prescribed behaviour in an instance of communication.

3.6 encoding (of a data value): The complete sequence of octets used to represent the data value.

3.7 end-of-contents octets: Part of a data value encoding, occurring at its end, which is used to determine the end of the encoding.

NOTE – Not all encodings require end-of-contents octets.

3.8 identifier octets: Part of a data value encoding which is used to identify the type of the value.

NOTE – Some ITU-T Recommendations use the term "data element" for this sequence of octets, but the term is not used in this Recommendation | International Standard, as other Recommendations | International Standards use it to mean "data value".

3.9 length octets: Part of a data value encoding following the identifier octets which is used to determine the end of the encoding.

3.10 primitive encoding: A data value encoding in which the contents octets directly represent the value.

3.11 receiver: An implementation decoding the octets produced by a sender, in order to identify the data value which was encoded.

3.12 sender: An implementation encoding a data value for transfer.

3.13 static conformance: A statement of the requirement for support by an implementation of a valid set of features from among the defined features.

3.14 trailing 0 bit: A 0 in the last position of a bitstring value.

NOTE – The 0 in a bitstring value consisting of a single 0 bit is a trailing 0 bit. Its removal produces an empty bitstring.

4 Abbreviations

For the purposes of this Recommendation | International Standard, the following abbreviations apply:

ASN.1	Abstract Syntax Notation One
BER	Basic Encoding Rules of ASN.1
CER	Canonical Encoding Rules of ASN.1
DER	Distinguished Encoding Rules of ASN.1
ULA	Upper Layer Architecture