

Cycles - Safety requirements for bicycles - Part 7: Wheel and rim test methods (ISO 4210-7:2023)

This document is a preview generated by EVS



## EESTI STANDARDI EESSÕNA

## NATIONAL FOREWORD

See Eesti standard EVS-EN ISO 4210-7:2023 sisaldab Euroopa standardi EN ISO 4210-7:2023 ingliskeelset teksti.	This Estonian standard EVS-EN ISO 4210-7:2023 consists of the English text of the European standard EN ISO 4210-7:2023.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation and Accreditation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 25.01.2023.	Date of Availability of the European standard is 25.01.2023.
Standard on kättesaadav Eesti Standardimis-ja Akrediteerimiskeskusest.	The standard is available from the Estonian Centre for Standardisation and Accreditation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile [standardiosakond@evs.ee](mailto:standardiosakond@evs.ee).

ICS 43.150

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardimis- ja Akrediteerimiskeskusele. Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardimis- ja Akrediteerimiskeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardimis- ja Akrediteerimiskeskusega: Koduleht [www.evs.ee](http://www.evs.ee); telefon 605 5050; e-post [info@evs.ee](mailto:info@evs.ee)

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation and Accreditation. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation and Accreditation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation and Accreditation: Homepage [www.evs.ee](http://www.evs.ee); phone +372 605 5050; e-mail [info@evs.ee](mailto:info@evs.ee)

EUROPEAN STANDARD

EN ISO 4210-7

NORME EUROPÉENNE

EUROPÄISCHE NORM

January 2023

ICS 43.150

Supersedes EN ISO 4210-7:2014

English Version

## Cycles - Safety requirements for bicycles - Part 7: Wheel and rim test methods (ISO 4210-7:2023)

Cycles - Exigences de sécurité pour les bicyclettes -  
Partie 7: Méthodes d'essai des roues et des jantes (ISO  
4210-7:2023)

Fahrräder - Sicherheitstechnische Anforderungen an  
Fahrräder - Teil 7: Prüfverfahren für Laufräder und  
Felgen (ISO 4210-7:2023)

This European Standard was approved by CEN on 13 January 2023.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

## European foreword

This document (EN ISO 4210-7:2023) has been prepared by Technical Committee ISO/TC 149 "Cycles" in collaboration with Technical Committee CEN/TC 333 "Cycles" the secretariat of which is held by UNI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by July 2023, and conflicting national standards shall be withdrawn at the latest by July 2024.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 4210-7:2014.

Any feedback and questions on this document should be directed to the users' national standards body/national committee. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

## Endorsement notice

The text of ISO 4210-7:2023 has been approved by CEN as EN ISO 4210-7:2023 without any modification.

# Contents

Page

<b>Foreword</b> .....	<b>iv</b>
<b>Introduction</b> .....	<b>v</b>
<b>1 Scope</b> .....	<b>1</b>
<b>2 Normative references</b> .....	<b>1</b>
<b>3 Terms and definitions</b> .....	<b>1</b>
<b>4 Test methods</b> .....	<b>1</b>
4.1 Wheel and tyre assembly — Rotational accuracy.....	1
4.2 Wheel and tyre assembly — Static strength test — Test method.....	3
4.3 Wheels — Front/rear wheel retention devices secured — Test method.....	4
4.4 Wheel and tyre assembly — Greenhouse effect test for composite wheels — Test method.....	4
4.5 Wheel and tyre assembly — Heat-resistance test for composite rims used in conjunction with rim brake.....	5
4.6 Wheel — Impact test — Test method.....	6
4.7 Wheel and tyre assembly — Overpressure test — Test method.....	7
4.7.1 Wheel and tyre assembly preparation.....	7
4.7.2 Test method.....	8
<b>Annex A (informative) Wheel and tyre assembly — Fatigue test for city and trekking bicycles</b> .....	<b>9</b>

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).

This document was prepared by Technical Committee ISO/TC 149, *Cycles*, Subcommittee SC 1, *Cycles and major sub-assemblies*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 333, *Cycles*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This second edition cancels and replaces the first edition (ISO 4210-7:2014), which has been technically revised.

The main changes are as follows:

- addition of [4.5](#);
- addition of [4.6](#);
- addition of [4.7](#).

A list of all parts in the ISO 4210 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at [www.iso.org/members.html](http://www.iso.org/members.html).

## Introduction

This document has been developed in response to demand throughout the world, and the aim has been to ensure that bicycles manufactured in conformity with this document will be as safe as is practically possible. The tests have been designed to ensure the strength and durability of individual parts as well as of the bicycle as a whole, demanding high quality throughout and consideration of safety aspects from the design stage onwards.

The scope has been limited to safety considerations and has specifically avoided standardization of components.

If the bicycle should be used on public roads, national regulations apply.

# Cycles — Safety requirements for bicycles —

## Part 7: Wheel and rim test methods

### 1 Scope

This document specifies wheel and rim test methods for ISO 4210-2.

### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 4210-1, *Cycles — Safety requirements for bicycles — Part 1: Vocabulary*

ISO 4210-2:2023, *Cycles — Safety requirements for bicycles — Part 2: Requirements for city and trekking, young adult, mountain and racing bicycles*

ISO 4210-3:2023, *Cycles — Safety requirements for bicycles — Part 3: Common test methods*

ISO 4210-4:2023, *Cycles — Safety requirements for bicycles — Part 4: Braking test methods*

### 3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 4210-1 apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

### 4 Test methods

#### 4.1 Wheel and tyre assembly — Rotational accuracy

The run-out tolerances represent the maximum variation of the position of the rim when measured perpendicular to the axle at a suitable point along the rim (see [Figure 1](#) and [Figure 2](#)) (i.e. full indicator reading) of a fully assembled and adjusted wheel during one complete revolution about the axle without axial movement. Both sides of the rim shall be measured and the maximum value shall be taken as result.

For city and trekking, mountain, and young adult bicycles, the measurement of both axial run-out (lateral) and radial run-out (concentricity) shall be done with a tyre fitted and inflated to the maximum inflation pressure, but for rims where concentricity cannot be measured with the tyre fitted, it is permissible to make measurements with the tyre removed.

For racing bicycles, the measurement of both axial run-out (lateral) and radial run-out (concentricity) shall be measured at the same time as shown in [Figure 2](#) and a tyre is not required to be fitted.