
**Telecommunications and information
exchange between systems —
Unmanned aircraft area network
(UAAN) —**

**Part 3:
Physical and data link protocols for
control communication**

*Télécommunications et échange d'information entre systèmes —
Réseau de zone de drones (Unmanned aircraft area network -
UAAN) —*

*Partie 3: Protocoles de liaison de données et physiques pour la
communication de contrôle*

This document is a preview generated by ELS



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2023

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword.....	v
Introduction.....	vi
1 Scope.....	1
2 Normative references.....	1
3 Terms and definitions.....	1
4 Abbreviated terms.....	1
5 Physical layer.....	2
5.1 Channel and frame structure for data channel.....	2
5.1.1 Number of data channels and bandwidth.....	2
5.1.2 Frame structure.....	2
5.1.3 Slot transmit time mask.....	3
5.1.4 Subchannels.....	3
5.1.5 Initial work resources (IWR) and channel.....	4
5.1.6 Dedicated slots and dedicated subchannels.....	5
5.2 Channel and frame structure for tone channel.....	5
5.2.1 Frame structure and bandwidth.....	5
5.2.2 Slot transmit power.....	6
5.2.3 Slot block structure.....	6
5.2.4 Subslot transmission time mask.....	8
5.2.5 Subslot signal waveform.....	8
5.3 Encoding procedure.....	9
5.4 Physical layer procedure.....	9
5.4.1 Synchronization.....	9
5.4.2 Subchannel power.....	9
5.4.3 Measurements.....	9
5.4.4 Coexistence operation.....	9
6 Data link layer.....	10
6.1 General.....	10
6.2 Channel mapping and measurements.....	12
6.2.1 General.....	12
6.2.2 Mapping of communication resources and subslot sets.....	12
6.2.3 Interference power calculation.....	13
6.2.4 Subchannel map.....	14
6.3 Subchannel negotiation for allocation.....	14
6.3.1 General.....	14
6.3.2 Subchannel negotiation using shared channel.....	19
6.3.3 Subchannel negotiation using dedicated slot.....	21
6.3.4 Subchannel negotiation using IWR.....	23
6.4 Resource allocation competition and generated link confirmation.....	26
6.4.1 General.....	26
6.4.2 Subchannel resource allocation competition.....	27
6.4.3 Generated link confirmation.....	29
6.4.4 Broadcasting control channel information being allocated or occupied.....	31
6.5 Subchannel occupation and collision management.....	32
6.5.1 General.....	32
6.5.2 Subchannel occupation and return.....	32
6.5.3 Collision tone transmission and collision management.....	32
6.5.4 Power control in occupation stage.....	34
6.6 Reallocation.....	35
6.6.1 General.....	35
6.6.2 Reallocation decision.....	35
6.6.3 Subchannel reallocation procedure.....	38

6.7	Data exchange	39
6.7.1	General	39
6.7.2	Data packet format	39
6.8	Synchronization	43
6.9	Data link layer security	43
6.10	Interface with upper layers	45
6.10.1	General	45
6.10.2	Initialization interface	45
6.10.3	Dynamic interface	51
6.11	Interface with other communication layer	55
6.11.1	General	55
6.11.2	Interface with SC	55
6.11.3	Interface with VC	56
Bibliography		59

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives or www.iec.ch/members_experts/refdocs).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents) or the IEC list of patent declarations received (see <https://patents.iec.ch>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html. In the IEC, see www.iec.ch/understanding-standards.

This document was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 6, *Telecommunications and information exchange between systems*.

A list of all parts in the ISO/IEC 4005 series can be found on the ISO and IEC websites.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html and www.iec.ch/national-committees.

Introduction

Unmanned aircrafts (UAs) operating at low altitudes will provide a variety of commercial services in the near future. UAs that provide these services are distributed in the airspace. In low uncontrolled airspace, many people operate their own UAs without the assignment of communication channels from a central control centre.

This document describes control communication, which is a wireless distributed communication. Control communication allows control pairs of UA and controller distributed over the airspace to communicate with each other without serious interference. The channel used for control communication has a multi-channel structure, which enables UAs and controllers to independently use the communication link occupied by each other. A wireless distributed communication described by this document is intended to be used in licensed frequency bands.

The ISO/IEC 4005 series consists of the following four parts:

- ISO/IEC 4005-1: To support various services for UAs, it describes a wireless distributed communication model and the requirements that this model shall satisfy.
- ISO/IEC 4005-2: It describes communication in which all units involved in UA operation can broadcast or exchange information by sharing communication resources with each other.
- ISO/IEC 4005-3 (this document): It describes the control communication for the controller to control the UA.
- ISO/IEC 4005-4: It describes video communication for UAs to send video to a controller.

The International Organization for Standardization (ISO) and International Electrotechnical Commission (IEC) draw attention to the fact that it is claimed that compliance with this document may involve the use of patents.

ISO and IEC take no position concerning the evidence, validity and scope of these patent rights.

The holders of these patent rights have assured ISO and IEC that they are willing to negotiate licences under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statements of the holders of these patent rights are registered with ISO and IEC. Information may be obtained from the patent database available at www.iso.org/patents.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those in the patent database. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

Telecommunications and information exchange between systems — Unmanned aircraft area network (UAAN) —

Part 3: Physical and data link protocols for control communication

1 Scope

This document specifies communication protocols for the physical and data link layer for control communication, which is wireless distributed communication network for units related with unmanned aircrafts (UAs) in level II.

This document describes control communication, which is one-to-one communication between a UA and a controller.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 4005-1, *Telecommunications and information exchange between systems — Unmanned aircraft area network (UAAN) — Part 1: Communication model and requirements*

ISO/IEC 4005-2:2023, *Telecommunications and information exchange between systems — Unmanned aircraft area network (UAAN) — Part 2: Physical and data link protocols for shared communication*

ISO/IEC 4005-4, *Telecommunications and information exchange between systems — Unmanned aircraft area network (UAAN) — Part 4: Physical and data link protocols for video communication*

ISO 21384-4, *Unmanned aircraft systems — Part 4: Vocabulary*

3 Terms and definitions

For the purposes of this document, the terms and definitions defined in ISO/IEC 4005-1, ISO/IEC 4005-2, ISO 21384-4 and the following apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

3.1

subchannel map

2-bit string indicating whether subchannels are available

Note 1 to entry: In wireless distributed communication, the subchannel map of each unit is generally different.

4 Abbreviated terms

CC Control Communication