

---

---

**Soil quality — Leaching procedures  
for subsequent chemical and  
ecotoxicological testing of soil and  
soil-like materials —**

**Part 5:  
Batch test with forced aerobic or  
anaerobic conditions**

*Qualité du sol — Modes opératoires de lixiviation en vue d'essais  
chimiques et écotoxicologiques ultérieurs des sols et matériaux  
analogues au sol —*

*Partie 5: Essai en bûchée dans des conditions aérobies ou anaérobies  
forcées*

This document is a preview generated by ELS



**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2023

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
CP 401 • Ch. de Blandonnet 8  
CH-1214 Vernier, Geneva  
Phone: +41 22 749 01 11  
Email: [copyright@iso.org](mailto:copyright@iso.org)  
Website: [www.iso.org](http://www.iso.org)

Published in Switzerland

# Contents

	Page
Foreword.....	iv
Introduction.....	v
<b>1 Scope.....</b>	<b>1</b>
<b>2 Normative references.....</b>	<b>1</b>
<b>3 Terms and definitions.....</b>	<b>1</b>
<b>4 Principle.....</b>	<b>3</b>
<b>5 Reagents.....</b>	<b>3</b>
<b>6 Apparatus.....</b>	<b>4</b>
<b>7 Sample pretreatment.....</b>	<b>6</b>
7.1 Preparation of laboratory sample and specification of particle size.....	6
7.2 Preparation of test sample.....	6
7.3 Determination of the dry matter content and of water content.....	6
7.4 Preparation of the test portion.....	7
<b>8 Procedure.....</b>	<b>7</b>
8.1 Temperature.....	7
8.2 Preparation of leachants.....	8
8.2.1 General.....	8
8.2.2 Calcium chloride solution, $c(\text{CaCl}_2) = 0,001 \text{ mol/l}$ .....	8
8.2.3 Anaerobic calcium chloride solution, $c(\text{CaCl}_2) = 0,001 \text{ mol/l}$ with 0,100 mol/l Na-L-Lactate.....	8
8.3 Leaching step.....	8
8.3.1 Calculation to the quantity of leachant.....	8
8.3.2 Aerobic leaching procedure.....	9
8.3.3 Anaerobic leaching procedure.....	9
8.4 Liquid/solid separation step.....	10
8.5 Further preparation of the eluate for analysis.....	11
8.6 Blank test.....	11
<b>9 Calculation.....</b>	<b>11</b>
<b>10 Test report.....</b>	<b>12</b>
<b>11 Analytical determination.....</b>	<b>12</b>
11.1 General.....	12
11.2 Blank test information.....	12
<b>Annex A (informative) Examples of aerobic and anaerobic extraction.....</b>	<b>13</b>
<b>Annex B (informative) Example of a specific liquid-solid separation procedure for soil samples.....</b>	<b>16</b>
<b>Annex C (informative) Calculation of centrifugation duration depending on centrifugation speed and rotor dimensions.....</b>	<b>18</b>
<b>Bibliography.....</b>	<b>20</b>

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at [www.iso.org/patents](http://www.iso.org/patents). ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).

This document was prepared by Technical Committee ISO/TC 190, *Soil quality*, Subcommittee SC 7, *Impact assessment*.

A list of all parts in the ISO 21268 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at [www.iso.org/members.html](http://www.iso.org/members.html).

## Introduction

In various countries, tests have been developed to characterize and assess the substances which can be released from materials. The release of soluble substances upon contact with water is regarded as a main mechanism of release, which results in a potential risk to the environment during the use or disposal of materials. The intent of these tests is to identify the leaching properties of materials. The complexity of the leaching process makes simplifications necessary<sup>[1]</sup>.

Not all of the relevant aspects of leaching behaviour can be addressed in one standard.

Tests to characterize the behaviour of materials can generally be divided into three categories addressed in ISO 18772 and EN 12920. The relationships between these tests are summarized as follows.

“Basic characterization” tests are used to obtain information on the short-term and long-term leaching behaviour and characteristic properties of materials. Liquid to solid ratios (L/S), leachant composition, factors controlling leachability, such as pH, redox potential, complexing capacity, role of dissolved organic carbon (DOC), ageing of material and physical parameters, are addressed in these defined tests.

“Compliance” tests are used to determine whether the material complies with a specific behaviour or with specific reference values. These tests focus on key variables and leaching behaviour previously identified by basic characterization tests.

“On-site verification” tests are used as a rapid check to confirm that the material is the same as that which has been subjected to the compliance test(s). On-site verification tests are not necessarily leaching tests.

The test procedure described in this method belongs to category a) “Basic characterization” tests.

NOTE 1 Volatile organic substances include the low molecular weight substances in mixtures such as mineral oil.

NOTE 2 It is not always possible to optimize test conditions simultaneously for inorganic and organic substances and optimum test conditions can also vary between different groups of organic substances. Test requirements for organic substances are generally more stringent than those for inorganic substances. The test conditions suitable for measuring the release of organic substances will generally also be applicable to inorganic substances.

NOTE 3 Within the category of organic substances, a significant difference in behaviour exists between the more polar, relatively water-soluble substances and apolar, hydrophobic organic substances (HOCs). In the latter case, mechanisms of release (e.g. particle-bound or dissolved organic carbon-bound) can be more crucial as well as sorption losses of soluble HOCs on different materials with which they come in contact (e.g. bottles, filters). The test and the results can be used for leaching of organic substances only with thorough consideration of the specific properties of the substances in question and the associated potential problems.

NOTE 4 For ecotoxicological testing, eluates representing the release of both inorganic and organic substances are needed. In this document, ecotoxicological testing is meant to include genotoxicological testing.



# Soil quality — Leaching procedures for subsequent chemical and ecotoxicological testing of soil and soil-like materials —

## Part 5: Batch test with forced aerobic or anaerobic conditions

### 1 Scope

This document specifies a test with which in situ available concentrations of inorganic substances (such as heavy metals, arsenic and phosphorus) and organic substances in soil and soil-like materials can be simulated under forced aerobic and anaerobic conditions. The toxicity can then be estimated based on these available concentrations.

The test described in this document aims to measure the release of inorganic and organic substances from soil and soil-like material as well as to produce eluates for subsequent ecotoxicological testing. For ecotoxicological testing, see ISO 15799 and ISO 17616.

The eluate obtained can subsequently be characterized by physical, chemical and ecotoxicological methods in accordance with existing standard methods. The test is not suitable for substances that are volatile under ambient conditions.

This procedure is not applicable to materials with a dry-matter-content ratio lower than 33 %.

This test is mainly aimed at being used for routine and control purposes, and it cannot be used alone to describe all leaching properties of a soil. Additional leaching tests are needed for that extended goal. This document does not address issues related to health and safety. It only determines the leaching properties outlined in [Clause 4](#).

### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 3696, *Water for analytical laboratory use — Specification and test methods*

ISO 5667-3, *Water quality — Sampling — Part 3: Preservation and handling of water samples*

ISO 7027-1, *Water quality — Determination of turbidity — Part 1: Quantitative methods*

ISO 10523, *Water quality — Determination of pH*

ISO 11271, *Soil quality — Determination of redox potential — Field method*

ISO 11465, *Soil quality — Determination of dry matter and water content on a mass basis — Gravimetric method*

### 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.