



**International  
Standard**

**ISO 20793**

**Photography — Lenticular print for  
changing images — Measurements  
of image quality**

*Photographie — Impression lenticulaire pour images  
changeantes — Mesurages de la qualité des images*

**First edition  
2024-05**

This document is a preview generated by EMS



**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2024

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
CP 401 • Ch. de Blandonnet 8  
CH-1214 Vernier, Geneva  
Phone: +41 22 749 01 11  
Email: [copyright@iso.org](mailto:copyright@iso.org)  
Website: [www.iso.org](http://www.iso.org)

Published in Switzerland

# Contents

	Page
<b>Foreword</b> .....	<b>iv</b>
<b>Introduction</b> .....	<b>v</b>
<b>1 Scope</b> .....	<b>1</b>
<b>2 Normative references</b> .....	<b>1</b>
<b>3 Terms and definitions</b> .....	<b>1</b>
3.1 Terms.....	1
3.2 Abbreviations.....	2
<b>4 Standard environmental conditions</b> .....	<b>2</b>
4.1 Temperature and humidity.....	2
4.2 Ambient illumination conditions.....	2
<b>5 Measurement conditions</b> .....	<b>2</b>
5.1 General.....	2
5.2 Geometry of measurements.....	3
5.2.1 Standard conditions with hemispherical illumination.....	3
5.2.2 Standard conditions with directional illumination.....	3
5.3 Light source.....	4
5.4 Light measuring device (LMD).....	4
5.5 Working standards and references.....	5
<b>6 Preparation of lenticular print samples</b> .....	<b>6</b>
6.1 Test pattern.....	6
6.2 Printing.....	7
6.3 Test images for lenticular prints produced by imaging directly through the lenticular screen.....	7
6.4 Construction of a lenticular print.....	8
<b>7 Measurements and calculations</b> .....	<b>8</b>
7.1 General.....	8
7.2 Measurements of angular dependence.....	9
7.3 Calculation of crosstalk, viewing angle range and angular misalignment.....	10
7.4 Crosstalk for laser-engraved, lenticular samples.....	11
7.5 Uniformity in the printing area.....	12
<b>8 Classifications</b> .....	<b>12</b>
8.1 General.....	12
8.2 Crosstalk.....	12
8.3 Viewing angle range.....	13
8.4 Angular misalignment.....	13
8.5 Uniformity in the printing area.....	13
<b>Annex A (informative) Explanation of a lenticular lens print</b> .....	<b>14</b>
<b>Annex B (informative) Procedures of lenticular printing</b> .....	<b>16</b>
<b>Annex C (informative) Evaluation of lenticular material quality prior to laser imaging</b> .....	<b>22</b>
<b>Annex D (informative) Selection and receiving inspection of lenticular lens sheets</b> .....	<b>27</b>
<b>Bibliography</b> .....	<b>28</b>

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at [www.iso.org/patents](http://www.iso.org/patents). ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).

This document was prepared by Technical Committee ISO/TC 42, *Photography*.

This first edition of ISO 20793 cancels and replaces the first edition of ISO/TS 20793:2019, which has been technically revised.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at [www.iso.org/members.html](http://www.iso.org/members.html).

## Introduction

Lenticular printing is a technology wherein lenticular lenses are used to produce printed images with an illusion of depth, i.e. three-dimensional (3D) effect, or the ability to change or move as the image is viewed from different angles. Lenticular prints for displaying changing images are built up with a lenticular lens sheet and a printed sheet that contains at least two images, interleaved with the same spatial frequency as the lenticular lens sheet.

In this context, lenticular lenses generally take the form of arrays of cylindrical lenses, each acting as a magnifying lens. Widespread applications of lenticular printing are signage, display posters, business cards, multilingual message boards, packages with changing images or 3D effects, and secure documents.

It has been reported that the market size of lenticular prints is over 100 million m<sup>2</sup> and that the market is growing. Furthermore, the potential image qualities of lenticular printing have dramatically improved, and further improvements are expected in the future. While production of lenticular sheets with a lens frequency of 100 lpi (lines per inch) is routine, products with a 200 lpi frequency are also currently available.

Although the potential image quality of lenticular prints is high as described above, the quality of images is not always good in the market due to various causes, e.g., due to the misalignment of the lenticular lens and lenticular printed images. This is a critical problem for lenticular printing.

To improve the image quality of lenticular prints, image quality measurements are essential. This document provides standard measurement methods and the specifications for the image quality of lenticular prints.



# Photography — Lenticular print for changing images — Measurements of image quality

## 1 Scope

This document specifies the measurement methods and specification of image quality of lenticular prints that are used for changing images. This document does not cover lenticular prints that are used for 3D images.

NOTE Lenticular prints for 3D images can be measured with the same types of procedures. However, it needs more information, such as the dependence of the measurement distance, to evaluate the 3D performance.

This document specifically describes measurement methods for crosstalk, viewing angle range, angular misalignment from the designed viewing angle and the uniformity of the image within the printing area of the lenticular print images. These are critical for the image quality of lenticular prints for changing images.

This document is applicable to lenticular prints produced by printing technologies that include impact and non-impact printing. Examples of the former are off-set, gravure and flexography, while the examples of the latter are silver halide, inkjet, dye diffusion thermal transfer and electrophotography. The multiple laser images (MLI) and changeable laser images (CLI) process of using a laser to write through a lenticular screen at different angles to create two monochrome images is also used.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 5-3, *Photography and graphic technology — Density measurements — Part 3: Spectral conditions*

ISO 5-4, *Photography and graphic technology — Density measurements — Part 4: Geometric conditions for reflection density*

## 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

### 3.1 Terms

#### 3.1.1

##### **lenticular lens**

array of magnifying semi-cylindrical lenses, designed to produce a desired perception, such as 3D, motion or morphing, to the underlying interlaced image

EXAMPLE This technique is widely used in lenticular printing, wherein the lenticular lens is used to provide an illusion of depth, change or motion to an underlying interlaced image when viewed from different angles.

[SOURCE: ISO/TS 20328:2016, 3.1, modified — Note 1 to entry has been removed.]