

**VEE ELEKTROLÜÜSI KASUTAVAD
VESINIKUGENERAATORID**

**Tööstuslikud, kaubanduslikud ja kodutarbija
rakendused**

**Hydrogen generators using water electrolysis
Industrial, commercial, and residential applications
(ISO 22734:2019, modified)**

EESTI STANDARDI EESSÕNA**NATIONAL FOREWORD**

See Eesti standard EVS-ISO 22734-MOD:2024 sisaldab rahvusvahelise standardi ISO 22734:2019 „Hydrogen generators using water electrolysis. Industrial, commercial, and residential applications“ modifitseeritud ingliskeelset teksti.	This Estonian Standard EVS-ISO 22734-MOD:2024 consists of the modified English text of the International Standard ISO 22734:2019 „Hydrogen generators using water electrolysis. Industrial, commercial, and residential applications“.
Ettepaneku rahvusvahelise standardi tõlkemeetodil ülevõtmiseks on esitanud EVS/TK 80, standardi avaldamist on korraldanud Eesti Standardimis- ja Akrediteerimiskeskus.	Proposal to adopt the International Standard by translation method has been presented by EVS/TK 80, the Estonian Standard has been published by the Estonian Centre for Standardisation and Accreditation.
Standard EVS-ISO 22734-MOD:2024 on jõustunud sellekohase teate avaldamisega EVS Teatajas.	Standard EVS-ISO 22734-MOD:2024 has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation and Accreditation.
Standard on kättesaadav Eesti Standardimis- ja Akrediteerimiskeskusest.	This standard is available from the Estonian Centre for Standardisation and Accreditation.

Käsitlusala

See dokument määratleb konstruktsiooni-, ohutus- ja jõudlusnõuded modulaarsetele või tehases sobitatud vesinikgaasi tootmiseadmetele (edaspidi vesinikugeneraatorid), mis kasutavad elektrokeemilisi reaktsioone vesiniku tootmiseks vee elektrolüüsi teel.

See dokument on kohaldatav vesinikugeneraatoritele, mis kasutavad järgmist tüüpi ionide transpordikeskkondi:

- aluste vesilahused;
- hapete vesilahused;
- tahked polümeersed materjalid, millele on lisatud happelisi funktsionaalrühmi, näiteks prootonvahetusmembraan (PEM);
- tahked polümeersed materjalid, millele on lisatud aluselisi funktsionaalrühmi, näiteks anioonvahetusmembraan (AEM).

See dokument kehtib vesinikugeneraatorite kohta, mis on mõeldud tööstuslikuks ja kaubanduslikuks kasutuseks, samuti kasutamiseks kodutarbijale sise- ja välitingimustes ilmastiku eest kaitstud oludes, nagu autovarjualused, garaažid, majapidamisruumid ja muud sarnased eluruumid.

Vesinikugeneraatorid, mida saab kasutada ka elektri tootmiseks, näiteks pööratavad kütuseelemendid, ei kuulu selle dokumendi käsitluslasse.

Elamutele mõeldud vesinikugeneraatorid, mis tarnivad saadusena ka hapnikku, ei kuulu selle dokumendi käsitluslasse.

Selles standardis on tehtud järgmised muudatused:

Sellesse standardisse on sisse viidud täpsustused ja parandused tekstis ja viidetes, mis aitavad standardi sisu paremini mõista. Täiendused, mille algus ja lõpp on tähistatud märgisega **[MOD]**, on sisse viidud järgmistesse jaotistesse:

- peatükk 3 (määratlus 3.6);
- peatükk 4 (jaotis 4.1.1.1; jaotis 4.1.8; jaotise 4.3.4.4 märkus; jaotise 4.3.9 loetelu; jaotis 4.5.1; jaotis 4.6.2 loetelu);
- peatükk 5 (jaotise 5.2.3.1 punkt d); jaotise 5.2.4.2 loetelu; jaotis 5.2.4.3; jaotis 5.2.4.6; jaotis 5.2.5.4.1; jaotise 5.2.6.2 märkus 1).

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 71.100.20; 71.120.99

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardimis- ja Akrediteerimiskeskusele

Andmete paljudamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardimis- ja Akrediteerimiskeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autoriõiguse kaitse kohta, võtke palun ühendust Eesti Standardimis- ja Akrediteerimiskeskusega: Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation and Accreditation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation and Accreditation.

If you have any questions about standards copyright protection, please contact the Estonian Centre for Standardisation and Accreditation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

Contents

FOREWORD.....	V
INTRODUCTION	VI
1 SCOPE.....	1
2 NORMATIVE REFERENCES.....	1
3 TERMS AND DEFINITIONS.....	4
4 REQUIREMENTS.....	8
4.1 Operating conditions.....	8
4.2 Risk management.....	10
4.3 Mechanical equipment.....	10
4.4 Electrical equipment, wiring and ventilation.....	18
4.5 Control systems	22
4.6 Ion transport medium.....	27
4.7 Protection of service personnel.....	28
5 TEST METHODS.....	28
5.1 General	28
5.2 Type (qualification) tests.....	28
5.3 Routine tests	39
6 MARKING AND LABELLING.....	40
6.1 General requirements	40
6.2 Hydrogen generator marking	40
6.3 Marking of components.....	40
6.4 Warning signs.....	41
7 DOCUMENTATION ACCOMPANYING THE HYDROGEN GENERATOR.....	41
7.1 General	41
7.2 Hydrogen generator ratings	41
7.3 Hydrogen generator installation	42
7.4 Hydrogen generator operation	44
7.5 Hydrogen generator maintenance.....	44
Annex A (informative) Hydrogen-assisted corrosion.....	46
Annex B (informative) Flammability limits of hydrogen.....	47
B.1 Flammability limit.....	47
B.2 Flammability limits of hydrogen	47
Bibliography	48

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 197, *Hydrogen technologies*.

This first edition cancels and replaces ISO 22734-1:2008 and ISO 22734-2:2011, which have been combined and technically revised. The technical revisions add Alkaline Exchange Membranes to the document scope, update Normative references, clarify pressure terminology definitions, and simplify Risk Management requirements. This document is reorganized into 7 clauses, where all design requirements are now found in Clause 4, and all test methods are now found in Clause 5.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

In a hydrogen generator electrochemical cell, electricity causes dissociation of water into hydrogen and oxygen molecules. An electric current is passed between two electrodes separated by a conductive electrolyte or "ion transport medium", producing hydrogen at the negative electrode (cathode) and oxygen at the positive electrode (anode). As water is H₂O, twice the volume of hydrogen is produced compared with oxygen.

Hydrogen gas produced using electrolysis technology can be utilized immediately or stored for later use.

The cell(s), and electrical, gas processing, ventilation, cooling, monitoring equipment and controls are contained within an enclosure. Gas compression, feed water conditioning, and auxiliary equipment may also be included.

This document is intended to be used for certification purposes.

Hydrogen generators using water electrolysis — Industrial, commercial, and residential applications

1 Scope

This document defines the construction, safety, and performance requirements of modular or factory-matched hydrogen gas generation appliances, herein referred to as hydrogen generators, using electrochemical reactions to electrolyse water to produce hydrogen.

This document is applicable to hydrogen generators that use the following types of ion transport medium:

- group of aqueous bases;
- group of aqueous acids;
- solid polymeric materials with acidic function group additions, such as acid proton exchange membrane (PEM);
- solid polymeric materials with basic function group additions, such as anion exchange membrane (AEM).

This document is applicable to hydrogen generators intended for industrial and commercial uses, and indoor and outdoor residential use in sheltered areas, such as car-ports, garages, utility rooms and similar areas of a residence.

Hydrogen generators that can also be used to generate electricity, such as reversible fuel cells, are excluded from the scope of this document.

Residential hydrogen generators that also supply oxygen as a product are excluded from the scope of this document.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 1182, *Reaction to fire tests for products — Non-combustibility test*

ISO 3746, *Acoustics — Determination of sound power levels and sound energy levels of noise sources using sound pressure — Survey method using an enveloping measurement surface over a reflecting plane*

ISO 3864-2, *Graphical symbols — Safety colours and safety signs — Part 2: Design principles for product safety labels*

ISO 4126-1, *Safety devices for protection against excessive pressure — Part 1: Safety valves*

ISO 4126-2, *Safety devices for protection against excessive pressure — Part 2: Bursting disc safety devices*

ISO 4126-6, *Safety devices for protection against excessive pressure — Part 6: Application, selection and installation of bursting disc safety devices*

ISO 7010, *Graphical symbols — Safety colours and safety signs — Registered safety signs*

ISO 7866, *Gas cylinders — Refillable seamless aluminium alloy gas cylinders — Design, construction and testing*

ISO 9300, *Measurement of gas flow by means of critical flow Venturi nozzles*

ISO 9951, *Measurement of gas flow in closed conduits — Turbine meters*

ISO 9614-1, *Acoustics — Determination of sound power levels of noise sources using sound intensity — Part 1: Measurement at discrete points*

ISO 9809-1, *Gas cylinders — Refillable seamless steel gas cylinders — Design, construction and testing — Part 1: Quenched and tempered steel cylinders with tensile strength less than 1 100 MPa*

ISO 10286, *Gas cylinders — Terminology*

ISO 10790, *Measurement of fluid flow in closed conduits — Guidance to the selection, installation and use of Coriolis flowmeters (mass flow, density and volume flow measurements)*

ISO 11119-1, *Gas cylinders — Refillable composite gas cylinders and tubes — Design, construction and testing — Part 1: Hoop wrapped fibre reinforced composite gas cylinders and tubes up to 450 l*

ISO 11119-2, *Gas cylinders — Refillable composite gas cylinders and tubes — Design, construction and testing — Part 2: Fully wrapped fibre reinforced composite gas cylinders and tubes up to 450 l with load-sharing metal liners*

ISO 11119-3, *Gas cylinders — Refillable composite gas cylinders and tubes — Design, construction and testing — Part 3: Fully wrapped fibre reinforced composite gas cylinders and tubes up to 450L with non-load-sharing metallic or non-metallic liners*

ISO 12100, *Safety of machinery — General principles for design — Risk assessment and risk reduction*

ISO 12499, *Industrial fans — Mechanical safety of fans — Guarding*

ISO 13709, *Centrifugal pumps for petroleum, petrochemical and natural gas industries*

ISO 13850, *Safety of machinery — Emergency stop function — Principles for design*

ISO 13854, *Safety of machinery — Minimum gaps to avoid crushing of parts of the human body*

ISO 13857, *Safety of machinery — Safety distances to prevent hazard zones being reached by upper and lower limbs*

ISO 14511, *Measurement of fluid flow in closed conduits — Thermal mass flowmeters*

ISO 14847, *Rotary positive displacement pumps — Technical requirements*

ISO 15534-1, *Ergonomic design for the safety of machinery — Part 1: Principles for determining the dimensions required for openings for whole-body access into machinery*

ISO 15534-2, *Ergonomic design for the safety of machinery — Part 2: Principles for determining the dimensions required for access openings*

ISO 15649, *Petroleum and natural gas industries — Piping*

- ISO 16111, *Transportable gas storage devices — Hydrogen absorbed in reversible metal hydride*
- ISO 16528-1, *Boilers and pressure vessels — Part 1: Performance requirements*
- ISO 17398, *Safety colours and safety signs — Classification, performance and durability of safety signs*
- ISO 26142, *Hydrogen detection apparatus — Stationary applications*
- IEC 31010:2019, *Risk management — Risk assessment techniques*
- IEC 60068-2-18:2017, *Environmental testing — Part 2-18: Tests — Test R and guidance: Water*
- IEC 60079 (all parts), *Explosive atmospheres*
- IEC 60204-1:2016, *Safety of machinery — Electrical equipment of machines — Part 1: General requirements*
- IEC 60335-1:2010, *Household and similar electrical appliances — Safety — Part 1: General requirements*
- IEC 60335-2-41, *Household and similar electrical appliances — Safety — Part 2-41: Particular requirements for pumps*
- IEC 60335-2-51, *Household and similar electrical appliances — Safety — Part 2-51: Particular requirements for stationary circulation pumps for heating and service water installations*
- IEC 60335-2-80, *Household and similar electrical appliances — Safety — Part 2-80: Particular requirements for fans*
- IEC 60364-4-41, *Low voltage electrical installations — Part 4-41: Protection for safety — Protection against electric shock*
- IEC 60364-4-43, *Low-voltage electrical installations — Part 4-43: Protection for safety — Protection against overcurrent*
- IEC 60445, *Basic and safety principles for man-machine interface, marking and identification — Identification of equipment terminals, conductor terminations and conductors*
- IEC 60529, *Degrees of protection provided by enclosures (IP Codes)*
- IEC 60534 (all parts), *Industrial-process control valves*
- IEC 60695-11-10, *Fire hazard testing — Part 11-10: Test flames — 50 W horizontal and vertical flame test methods*
- IEC 60695-11-20, *Fire hazard testing — Part 11-20: Test flames — 500 W Flame test methods*
- IEC 60730-1:2013, *Automatic electrical controls for household and similar use — Part 1: General requirements*
- IEC 60947-1, *Low-voltage switchgear and controlgear — Part 1: General rules*
- IEC 60950-1:2005, *Information technology equipment — Safety — Part 1: General requirements*
- IEC 60998-2-2, *Connecting devices for low-voltage circuits for household and similar purposes — Part 2-2: Particular requirements for connecting devices as separate entities with screwless-type clamping units*

IEC 60999-1, *Connecting devices — Electrical copper conductors — Safety requirements for screw-type and screwless-type clamping units — Part 1: General requirements and particular requirements for clamping units for conductors from 0,2 mm² up to 35 mm² (included)*

IEC 60999-2, *Connecting devices — Electrical copper conductors — Safety requirements for screw-type and screwless-type clamping units — Part 2: Particular requirements for clamping units for conductors above 35 mm² up to 300 mm² (included)*

IEC 61010-1:2010, *Safety requirements for electrical equipment for measurement, control, and laboratory use — Part 1: General requirements*

IEC 61069-7, *Industrial-process measurement and control — Evaluation of system properties for the purpose of system assessment — Part 7: Assessment of system safety*

IEC 61131-1, *Programmable controllers — Part 1: General information*

IEC 61131-2, *Programmable controllers — Part 2: Equipment requirements and tests*

IEC 61508, *Functional safety of electrical/electronic/programmable electronic safety-related systems*

IEC 61511-1, *Functional safety: Safety instrumented systems for the process industry sector — Part 1: Framework, definitions, system, hardware and software requirements*

IEC 61672-1, *Electroacoustics — Sound level meters — Part 1: Specifications*

IEC 61672-2, *Electroacoustics — Sound level meters — Part 2: Pattern evaluation tests*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

3.1

area classification

classification of *hazardous areas* (3.2) according to the probability of the existence of an explosive atmosphere, in order to relate the selection of electrical apparatus for use in the area to the degree of *hazard* (3.12)

3.2

hazardous area

area in which an explosive atmosphere is present, or may be expected to be present, in quantities such as to require special precautions for the construction, installation and use of electrical apparatus

3.3

built-in hydrogen generator appliance

hydrogen generator intended to be installed in a cabinet, in a prepared recess in a wall, or in a similar location

3.4

commercial use