



**International
Standard**

ISO 6518-2

**Road vehicles — Ignition systems —
Part 2:
Electrical performance and function
test methods**

Véhicules routiers — Systèmes d'allumage —

*Partie 2: Performances électriques et méthodes d'essai de
fonctionnement*

**Third edition
2024-08**

This document is a preview generated by EMS



COPYRIGHT PROTECTED DOCUMENT

© ISO 2024

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Ignition system description	1
5 System load	2
6 Ignition parameter measurements	2
6.1 Available secondary (spark) voltage.....	2
6.2 Secondary output voltage (open circuit coil secondary voltage).....	3
6.3 Minimum available voltage (loaded secondary voltage).....	3
6.4 Secondary voltage at primary current switch on (feed forward voltage).....	4
6.5 Zener discharge current (peak spark current).....	5
6.6 Zener discharge duration.....	6
6.7 Zener discharge voltage.....	6
6.8 Zener discharge energy.....	7
6.9 Primary current (peak coil current).....	8
6.10 Average current input.....	9
6.11 Primary energy.....	9
6.12 Coil secondary voltage risetime.....	10
6.13 Peak coil primary voltage.....	10
6.14 Spark timing delay (time lag/delay time).....	11
6.15 Dwell time or dwell angle.....	12
7 Test equipment	13
7.1 Voltage probe (voltage divider).....	13
7.2 Oscilloscope.....	13
7.3 Current probe.....	13
7.4 DC source.....	14
7.5 Signal generator (arbitrary waveform generator).....	14
7.6 Secondary loading.....	14
7.7 Test bench setup.....	14
8 Test procedures for ignition system parameter measurements	15
8.1 General comments.....	15
8.2 Secondary voltage measurements.....	16
8.3 Secondary spark energy measurements.....	17
8.4 Miscellaneous measurements.....	18
9 Test procedures for ignition system parameter measurements	19

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents. ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 22, *Road vehicles*, Subcommittee SC 32, *Electrical and electronic components and general system aspects*.

This third edition cancels and replaces the second edition (ISO 6518-2:1995), which has been technically revised. It also incorporates the Technical Corrigendum ISO 6518-2:1995/Cor. 1:1997.

The main changes compared are as follows:

- test description amended to reflect the state of the art in digital technology.

A list of all parts in the ISO 6518 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

The purpose of this document is to provide a compact and concise specification on ignition parameter measurements, the test equipment and the corresponding measurement procedures.

It is intended to specify equipment, conditions and methods to evaluate ignition systems for internal combustion engines.

ISO 6518-1 specifies the definitions.

This document is a preview generated by EVS

Road vehicles — Ignition systems —

Part 2: Electrical performance and function test methods

1 Scope

This document specifies the design and/or evaluation with the specific equipment, conditions and methods for distributorless battery ignition systems intended for use in various internal combustion engines including automotive, marine, motorcycle and utility engine applications. The test procedures listed in this document are limited to measurements performed on a test bench only and do not include measurements made directly on engines or vehicles. This document is not intended to supply information for battery ignition systems used in aircraft applications of any type.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 6518-1, *Road vehicles — Ignition systems — Part 1: Vocabulary*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 6518-1 apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

4 Ignition system description

This document applies to single ended coil on plug (COP) and coil near plug (CNP). This document does not propose methods to measure any advanced ignition technologies. Those advanced technologies may require advanced methodologies for collection of performance characteristics.

The ignition system as defined for the tests tabulated in this document shall consist of:

- a) A coil. This can be the conventional induction coil or an air or magnetic core transformer.
- b) High voltage, metal conductor ignition cables which are specified to eliminate the varying effects of the different kinds of cable with high impedance conductors. Resistance per foot, as well as inductance of spark plug cables built to suppress radiation, can be quite different from manufacturer to manufacturer.

NOTE It is possible that some ignition systems do not function properly with metallic secondary cables due to EMI and can require low resistance inductance cables.

- c) The standard switching device used in modern systems is the insulated gate bipolar transistor (IGBT). Other transistorized switches can be utilized too.