

TECHNICAL REPORT



**Fibre optic active components and devices – Test and measurement procedures –
Part 7: Calculation methodology of laser safety class for optical transceivers and
transmitters**



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2024 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

preview generated by EVS

TECHNICAL REPORT



**Fibre optic active components and devices – Test and measurement procedures –
Part 7: Calculation methodology of laser safety class for optical transceivers
and transmitters**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 33.180.20

ISBN 978-2-8322-9657-8

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references	7
3 Terms and definitions	7
4 Calculation methodology.....	7
4.1 General.....	7
4.2 Wavelength.....	8
4.3 Time base.....	8
4.4 Hazard for eye and skin	8
4.5 Class categories	9
4.6 Measurement conditions 1, 2, and 3.....	9
4.7 Correction factors	12
4.8 Class 1 and Class 1M power calculations	13
5 Example of calculations	14
5.1 Class 1 power for MMF applications between 700 nm and 1 050 nm wavelength	14
5.2 Class 1 power for SMF applications between 1 200 nm and 1 400 nm wavelength	15
5.3 Class 1 power for SMF applications between 1 400 nm and 1 650 nm wavelength	16
6 Specific interface applications	17
6.1 Applications with wavelength-division multiplexing (WDM).....	17
6.2 Fibre array applications.....	17
Annex A (informative) Hazard level calculations.....	19
A.1 General.....	19
A.2 Example of calculations	19
A.2.1 MMF applications at wavelengths between 700 nm and 1 050 nm.....	19
A.2.2 SMF applications at wavelengths between 1 200 nm and 1 400 nm	21
A.2.3 SMF applications at wavelengths between 1 400 nm and 1 650 nm	22
Figure 1 – Graphic illustration of distance to source and aperture stop	9
Figure 2 – Class 1 power $P_{i\max}$ for MMF applications	15
Figure 3 – Class 1 power $P_{i\max}$ for SMF applications ($1\,200\text{ nm} < \lambda < 1\,400\text{ nm}$).....	16
Figure 4 – Class 1 power $P_{i\max}$ for SMF applications ($1\,400\text{ nm} < \lambda < 1\,650\text{ nm}$).....	16
Figure A.1 – Maximal power in MMF for Class 1 and Hazard level 1 (700 nm to 1 050 nm)	21
Figure A.2 – Maximal power in SMF for Hazard levels 1 and 1M (1 200 nm to 1 400 nm)	22
Figure A.3 – Maximal power in SMF for Hazard levels 1 and 1M (1 400 nm to 1 650 nm)	23
Table 1 – Laser wavelength categorization for each specific parameter	8
Table 2 – Wavelength ranges for fibre optic telecommunication systems	8
Table 3 – Class 1 and Class 1M power criteria	9

Table 4 – Measurement aperture diameters and distances for evaluation.....	10
Table 5 – Values of $1/\eta$ under Conditions 1, 2 and 3 for MMFs	11
Table 6 – Values of d/r under Conditions 1, 2 and 3 for SMFs.....	11
Table 7 – Values of C_6 and T_2 for an extended light source.....	13
Table 8 – Values of the correction factors C_4 and C_7	13
Table 9 – Accessible Emission Limits (AEL).....	13
Table A.1 – Power limits for Hazard levels 1 and 1M.....	19
Table A.2 – Related parameters for MMF applications	20
Table A.3 – AEL values for Classes 1 and 1M and Hazard levels 1 and 1M	20

This document is a preview generated by EVS

INTERNATIONAL ELECTROTECHNICAL COMMISSION

FIBRE OPTIC ACTIVE COMPONENTS AND DEVICES – TEST AND MEASUREMENT PROCEDURES –

Part 7: Calculation methodology of laser safety class for optical transceivers and transmitters

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC TR 62150-7 has been prepared by subcommittee 86C: Fibre optic active components and devices, of IEC technical committee 86: Fibre optics. It is a Technical Report.

The text of this Technical Report is based on the following documents:

Draft	Report on voting
86C/1934/DTR	86C/1940/RVDTR

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this Technical Report is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts in the IEC 62150 series, published under the general title *Fibre optic active components and devices – Test and measurement procedures*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

Laser safety criteria calculations for optical transceivers and transmitters are defined in IEC 60825-1. However, the calculation methodology in IEC 60825-1 is complicated and covers a wide range of laser products. This document provides simple calculation guidelines that are tailored to transceiver and transmitter products for fibre optic telecommunication systems.

The intent of this document is to resolve possible confusion on how to handle the specifications in IEC 60825-2, which define safety criteria for Optical Fibre Communication Systems (OFCSs). In IEC 60825-1 the safety categories are called "Class n ", but in IEC 60825-2 they are called "Hazard level n ". As single units that are not connected to an OFCS, optical transceivers and transmitters are components, for which the specifications of IEC 60825-1 are applicable, that is the safety categories "Class n ". However, when optical transceivers and transmitters are integrated in (i.e. connected to) an Optical Fibre Communication System, the specifications of IEC 60825-2 apply, which uses the safety categories "Hazard level n ". Hence, when the power levels in an OFCS are examined, the "Hazard level n " categories of IEC 60825-2 apply. For the same number n , the power limits of "Hazard level n " are usually lower than the power limits of "Class n ". The fact that the power limits for "Class n " and "Hazard level n " are sometimes different causes considerable confusion in the industry. This document therefore also includes Hazard level calculations, which are provided in informative Annex A.

FIBRE OPTIC ACTIVE COMPONENTS AND DEVICES – TEST AND MEASUREMENT PROCEDURES –

Part 7: Calculation methodology of laser safety class for optical transceivers and transmitters

1 Scope

This part of IEC TR 62150, which is a technical report, provides simple calculation guidelines for the laser safety class of optical transceivers and transmitters, whose baseline standard is IEC 60825-1. The calculation methodology for Class 1 and Class 1M safety levels is the main scope of this document, because most of optical transceivers and transmitters are specified for these classifications. The calculations and classifications in this document follow IEC 60825-1, which specifically advises that laser safety classifications be based on tests that consider any reasonably foreseeable single-fault condition in the application of a transceiver or transmitter. More information can be found in IEC 60825-1:2014, 5.1.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60825-1:2014, *Safety of laser products – Part 1: Equipment classification and requirements*

IEC 60825-2, *Safety of laser products – Part 2: Safety of optical fibre communication systems (OFCSs)*

NOTE IEC 60825-2:2021 refers to IEC 60825-1:2014 as a normative reference.

3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 60825-1 and IEC 60825-2 apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- IEC Electropedia: available at <https://www.electropedia.org/>
- ISO Online browsing platform: available at <https://www.iso.org/obp>

4 Calculation methodology

4.1 General

Optical transceivers and transmitters are categorized as optical components, for which the laser safety specifications are defined in IEC 60825-1. However, when the power levels in an optical fibre communication system (OFCS) are considered, into which the transceivers or transmitters are integrated, the safety specifications for OFCSs apply, which are defined in IEC 60825-2. Both standards are important for transceiver and transmitter laser safety specifications, depending on the application.