

ÄÄRIKUD JA NENDE ÜHENDUSED. TIHENDIGA
ÜMARÄÄRIKUTEGA LIIDETE
PROJEKTEERIMISREEGLID. OSA 1: ARVUTUSMEETOD

Flanges and their joints - Design rules for gasketed
circular flange connections - Part 1: Calculation

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

<p>See Eesti standard EVS-EN 1591-1:2024 sisaldab Euroopa standardi EN 1591-1:2024 ingliskeelset teksti.</p> <p>Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.</p> <p>Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 02.10.2024.</p> <p>Standard on kättesaadav Eesti Standardimis- ja Akrediteerimiskeskusest.</p>	<p>This Estonian standard EVS-EN 1591-1:2024 consists of the English text of the European standard EN 1591-1:2024.</p> <p>This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation and Accreditation.</p> <p>Date of Availability of the European standard is 02.10.2024.</p> <p>The standard is available from the Estonian Centre for Standardisation and Accreditation.</p>
--	---

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 23.040.60

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardimis- ja Akrediteerimiskeskusele. Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardimis- ja Akrediteerimiskeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardimis- ja Akrediteerimiskeskusega: Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation and Accreditation. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation and Accreditation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation and Accreditation: Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD

EN 1591-1

NORME EUROPÉENNE

EUROPÄISCHE NORM

October 2024

ICS 23.040.60

Supersedes EN 1591-1:2013

English Version

Flanges and their joints - Design rules for gasketed circular flange connections - Part 1: Calculation

Brides et leurs assemblages - Règles de calcul des assemblages à brides circulaires avec joint - Partie 1: Méthode de calcul

Flansche und ihre Verbindungen - Regeln für die Auslegung von Flanschverbindungen mit runden Flanschen und Dichtung - Teil 1: Berechnungsmethode

This European Standard was approved by CEN on 7 July 2024.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents

Page

1	Scope	7
2	Normative references	7
3	Terms and definitions, subscripts, special marks and symbols	7
3.1	Terms and definitions	7
3.2	Subscripts and special marks	17
3.2.1	Subscripts	17
3.2.2	Special marks	18
3.3	Symbols	18
4	Requirements for use of the calculation method	24
4.1	General	24
4.2	Geometry	24
4.3	Material	24
4.4	Loads	25
5	Calculation parameters	25
5.1	General	25
5.2	Flange parameters	25
5.2.1	General	25
5.2.2	Flange ring	26
5.2.3	Connected shell	27
5.2.4	Flexibility-related flange parameters	28
5.3	Bolt and washer parameters	29
5.3.1	General	29
5.3.2	Effective cross-section area of bolts	29
5.3.3	Flexibility modulus of bolts	29
5.3.4	Geometric parameters for washers and contact surfaces	29
5.3.5	Flexibility modulus of washers	30
5.4	Gasket parameters	30
5.4.1	General	30
5.4.2	Theoretical dimensions	30
5.4.3	Effective dimensions	30
5.4.4	Axial flexibility modulus of gasket	31
5.4.5	Lever arms	33
6	Forces	34
6.1	General	34
6.2	Applied loads	34
6.2.1	Assembly condition ($I = 0$)	34
6.2.2	Subsequent conditions ($I = 1, 2 \dots$)	34
6.3	Compliance of the joint	35
6.4	Minimum forces necessary for the gasket	36
6.4.1	Assembly condition ($I = 0$)	36
6.4.2	Subsequent conditions ($I = 1, 2, \dots$)	36
6.5	Internal forces in assembly condition ($I = 0$)	37
6.5.1	Required forces	37

6.5.2	Accounting for bolt-load scatter at assembly	38
6.6	Internal forces in subsequent conditions ($I = 1, 2, \dots$)	38
7	Load limits.....	39
7.1	General	39
7.2	Bolts.....	40
7.3	Gasket	40
7.4	Integral flange and collar or stub	41
7.5	Blank flange	43
7.6	Loose flange on collar/stub.....	43
Annex A (informative) Dimensions of standard metric bolts.....		45
Annex B (informative) Tightening.....		46
B.1	Scatter of initial bolt load of a single bolt — Indicative values ε_{1-} and ε_{1+} for a single bolt.....	46
B.2	Scatter for the global load of all the bolts	46
B.3	Manual uncontrolled tightening	47
B.4	Assembly using torque wrench	47
B.5	Assembly using bolt tensioner.....	48
Annex C (informative) Flange rotations		50
C.1	General	50
C.2	Use of flange rotation	50
C.3	Calculation of flange rotations.....	50
Annex D (informative) Use of the calculation method		52
D.1	Calculation method principle.....	52
D.2	Mechanical model.....	53
D.3	Required checks.....	54
D.4	Calculation sequence.....	54
Annex E (informative) Gasket/flange face friction coefficients examples.....		57
Annex F (informative) Checking a specified assembly bolt force		58
Annex G (informative) Sealing gasket parameters when no leakage rate is specified.....		59
Annex H (informative) Alternative calculation procedure taking into account the plastic deformation of the gasket in subsequent load conditions procedures (after assembly) ..		60
H.1	General	60
H.2	Calculation procedure.....	60
H.2.1	General description	60
H.2.2	No additional plastic deformation.....	61
H.2.3	Additional plastic deformation.....	61
H.3	Flat gaskets	61
H.3.1	Flat gaskets with small or median deformations.....	61
H.3.2	Flat gaskets with greater deformations	63
H.4	Metal gaskets with curved surfaces (Figures 4b), c), e), f)).....	64
H.5	Metal gaskets with octagonal section (Figure 4d))	64
Annex I (informative) Available, incomplete models for conversion of the leakage rates in different conditions (based on certain flow models)		65
I.1	Introduction and warning	65
I.2	Flow theory fundamentals	65
I.2.1	Transport modes	65
I.2.2	Case of gases	66
I.2.3	Case of liquids: Parallel capillary model.....	67

I.3	Factors of influence on the leakage rate of gaskets and gasketed joints.....	67
I.3.1	List of identified factors	67
I.3.2	Limits and restriction of the proposed models	67
I.3.3	Dependence on pressure	68
I.3.4	Dependence on temperature	69
I.3.5	Dependence on the type of fluid.....	70
I.3.6	Influence of the gasket thickness.....	70
I.3.7	Influence of gasket width.....	71
I.3.8	Influence of gasket stress	71
I.3.9	Influence of other factors	72
I.3.10	Conclusion on the factors of influence.....	72
I.4	Practical application for EN 1591-1 calculations.....	72
I.4.1	General	72
I.4.2	Determination of a trend for the leakage rate for the flange connection in “actual” from “reference” conditions.....	74
I.4.3	Determination of a trend for the leakage rate for the flange connection in “reference” from “actual” conditions.....	75
Annex ZA	(informative) Relationship between this European Standard and the essential requirements of Directive 2014/68/EU aimed to be covered	77

European foreword

This document (EN 1591-1:2024) has been prepared by Technical Committee CEN/TC 74 “Flanges and their joints”, the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2025, and conflicting national standards shall be withdrawn at the latest by April 2025.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 1591-1:2013.

The major changes in comparison with the previous edition include:

- Removal of the possibility to handle gasket creep/relaxation behaviour through additional deflection. In this new revision, the gasket creep/relaxation behaviour is only treated using the P_{QR} factor;
- Correction of the lever arms considered for integral flange and collar load ratio calculation (127), (135);
- Introduction of a reduced maximum allowable value of load ratio for large integral flange and collar (128) and for large loose flanges (149);
- Possibility to check a bolted flange connection for a specified assembly bolt force value, previously treated in the body of the document is now defined in a new informative annex (Annex F);
- Update of the Flange/gasket friction factors in Annex E;
- Update of the Annex ZA in accordance with the Directive 2014/68/EU on Pressure Equipment.

This document has been prepared under a standardization request addressed to CEN by the European Commission. The Standing Committee of the EFTA States subsequently approves these requests for its Member States.

For the relationship with EU Legislation, see informative Annex ZA, which is an integral part of this document.

EN 1591 consists of several parts:

- EN 1591-1, *Flanges and their joints — Design rules for gasketed circular flange connections — Part 1: Calculation*;
- CEN/TR 1591-2, *Flanges and their joints — Design rules for gasketed circular flange connections — Part 2: Gasket parameters*;
- CEN/TS 1591-3, *Flanges and their joints — Design rules for gasketed circular flange connections — Part 3: Calculation method for metal to metal contact type flanged joint*;
- EN 1591-4, *Flanges and their joints — Part 4: Qualification of personnel competency in the assembly of the bolted connections of critical service pressurized systems*;
- CEN/TR 1591-5, *Flanges and their joints — Design rules for gasketed circular flange connections — Part 5: Calculation method for full face gasketed joints*.

The calculation method satisfies both leak tightness and strength criteria. The behaviour of the complete flanges-bolts-gasket system is considered. Parameters taken into account include not only basic ones such as:

- fluid pressure;
- material strength values of flanges, bolts and gaskets;
- gasket compression factors;
- nominal bolt load;

but also:

- possible scatter due to bolting up procedure;
- changes in gasket forces due to compliance of all components of the joint;
- influence of connected shell or pipe;
- effect of external axial and lateral forces and torsion and bending moments;
- effect of temperature difference between bolts and all clamped components of the flange connection.

The use of this calculation method is particularly useful for joints where the bolt load is monitored when bolting up. The greater the precision of this, the more benefit can be gained from application of the calculation method.

Any feedback and questions on this document should be directed to the users' national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN/CENELEC Internal Regulations, the national standards organisations of the following countries are bound to announce this Technical Specification: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

1 Scope

This document defines a calculation method for bolted, gasketed, circular flange joints. Its purpose is to ensure structural integrity and control of leak tightness. It uses gasket parameters based on definitions and test methods specified in EN 13555:2021.

The calculation method is not applicable to joints with a metallic contact out of the sealing face or to joints whose rigidity varies appreciably across gasket width. For gaskets in incompressible materials, which permit large deformations, the results given by the calculation method can be excessively conservative (i.e. required bolting load too high, allowable pressure of the fluid too low, required flange thickness too large, etc.).

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 13555:2021, *Flanges and their joints — Gasket parameters and test procedures relevant to the design rules for gasketed circular flange connections*

3 Terms and definitions, subscripts, special marks and symbols

3.1 Terms and definitions

For the purposes of this document, the following terms and definitions, subscripts, special marks and symbols apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

For standard flange types, as shown in EN 1092 or EN 1759, the relevant figures are the following:

Type 01	Figure 10
Type 02	Figure 12 (with collar type 35, 36 and 37)
Type 05	Figure 11
Type 11	Figure 6
Type 12	Figure 13
Type 13	Figure 14
Type 21	Figures 6 to 9

NOTE Figure 1 to Figure 14 illustrate the notation corresponding to the geometric parameters. They only show principles and are not intended to be practical designs. They do not illustrate all possible flange types for which the calculation method is valid. For further details see 5.2.