

AKNA- JA UKSETARVIKUD. MEHAANILISED  
LUKUKORPUSED JA VASTURAUAD. OMADUSED JA  
KATSEMEETODID

Building hardware - Mechanically operated locks and  
locking plates - Characteristics and test methods

## EESTI STANDARDI EESSÕNA

## NATIONAL FOREWORD

<p>See Eesti standard EVS-EN 12209:2025 sisaldab Euroopa standardi EN 12209:2024 ingliskeelset teksti.</p> <p>Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.</p> <p>Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 11.12.2024.</p> <p>Standard on kättesaadav Eesti Standardimis- ja Akrediteerimiskeskusest.</p>	<p>This Estonian standard EVS-EN 12209:2025 consists of the English text of the European standard EN 12209:2024.</p> <p>This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation and Accreditation.</p> <p>Date of Availability of the European standard is 11.12.2024.</p> <p>The standard is available from the Estonian Centre for Standardisation and Accreditation.</p>
--	---

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile [standardiosakond@evs.ee](mailto:standardiosakond@evs.ee).

ICS 91.190

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardimis- ja Akrediteerimiskeskusele. Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardimis- ja Akrediteerimiskeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardimis- ja Akrediteerimiskeskusega: Koduleht [www.evs.ee](http://www.evs.ee); telefon 605 5050; e-post [info@evs.ee](mailto:info@evs.ee)

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation and Accreditation. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation and Accreditation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation and Accreditation: Homepage [www.evs.ee](http://www.evs.ee); phone +372 605 5050; e-mail [info@evs.ee](mailto:info@evs.ee)

EUROPEAN STANDARD

EN 12209

NORME EUROPÉENNE

EUROPÄISCHE NORM

December 2024

ICS 91.190

Supersedes EN 12209:2016

English Version

## Building hardware - Mechanically operated locks and locking plates - Characteristics and test methods

Quincaillerie pour le bâtiment - Serrures mécaniques et gâches - Exigences et méthodes d'essai

Schlösser und Baubeschläge - Mechanisch betätigte Schlösser und Schließbleche - Anforderungen und Prüfverfahren

This European Standard was approved by CEN on 27 February 2024.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

<b>Contents</b>	<b>Page</b>
European foreword .....	5
Introduction .....	7
<b>1</b> Scope.....	<b>8</b>
<b>2</b> Normative references.....	<b>8</b>
<b>3</b> Terms and definitions, symbols and abbreviations .....	<b>8</b>
3.1 Terms and definitions.....	8
3.2 Symbols and abbreviations.....	11
<b>4</b> Product characteristics.....	<b>11</b>
4.1 General .....	11
4.1.1 Essential characteristics .....	11
4.1.2 Dangerous substances .....	12
4.1.3 Return force of latch bolt .....	12
4.1.4 Strength of lever lock key .....	12
4.1.5 Strength of bolt actions.....	13
4.1.6 Minimum follower restoring torque.....	13
4.2 Category of use (first digit).....	13
4.2.1 Resistance to side force on latch bolt .....	13
4.2.2 Torque to operate the lock.....	13
4.2.3 Strength of follower stops.....	14
4.2.4 Torque resistance for lockable deadbolt operation by handle/knob .....	15
4.3 Durability characteristics (second digit) .....	17
4.3.1 Durability of latch operation .....	17
4.3.2 Durability of deadbolt mechanism.....	17
4.3.3 Durability of locking snib mechanism.....	17
4.4 Door mass and door closing force (third digit).....	18
4.4.1 Door mass .....	18
4.4.2 Door closing force.....	18
4.5 Suitability for use on fire resistance and/or smoke control door set (fourth digit) .....	18
4.5.1 General .....	18
4.5.2 Grade 0.....	18
4.5.3 Grade A .....	19
4.5.4 Grade B .....	19
4.5.5 Grade N .....	19
4.6 Safety (fifth digit) .....	19
4.7 Corrosion resistance and temperature (sixth digit) .....	19
4.7.1 Corrosion resistance.....	19
4.7.2 Operation at extreme temperatures.....	20
4.8 Security (seventh digit) .....	20
4.8.1 General .....	20
4.8.2 Locking .....	20
4.8.3 Deadlocking .....	20
4.8.4 Torque resistance of knob of tubular lock .....	21
4.8.5 Characteristics for side force.....	21

4.8.6	Locking point projection .....	22
4.8.7	Resistance to force in the unlocking direction (disengaging force).....	23
4.8.8	Characteristics for pulling of anti-separation bolt .....	24
4.8.9	Characteristics for anti-lifting devices in sliding door locks .....	25
4.8.10	Requirement for torque resistance of lockable followers .....	26
4.8.11	Strong key attack on lever locks.....	27
4.8.12	Resistance to force on box protected locking plates.....	27
4.8.13	Resistance to side force on locking plates .....	28
4.8.14	Resistance to pulling on locking plates.....	28
4.8.15	Resistance to lifting force on locking plates.....	28
4.8.16	Protection against removal from door.....	28
4.9	Key identification characteristics of lever locks (eight digit) .....	34
4.9.1	Minimum number of detaining elements.....	34
4.9.2	Minimum number of effective differs.....	34
4.9.3	Differing steps height on key.....	34
4.9.4	Non-interpassing of keys with just one interval differ.....	34
4.9.5	Coding protection .....	34
5	Test, assessment and sampling methods .....	35
5.1	General .....	35
5.2	Test apparatus .....	37
5.2.1	Test door .....	37
5.2.2	Drill machine.....	37
5.2.3	Test fixtures.....	37
5.3	Test procedure - Drilling procedure.....	37
5.4	Test methods - general .....	38
5.4.1	Dangerous substances verification .....	38
5.4.2	Return force of latch bolt .....	38
5.4.3	Strength of lever lock key .....	38
5.4.4	Strength of bolt actions.....	38
5.4.5	Minimum follower restoring torque.....	39
5.4.6	Protection against removal from door.....	39
5.5	Test methods - Category of use .....	39
5.5.1	Resistance to side force on latch bolt .....	39
5.5.2	Torque to operate the lock.....	41
5.5.3	Strength of follower stops.....	42
5.5.4	Torque resistance for lockable deadbolt operation by handle/knob .....	42
5.6	Test methods - durability.....	42
5.6.1	Durability of latch action without force applied .....	42
5.6.2	Durability of latch action with force applied .....	44
5.6.3	Durability of deadbolt mechanism.....	45
5.6.4	Durability of locking snib mechanism.....	47
5.7	Door mass and closing force .....	47
5.7.1	Door mass verification.....	47
5.7.2	Door closing force.....	47
5.8	Suitability for use on fire resistance and/or smoke control door set.....	48
5.8.1	Grade A .....	48
5.8.2	Grade B .....	48
5.8.3	Grade N .....	48
5.9	Safety .....	49
5.10	Corrosion resistance and temperature.....	49
5.10.1	Corrosion resistance.....	49
5.10.2	Operation at extreme temperatures.....	49
5.11	Security.....	49
5.11.1	Locking .....	49

5.11.2	Torque resistance of knob of tubular lock .....	50
5.11.3	Resistance to side force .....	51
5.11.4	Deadbolt projection .....	54
5.11.5	Resistance to forcing in the unlocking direction (disengaging force) .....	55
5.11.6	Resistance to pulling of anti-separation bolt .....	58
5.11.7	Resistance to forcing of anti-lifting device in sliding door locks .....	59
5.11.8	Torque resistance of lockable followers .....	60
5.11.9	Strong key attack on lever locks .....	60
5.11.10	Resistance to force on box protected locking plate .....	60
5.11.11	Resistance to side force on locking plate .....	63
5.11.12	Resistance to pulling on locking plate .....	64
5.11.13	Resistance to lifting force on locking plate .....	65
5.12	Key related security for lever locks .....	65
5.12.1	Detaining elements verification .....	65
5.12.2	Effective differs verification .....	65
5.12.3	Differing step heights on key .....	65
5.12.4	Non-interpassing of keys with just one interval differ .....	66
5.12.5	Coding protection .....	66
6	Classification .....	66
6.1	Coding system .....	66
6.2	Classification for mechanically operated locks and locking plates .....	67
6.2.1	Category of use (first digit) .....	67
6.2.2	Durability (second digit) .....	67
6.2.3	Door mass and closing force (third digit) .....	67
6.2.4	Suitability for use on fire resisting and/or smoke control door set (fourth digit) .....	68
6.2.5	Safety (fifth digit) .....	68
6.2.6	Corrosion resistance and temperature (sixth digit) .....	68
6.2.7	Security and drill resistance (seventh digit) .....	69
6.2.8	Key identification of lever locks (eight digit) .....	69
6.3	Example for classification of locks, latches and locking plates .....	70
7	Marking, labelling and packaging .....	70
7.1	On the product .....	70
7.2	On the packaging and literature .....	70
Annex A (normative) Test sampling and sequencing for locks and latches .....		71
Annex B (informative) Product information .....		76
Bibliography .....		78

## European foreword

This document (EN 12209:2024) has been prepared by Technical Committee CEN/TC 33 “Doors, windows, shutters, building hardware and curtain walling”, the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2025, and conflicting national standards shall be withdrawn at the latest by September 2026.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 12209:2016.

EN 12209:2024 includes the following significant technical changes with respect to EN 12209:2016:

- Introduction deleted;
- Clause 4 changed from requirements to characteristics;
- figures clarified;
- durability grades changed from threshold value to range;
- environmental class B added;
- Annex A moved to subclauses 4.5, 5.8 and 6.2.4;
- the previous Annex B is now modified in the new Annex A;
- the previous Annex C is now modified in the new Annex B;
- Annex ZA and Clause 6 deleted;
- Clause 7 renumbered to Clause 6;
- Clause 8 renumbered to Clause 7;
- changes from version 2004 to version 2016 related to essential characteristics:
- the following clauses were re-numbered without any change of performance:
  - self closing ability changed to Self closing – ability to close and keep the door in closed position;
    - return force of latch bolt, from 5.1.2 to 4.1.3;
    - Closing force, from 5.4.2 to 4.4.2 Door closing force;
  - Durability of self closing action changed to Durability of self closing against aging and degradation;
    - Durability of latch action, from 5.3.1 to 4.3.1;
- Ability to maintain door in closed position and not contribute the spread of fire changed to Sustainability for use on fire resistance and/or smoke control door set;

- Suitability for use on fire/smoke doors, from 5.5 to 4.5 Sustainability for use on fire resistance and/or smoke control door set;
- Control of dangerous substances changed to Dangerous substances;
- Dangerous substances, from 5.1.1 to 4.1.2.

Any feedback and questions on this document should be directed to the users' national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

## Introduction

The intended use for products according to this document is:

- a) for use in doors in buildings;
- b) for use on fire and smoke compartmentation doors fitted with door closing devices, to enable such doors to close reliably and thus achieve self-closing in the event of fire;
- c) for use on closed fire doors to maintain the fire integrity of the door assembly.

This document is one of a series of European standards dedicated to building hardware products.

European standards for mechanically operated multi-point locks (EN 15685) and for electromechanically operated locks and locking plates (EN 14846) are also available.

The performance tests incorporated in this standard are considered to be reproducible and as such will provide a consistent and objective assessment of the performance of these products throughout CEN Members.

## 1 Scope

This document specifies product characteristics and test methods of mechanically operated locks and their locking plates.

This document covers mechanically operated locks and their locking plates which are either manufactured and placed on the market in their entirety by one producer or assembled from sub-assemblies produced by more than one producer and designed to be used in combination.

This document does not cover assessment of the contribution of the product to the fire resistance of specific fire resistance and/or smoke control door set assemblies.

This document is not applicable to mechanically/electromechanically cylinders, handles, locks for windows, padlocks, locks for safes, furniture locks or prison locks.

This document does not specify mechanically operated multipoint locks and their locking plates which are specified by EN 15685.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 1303, *Building hardware — Cylinders for locks — Requirements and test methods*

EN 1634-1, *Fire resistance and smoke control tests for door and shutter assemblies, openable windows and elements of building hardware — Part 1: Fire resistance test for door and shutter assemblies and openable windows*

EN 1634-2, *Fire resistance and smoke control tests for door, shutter and openable window assemblies and elements of building hardware — Part 2: Fire resistance characterisation test for elements of building hardware*

EN 1634-3, *Fire resistance and smoke control tests for door and shutter assemblies, openable windows and elements of building hardware — Part 3: Smoke control test for door and shutter assemblies*

EN 1670:2007, *Building hardware — Corrosion resistance — Requirements and test methods*

EN 16035, *Hardware performance sheet (HPS) — Identification and summary of test evidence to facilitate the inter-changeability of building hardware for application to fire resisting and/or smoke control doorsets and/or openable windows*

ISO 10899, *High-speed steel two-flute twist drills — Technical specifications*

## 3 Terms and definitions, symbols and abbreviations

### 3.1 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp/>
- IEC Electropedia: available at <https://www.electropedia.org/>