

HOONETE VENTILATSIOON. ÕHU
TÖÖTLEMISSEADMED. MEHAANILINE TOIMIMINE

Ventilation for buildings - Air handling units -
Mechanical performance

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

<p>See Eesti standard EVS-EN 1886:2025 sisaldab Euroopa standardi EN 1886:2025 ingliskeelset teksti.</p> <p>Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.</p> <p>Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 25.06.2025.</p> <p>Standard on kättesaadav Eesti Standardimis- ja Akrediteerimiskeskusest.</p>	<p>This Estonian standard EVS-EN 1886:2025 consists of the English text of the European standard EN 1886:2025.</p> <p>This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation and Accreditation.</p> <p>Date of Availability of the European standard is 25.06.2025.</p> <p>The standard is available from the Estonian Centre for Standardisation and Accreditation.</p>
--	---

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 91.140.30

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardimis- ja Akrediteerimiskeskusele. Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardimis- ja Akrediteerimiskeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardimis- ja Akrediteerimiskeskusega: Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation and Accreditation. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation and Accreditation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation and Accreditation: Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD

EN 1886

NORME EUROPÉENNE

EUROPÄISCHE NORM

June 2025

ICS 91.140.30

Supersedes EN 1886:2007

English Version

Ventilation for buildings - Air handling units - Mechanical performance

Ventilation des bâtiments - Centrales de traitement d'air - Performances mécaniques

Lüftung von Gebäuden - Zentrale raumlufttechnische Geräte - Mechanische Eigenschaften und Messverfahren

This European Standard was approved by CEN on 21 April 2025.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page
European foreword.....	4
Introduction	5
1 Scope	6
2 Normative references	6
3 Terms and definitions	7
4 Requirements for the model box	9
4.1 General requirements	9
4.1.1 General	9
4.1.2 Model box with section joint	9
4.1.3 Model box without section joint.....	10
4.2 Reference to real unit or model box in classification.....	10
5 Mechanical strength of casing.....	11
5.1 General testing procedure	11
5.1.1 General	11
5.1.2 Classification of maximum pressure	12
5.2 Casing strength classification	13
5.3 Test preparation.....	14
5.4 Test procedure	18
6 External casing air leakage	21
6.1 Requirements and classification	21
6.1.1 General	21
6.1.2 Laboratory testing	22
6.1.3 Site testing of units operating under both negative and positive pressure	22
6.2 Testing.....	22
6.2.1 Test apparatus.....	22
6.2.2 Preparation for test.....	24
6.2.3 Test procedure	24
6.2.4 Determination of allowable leakage rates	25
7 Filter bypass leakage	25
7.1 Requirements	25
7.1.1 General	25
7.1.2 Acceptable filter bypass leakage rates	25
7.1.3 Two or more filter sections in the same unit	26
7.2 Testing.....	27
7.2.1 General	27
7.2.2 Filter blanking plates.....	27
7.2.3 Test procedure	28
8 Thermal performance – model box	30
8.1 General.....	30
8.2 Test setup and environment	31
8.3 Preparation of the model box	32
8.4 Test procedure	35
8.4.1 Thermal transmittance	35

8.4.2	Thermal bridging factor (k_b)	35
8.5	Calculation	36
8.5.1	General.....	36
8.5.2	Calculation of the U -value	36
8.5.3	Calculation of the k_b -value	36
8.6	Classification.....	37
9	Acoustic insulation of casing.....	38
9.1	General.....	38
9.2	Test requirements	38
9.3	Test method	38
9.4	Test procedure.....	38
9.5	Sound power insulation procedure.....	39
9.6	Uncertainty.....	40
9.7	Presentation of the sound reduction	40
Annex A	(informative) Examples of arrangements of circulating fans.....	41
A.1	Installation of circulating fans.....	41
A.2	Four fans.....	41
A.3	Six fans	41
A.4	Eight fans.....	42
Annex B	(normative) Test report.....	43
B.1	Test report.....	43
B.1.1	Requirement for test report.....	43
B.1.2	Recommendations for test report.....	43
Annex C	(informative) Example calculation of the relative deflection D_r and the AHU casing class.....	47
C.1	General.....	47
C.2	Calculation of the non-permanent casing deflection and AHU casing class.....	47
C.3	Calculation of the permanent casing deflection and AHU casing class.....	49
Annex D	(informative) Example of determining filter bypass leakage.....	51
Annex E	(informative) Internal leakage in monoblock and sectional AHUs.....	52
Annex F	(informative) General design advice for fire and mechanical safety	54
F.1	General.....	54
F.2	AHU materials	54
F.3	Mechanical safety.....	55
Bibliography	56

European foreword

This document (EN 1886:2025) has been prepared by Technical Committee CEN/TC 156 "Ventilation for buildings", the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by December 2025, and conflicting national standards shall be withdrawn at the latest by December 2025.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 1886:2007.

The main changes with respect to the previous edition EN 1886:2007 are:

- a model box definition suitable for air handling unit ranges that are only manufactured using a single casing without intermediary casing joint has been included;
- for the mechanical strength of the casing, pressure classes have been introduced with the requirement that the test pressure class be declared. In addition, the testing procedure has been clarified;
- for the casing leakage, the test pressure is changed to 400 Pa and -400 Pa to be in line with legal requirements. In addition, reference to the relevant standard for filters has been updated and test procedures clarified;
- for the filter bypass leakage, the filter is blanked off by means of a blanking plate and the option of using a foil to cover the filter has been deleted;
- for the thermal performance of the casing, a classification of the thermal transmittance is introduced with classes T1 to T5 becoming new classes U1 to U3 and with the requirement that the casing materials be declared. In addition, the testing procedure is more detailed and clearer;
- for the acoustic performance, the specification of the test setup and execution is more detailed and clearer;
- a new Annex B (normative) with requirements for the content of the test report is added;
- a new Annex E (informative) provides a method for measuring the casing related internal leakage;
- a new Annex F (informative) provides AHU design advice for fire and mechanical safety.

Any feedback and questions on this document should be directed to the users' national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

Introduction

This document provides test methods, classifications and requirements for air handling units (AHU) including mechanical strength, air leakage, thermal insulation and acoustic insulation properties of the casing.

This document also includes an Annex F with recommendations for fire protection and mechanical safety for AHUs. It is the intention of CEN/TC 156 that these sections will be later moved to a new standard.

The performance of AHU components is specified in EN 13053.

This document is a preview generated by EVS

1 Scope

This document specifies laboratory test methods, test requirements and classifications for the casings of non-residential air handling units (AHU). For the leakage tests, a method for on-site testing is also included.

The test methods and requirements are applicable to both model boxes and real units, except for the thermal and acoustic performance of the casing.

The test method for the thermal performance of the casing is applicable to the comparison of different casing constructions, but not for the calculation of thermal losses through casing or the risk of condensation.

The test method for the acoustic performance of the casing is applicable for the comparison of different constructions, but not for the provision of accurate acoustic data for specific units.

This document is not applicable for fan-coil units and similar products.

The filter bypass test specified in this document is not applicable to high efficiency particulate air (HEPA) filter installations.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 13053, *Ventilation for buildings — Air handling units — Rating and performance for units, components and sections*

EN 12792, *Ventilation for buildings — Symbols, terminology and graphical symbols*

EN ISO 3743-1, *Acoustics — Determination of sound power levels and sound energy levels of noise sources using sound pressure — Engineering methods for small movable sources in reverberant fields — Part 1: Comparison method for a hard-walled test room (ISO 3743-1)*

EN ISO 3744:2010, *Acoustics — Determination of sound power levels of noise sources using sound pressure — Engineering methods for an essentially free field over a reflecting plane (ISO 3744:2010)*

EN ISO 9614 (all parts), *Acoustics — Determination of sound power levels of noise sources using sound intensity (ISO 9614 all parts)*

EN ISO 11546-2:2009, *Acoustics — Determination of sound insulation performances of enclosures — Part 2: Measurements in situ (for acceptance and verification purposes) (ISO 11546-2:1995)*

ISO 12001, *Acoustics — Noise emitted by machinery and equipment — Rules for the drafting and presentation of a noise test code*