

RAUDTEEALASED RAKENDUSED. GABARIIDID. OSA 2:  
RAUDTEEVEEREMI GABARIIT

Railway applications - Gauges - Part 2: Rolling Stock

## EESTI STANDARDI EESSÕNA

## NATIONAL FOREWORD

<p>See Eesti standard EVS-EN 15273-2:2025 sisaldab Euroopa standardi EN 15273-2:2025 ingliskeelset teksti.</p> <p>Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.</p> <p>Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 22.10.2025.</p> <p>Standard on kättesaadav Eesti Standardimis- ja Akrediteerimiskeskusest.</p>	<p>This Estonian standard EVS-EN 15273-2:2025 consists of the English text of the European standard EN 15273-2:2025.</p> <p>This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation and Accreditation.</p> <p>Date of Availability of the European standard is 22.10.2025.</p> <p>The standard is available from the Estonian Centre for Standardisation and Accreditation.</p>
--	---

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile [standardiosakond@evs.ee](mailto:standardiosakond@evs.ee).

ICS 45.020, 45.060.01

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardimis- ja Akrediteerimiskeskusele. Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardimis- ja Akrediteerimiskeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardimis- ja Akrediteerimiskeskusega: Koduleht [www.evs.ee](http://www.evs.ee); telefon 605 5050; e-post [info@evs.ee](mailto:info@evs.ee)

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation and Accreditation. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation and Accreditation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation and Accreditation: Homepage [www.evs.ee](http://www.evs.ee); phone +372 605 5050; e-mail [info@evs.ee](mailto:info@evs.ee)

EUROPEAN STANDARD

EN 15273-2

NORME EUROPÉENNE

EUROPÄISCHE NORM

October 2025

ICS 45.020; 45.060.01

Supersedes EN 15273-2:2013+A1:2016

English Version

## Railway applications - Gauges - Part 2: Rolling stock

Applications ferroviaires - Gabarits - Partie 2 : Matériel  
roulant

Bahnanwendungen - Begrenzungslinien - Teil 2:  
Fahrzeuge

This European Standard was approved by CEN on 16 June 2025.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

<b>Contents</b>	<b>Page</b>
European foreword.....	5
<b>1 Scope</b> .....	<b>8</b>
<b>2 Normative references</b> .....	<b>8</b>
<b>3 Terms and definitions</b> .....	<b>9</b>
<b>4 Symbols and abbreviations</b> .....	<b>9</b>
<b>5 Gauges and gauging processes</b> .....	<b>9</b>
5.1 General principles for all defined gauges.....	9
5.2 Defined static and kinematic gauges.....	9
5.3 Dynamic methods.....	10
5.3.1 General principles.....	10
5.3.2 Dynamic method based on defined gauges.....	10
5.3.3 Absolute gauging process.....	10
5.3.4 Comparative gauging process.....	10
<b>Annex A (normative) Defined kinematic gauges — common rules</b> .....	<b>11</b>
A.1 General rules.....	11
A.2 Determination of the vehicle heights.....	16
A.3 Determination of the vehicle semi-widths.....	32
A.4 Pantograph gauge verification and non-insulated devices on the vehicle's roof.....	45
A.5 Wheel zone.....	49
A.6 Specific rules for doors and steps in the open position.....	52
<b>Annex B (normative) Defined kinematic gauges for vehicles with passive tilting systems and vehicles without tilting system intended for operation at higher lateral accelerations</b> .....	<b>54</b>
B.1 Introduction.....	54
B.2 Common rules with Annex A.....	54
B.3 Quasi-static displacements $z_{cin}$ for passive tilting vehicles.....	55
B.4 Quasi-static displacements $z_{cin}$ for non-tilting vehicles operating with $l = l_p > l_c$ .....	57
B.5 Pantographs independent of the tilting body system or mounted on non-tilting vehicles operating with $l_p > l_c$ .....	57
B.6 Rules about devices on the vehicle's roof and pantographs in the lowered position inside the pantograph's reference profile.....	59
<b>Annex C (informative) Defined kinematic gauges – Active tilting vehicles and pantograph associated with a re-centring system</b> .....	<b>60</b>
C.1 Introduction.....	60
C.2 Risk analysis.....	60
C.3 Active body tilting method.....	61
C.4 Lateral reductions.....	61
C.5 Pantographs coupled to the tilting body and/or a pantograph re-centring system.....	65

<b>Annex D (normative) Defined kinematic gauge – Graphical method.....</b>	<b>71</b>
<b>D.1 General .....</b>	<b>71</b>
<b>D.2 Lateral reductions .....</b>	<b>71</b>
<b>Annex E (normative) Defined kinematic gauges G1, GI1, GI2, G2, GA, GB, GC, GB1, GB2, GI3, FR 3.3, BE1, BE2, BE3, BE4, PTb, PTb+, PTc, PT1, PT2, DE1, DE2, DE3, NL1, NL2, GHE16, GEI1, GEI2, GEI3, GEA16, GEB16, GEC16, GEC14, GEE10, GED10, EBV O1, EBV O2, EBV O3, EBV U1, EBV U2, EBV U3, DK1, GCZ3 .....</b>	<b>84</b>
<b>E.1 Defined kinematic gauges using the same common rules.....</b>	<b>84</b>
<b>E.2 Gauges for lower parts.....</b>	<b>85</b>
<b>E.3 Gauges for upper part .....</b>	<b>88</b>
<b>E.4 Particular rules.....</b>	<b>89</b>
<b>Annex F (normative) Defined static gauges - common rules .....</b>	<b>91</b>
<b>F.1 General rules .....</b>	<b>91</b>
<b>F.2 Determination of the vehicle heights .....</b>	<b>92</b>
<b>F.3 Determination of the vehicle semi-widths .....</b>	<b>92</b>
<b>Annex G (normative) Defined static gauges G1, GI1, GI2, G2, GA, GB, GC, GB1, GB2, GEI1, GHE16, GEA16, GEB16, GEC16, GEE10, GED 10 .....</b>	<b>94</b>
<b>G.1 Defined static gauges using the same common rules .....</b>	<b>94</b>
<b>G.2 Gauges for lower parts.....</b>	<b>94</b>
<b>G.3 Gauges for upper parts .....</b>	<b>95</b>
<b>Annex H (normative) Defined static gauges using other rules – UK, FIN1 .....</b>	<b>96</b>
<b>H.1 Defined static gauges using other rules.....</b>	<b>96</b>
<b>H.2 Defined static gauge UK.....</b>	<b>96</b>
<b>H.3 Defined static gauge FIN1 .....</b>	<b>96</b>
<b>Annex I (informative) Defined kinematic gauges and defined static gauges using common rules – Common process .....</b>	<b>104</b>
<b>I.1 Establishing the formulae to define a maximum construction gauge .....</b>	<b>104</b>
<b>I.2 Process for defined kinematic gauge using common rules .....</b>	<b>104</b>
<b>I.3 Process for defined static gauge using common rules .....</b>	<b>108</b>
<b>Annex J (normative) Dynamic gauging using computer simulation tools.....</b>	<b>112</b>
<b>J.1 Background.....</b>	<b>112</b>
<b>J.2 Principles.....</b>	<b>112</b>
<b>J.3 Vehicle simulation model .....</b>	<b>114</b>
<b>J.4 Model validation .....</b>	<b>115</b>
<b>J.5 Track data .....</b>	<b>122</b>
<b>J.6 Dynamic simulation.....</b>	<b>123</b>
<b>J.7 Results processing.....</b>	<b>123</b>
<b>J.8 Create swept envelope.....</b>	<b>123</b>

<b>Annex K (normative) Defined dynamic gauges – Common rules</b> .....	<b>124</b>
<b>K.1 General</b> .....	<b>124</b>
<b>K.2 Movement calculation by formulae</b> .....	<b>125</b>
<b>K.3 Movement calculation by simulation</b> .....	<b>138</b>
<b>K.4 Comparison with allowed space</b> .....	<b>145</b>
<b>K.5 Input data catalogue (informative)</b> .....	<b>145</b>
<b>Annex L (normative) Defined dynamic gauges SEa, SEc, NO1, NO2</b> .....	<b>148</b>
<b>L.1 Defined dynamic gauges - common rules</b> .....	<b>148</b>
<b>L.2 Gauges</b> .....	<b>148</b>
<b>L.3 Special rules for bottom lines</b> .....	<b>148</b>
<b>Annex M (normative) Application of dynamic gauging by simulation and calculation of swept envelopes for use in Absolute and Comparative Gauging</b> .....	<b>150</b>
<b>M.1 Principles</b> .....	<b>150</b>
<b>M.2 Provision of data for assessment of compatibility</b> .....	<b>150</b>
<b>M.3 Creating a simulation model</b> .....	<b>150</b>
<b>M.4 Model validation</b> .....	<b>156</b>
<b>M.5 Selection of track data</b> .....	<b>157</b>
<b>M.6 Simulation methodology</b> .....	<b>158</b>
<b>M.7 Results processing</b> .....	<b>160</b>
<b>M.8 Curving analysis of lateral wheelset movements</b> .....	<b>161</b>
<b>M.9 Calculating swept envelopes</b> .....	<b>163</b>
<b>M.10 Data format for rolling stock models used for absolute gauging — RIS-2773-RST</b> .	<b>172</b>
<b>M.11 Defining profiles for candidate vehicles using absolute and comparative gauging swept envelopes (informative)</b> .....	<b>179</b>
<b>M.12 Equipment that requires contact or close proximity to infrastructure</b> .....	<b>190</b>
<b>M.13 Absolute gauging methodology for pantographs</b> .....	<b>191</b>
<b>Annex N (normative) List of documents necessary for assessment of defined gauges</b> .....	<b>196</b>
<b>N.1 New vehicle</b> .....	<b>196</b>
<b>N.2 Existing vehicle</b> .....	<b>197</b>
<b>Annex O (informative) Compatibility of the EBV gauges (CH) with the international gauges G1, GA, GB and GC</b> .....	<b>198</b>
<b>Bibliography</b> .....	<b>199</b>

## European foreword

This document (EN 15273-2:2025) has been prepared by Technical Committee CEN/TC 256 “Railway applications”, the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2026, and conflicting national standards shall be withdrawn at the latest by April 2026.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document is one of the series EN 15273, *Railway applications — Gauges* as listed below:

- EN 15273-1:2025, *General — Common rules for rolling stock and infrastructure* gives the general explanations of gauging and defines the sharing of the space between rolling stock and infrastructure;
- EN 15273-2:2025, *Rolling stock* gives the rules for dimensioning vehicles;
- EN 15273-3:2025, *Infrastructure* gives the rules for positioning the infrastructure;
- EN 15273-4:2025, *Catalogue of defined gauges* includes a non-exhaustive list of reference profiles and parameters to be used by infrastructure and rolling stock;
- CEN/TR 15273-5:2025, *Background, explanation and worked examples*.

This document supersedes EN 15273-2:2013+A1:2016.

In comparison with the previous edition, the following technical modifications have been made:

- the series was fully restructured, from three parts to five parts;
- Clause 3 and Clause 4 now refer to EN 15273-1:2025 where all terms and symbols are defined;
- modification of the whole Clause 5;
- reordering of all specific rules of defined kinematic gauge inside the Annex A to Annex P by moving to the normative Annex A;
- addition of new rules in Annex A about the wheel-zone;
- restructured A.3.13 and A.3.16 into two Annexes, normative Annex B for passive tilting vehicle and informative Annex C for active tilting vehicle;
- addition of a new normative Annex D about the graphical method use for defined kinematic gauge;
- for defined kinematic gauge, removal of all reference profile inside the EN 15273-2:2025 replace in normative Annex E by tables with the links with EN 15273-4:2025 to define the reference profile, basic data and lateral projections;
- for defined static gauge, removal of all reference profile inside the EN 15273-2:2025 replace in normative Annex G by tables with the links with EN 15273-4:2025 to define the reference profile, basic data and lateral projections;

- regrouping all particular rules for German, Belgian and pantograph gauges in normative Annex E;
- reordering all specific rules of defined static gauge inside the Annex A to Annex P by moving to the normative Annex F;
- for all defined gauges (static, kinematic and dynamic), removal of all formulae for calculating specific lateral reductions and replacement by generic formulae in each normative Annexes A, Annex F and Annex K;
- removal of specific Annex K defined static gauges OSJD;
- removal of normative Annex Q Vehicle widening depending on the available spaces of the infrastructure;
- content of normative Annex R Static and kinematic gauges: list of documents for a vehicle gauge conformance certification moved to normative Annex N list of documents for rolling stock gauge assessment applicable for defined kinematic, static and dynamic gauges;
- addition of absolute gauging process and comparative process in normative Annex M.

This document has been prepared under a standardization request addressed to CEN by the European Commission. The Standing Committee of the EFTA States subsequently approves these requests for its Member States.

Any feedback and questions on this document should be directed to the users' national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

## Introduction

The aim of this series EN 15273 is to define the rules for the calculation and verification of the dimensions of rolling stock and infrastructure from a gauging perspective.

This series EN 15273 sets out gauging processes taking into account the relative movements between rolling stock and infrastructure as well as the necessary margins or clearances.

EN 15273-2:2025 covers rolling stock gauges and is used in conjunction with the following parts:

- *Part 1: General — Common rules for rolling stock and infrastructure;*
- *Part 3: Infrastructure;*
- *Part 4: Catalogue of defined gauges;*
- *Part 5: Background, explanation and worked examples.*

## 1 Scope

This document is applicable to new vehicle designs, to modifications to existing vehicles and for checking existing vehicles to be used on another route or network.

This document contains:

- the rules for rolling stock for all defined gauges;
- the swept envelope calculation process used for defined dynamic gauges, absolute and comparative process;
- the list of documents required to assess vehicle conformity to this standard.

This document is applicable to heavy rail vehicles using various track gauges. Other vehicles and networks are outside the scope of this document, but the rules may be applied to them with some adjustments and agreement of the share of responsibility between rolling stock and infrastructure.

This document is not applicable to the gauges “S” and “T” for track gauge 1 520 mm.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 14363:2016+A2:2022, *Railway applications — Testing and Simulation for the acceptance of running characteristics of railway vehicles — Running Behaviour and stationary tests*

EN 15273-1:2025, *Railway applications — Gauges — Part 1: General — Common rules for rolling stock and infrastructure*

EN 15273-3:2025, *Railway applications — Gauges — Part 3: Infrastructure*

EN 15273-4:2025, *Railway Applications — Gauges — Part 4: Catalogue of defined gauges*

EN 15663:2017+A2:2024, *Railway applications — Vehicle reference masses*

EN 50119:2020, *Railway applications — Fixed installations — Electric traction overhead contact lines*

EN 50215:2009, *Railway applications — Rolling stock — Testing of rolling stock on completion of construction and before entry into service*

EN 50367:2020, *Railway applications — Fixed installations and rolling stock — Criteria to achieve technical compatibility between pantographs and overhead contact line<sup>1</sup>*

---

<sup>1</sup> Document impacted by A1:2022 and A2:2025.