

VÄIKELAEVAD. STABIILSUSE JA UJUVUSE HINDAMINE
JA KLASSIFITSEERIMINE. OSA 1: MITTE PURJELAEVAD,
MILLE KERE PIKKUS ON 6 MEETRIT VÕI ROHKEM

Small craft - Stability and buoyancy assessment and
categorization - Part 1: Non-sailing boats of hull length
greater than or equal to 6 m (ISO 12217-1:2022)

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

<p>See Eesti standard EVS-EN ISO 12217-1:2025 sisaldab Euroopa standardi EN ISO 12217-1:2025 ingliskeelset teksti.</p> <p>Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.</p> <p>Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 29.10.2025.</p> <p>Standard on kättesaadav Eesti Standardimis- ja Akrediteerimiskeskusest.</p>	<p>This Estonian standard EVS-EN ISO 12217-1:2025 consists of the English text of the European standard EN ISO 12217-1:2025.</p> <p>This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation and Accreditation.</p> <p>Date of Availability of the European standard is 29.10.2025.</p> <p>The standard is available from the Estonian Centre for Standardisation and Accreditation.</p>
--	---

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 47.080

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardimis- ja Akrediteerimiskeskusele. Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardimis- ja Akrediteerimiskeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardimis- ja Akrediteerimiskeskusega: Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation and Accreditation. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation and Accreditation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation and Accreditation: Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD

EN ISO 12217-1

NORME EUROPÉENNE

EUROPÄISCHE NORM

October 2025

ICS 47.080

Supersedes EN ISO 12217-1:2017

English Version

Small craft - Stability and buoyancy assessment and categorization - Part 1: Non-sailing boats of hull length greater than or equal to 6 m (ISO 12217-1:2022)

Petits navires - Évaluation et catégorisation de la stabilité et de la flottabilité - Partie 1: Bateaux à propulsion non vélique d'une longueur de coque supérieure ou égale à 6 m (ISO 12217-1:2022)

Kleine Wasserfahrzeuge - Stabilitäts- und Auftriebsbewertung und Kategorisierung - Teil 1: Nicht-Segelboote ab 6 m Rumpflänge (ISO 12217-1:2022)

This European Standard was approved by CEN on 15 October 2025.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

This document (EN ISO 12217-1:2025) has been prepared by Technical Committee ISO/TC 188 "Small craft" in collaboration with Technical Committee CEN/TC 464 "Small Craft" the secretariat of which is held by SIS.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2026, and conflicting national standards shall be withdrawn at the latest by April 2026.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 12217-1:2017.

Any feedback and questions on this document should be directed to the users' national standards body/national committee. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

Endorsement notice

The text of ISO 12217-1:2022 has been approved by CEN as EN ISO 12217-1:2025 without any modification.

Contents

Page

Foreword	v
Introduction	vi
1 Scope	1
2 Normative references	2
3 Terms and definitions	2
3.1 Primary.....	2
3.2 Downflooding.....	4
3.3 Dimensions, areas and angles.....	5
3.4 Condition, mass and volume.....	7
3.5 Other terms and definitions.....	9
4 Symbols	12
5 Procedure	13
5.1 Maximum load.....	13
5.2 Sailing or non-sailing.....	13
5.3 Tests and calculations to be applied.....	13
5.4 Variation in input parameters.....	14
6 Tests, calculations and requirements	14
6.1 Downflooding.....	14
6.1.1 Downflooding openings.....	15
6.1.2 Downflooding height.....	17
6.1.3 Downflooding angle.....	19
6.2 Offset-load test.....	20
6.2.1 Objective.....	20
6.2.2 Test.....	20
6.2.3 Requirements.....	20
6.3 Resistance to waves and wind.....	21
6.3.1 General.....	21
6.3.2 Rolling in beam waves and wind.....	21
6.3.3 Resistance to waves.....	22
6.4 Heel due to wind action.....	23
6.4.1 General.....	23
6.4.2 Calculation.....	23
6.4.3 Requirement.....	23
6.5 Recess size.....	23
6.5.1 Application.....	23
6.5.2 Simplified methods.....	24
6.5.3 Direct calculation method.....	25
6.5.4 Design category C boats using option 6.....	26
6.6 Habitable multihull boats.....	26
6.7 Motor sailers.....	27
6.7.1 General.....	27
6.7.2 Requirement.....	27
6.8 Flotation requirements.....	27
6.9 Detection and removal of water.....	28
7 Application	28
7.1 Deciding the design category.....	28
7.2 Meaning of the design categories.....	28
Annex A (normative) Full method for required downflooding height	30
Annex B (normative) Method for offset-load test	32
Annex C (normative) Methods for calculating downflooding angle	40

Annex D (normative) Method for measuring freeboard margin	42
Annex E (normative) Determining the curve of righting moments	44
Annex F (normative) Method for level flotation test	47
Annex G (normative) Flotation material and elements	52
Annex H (normative) Information for the craft's owner's manual	54
Annex I (informative) Summary of requirements	56
Annex J (informative) Worksheets	58
Annex K (informative) Illustration of recess retention level	75
Bibliography	76

This document is a preview generated by EVS

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 188, *Small craft*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 464, *Small Craft*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This fourth edition cancels and replaces the third edition (ISO 12217-1:2015), of which it constitutes a minor revision. The main changes are as follows:

- the Normative references have been updated;
- the “allowance for the maximum mass of optional equipment and fittings not included in the manufacturer’s basic outfit” has been moved from [3.4.4](#) (maximum load) to [3.4.5](#) (maximum load condition);
- in [Clause H.1](#), the first paragraph has been slightly reworded as a Note, so as to clearly make an informative reference to ISO 10240, which has been moved from [Clause 2](#) to the Bibliography;
- in [Annex J](#), the calculation worksheet No. 1 has been corrected to reflect the changes in [3.4.4](#) and [3.4.5](#);
- minor editorial changes throughout the document.

A list of all parts in the ISO 12217 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user’s national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

This document enables the determination of the limiting environmental conditions for which an individual boat has been designed.

It enables the boat to be assigned to a design category appropriate to its design and maximum load. The design categories used align with those in the Recreational Craft Directive of the European Union, EU Directive 2013/53/EU.

The design category given in respect of stability and buoyancy is that for which the boat satisfies all the requirements according to [5.3](#), as summarized in [Annex I](#).

Small craft — Stability and buoyancy assessment and categorization —

Part 1:

Non-sailing boats of hull length greater than or equal to 6 m

CAUTION — Compliance with this document does not guarantee total safety or total freedom of risk from capsize or sinking.

IMPORTANT — The electronic file of this document contains colours which are considered to be useful for the correct understanding of the document. Users should therefore consider printing this document using a colour printer.

1 Scope

This document specifies methods for evaluating the stability and buoyancy of intact (i.e. undamaged) boats. The flotation characteristics of boats susceptible to swamping are also encompassed.

The evaluation of stability and buoyancy properties using this document will enable the boat to be assigned to a design category (A, B, C or D) appropriate to its design and maximum total load.

This document is principally applicable to boats propelled by human or mechanical power of 6 m up to 24 m hull length. However, it can also be applied to boats of under 6 m if they do not attain the desired design category specified in ISO 12217-3 and they are decked and have quick-draining recesses which comply with ISO 11812.

In relation to habitable multihulls, this document includes assessment of susceptibility to inversion, definition of viable means of escape and requirements for inverted flotation.

This document excludes:

- inflatable and rigid-inflatable boats covered by the ISO 6185 series, except for references made in the ISO 6185 series to specific clauses of the ISO 12217 series;
- personal watercraft covered by ISO 13590 and other similar powered craft;
- gondolas and pedalos;
- sailing surfboards;
- surfboards, including powered surfboards;
- hydrofoils and hovercraft when not operating in the displacement mode; and
- submersibles.

NOTE Displacement mode means that the boat is only supported by hydrostatic forces.

It does not include or evaluate the effects on stability of towing, fishing, dredging or lifting operations, which need to be separately considered if appropriate.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 2896:2001, *Rigid cellular plastics — Determination of water absorption*

ISO 3864-1:2011, *Graphical symbols — Safety colours and safety signs — Part 1: Design principles for safety signs and safety markings*

ISO 6185-4:2011, *Inflatable boats — Part 4: Boats with a hull length of between 8 m and 24 m with a motor power rating of 15 kW and greater*

ISO 8666:2020, *Small craft — Principal data*

ISO 9093, *Small craft — Seacocks and through-hull fittings*

ISO 11812, *Small craft — Watertight or quick-draining recesses and cockpits*

ISO 12216, *Small craft — Windows, portlights, hatches, deadlights and doors — Strength and watertightness requirements*

ISO 12217-2:2022, *Small craft — Stability and buoyancy assessment and categorization — Part 2: Sailing boats of hull length greater than or equal to 6 m*

ISO 14946:2021, *Small craft — Maximum load capacity*

ISO 15083, *Small craft — Bilge-pumping systems*

ISO 15085, *Small craft — Man-overboard prevention and recovery*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

NOTE The meanings of certain symbols used in the definitions are given in [Clause 4](#).

3.1 Primary

3.1.1

design category

description of the sea and wind conditions for which a boat is assessed to be suitable

Note 1 to entry: See also [7.2](#).

3.1.2

non-sailing boat

boat for which the primary means of propulsion is other than by wind power, having *reference sail area* ([3.3.8](#)) $A_S < 0,07(m_{LDC})^{2/3}$, where m_{LDC} is the mass of the boat in the maximum load condition, expressed in kilograms