

This document is a preview generated by EVS

OPC unified architecture - Part 4: Services

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

<p>See Eesti standard EVS-EN IEC 62541-4:2026 sisaldab Euroopa standardi EN IEC 62541-4:2026 ingliskeelset teksti.</p> <p>Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.</p> <p>Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 06.02.2026.</p> <p>Standard on kättesaadav Eesti Standardimis- ja Akrediteerimiskeskusest.</p>	<p>This Estonian standard EVS-EN IEC 62541-4:2026 consists of the English text of the European standard EN IEC 62541-4:2026.</p> <p>This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation and Accreditation.</p> <p>Date of Availability of the European standard is 06.02.2026.</p> <p>The standard is available from the Estonian Centre for Standardisation and Accreditation.</p>
--	---

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 47.080

Standardite ja standardilaadsete dokumentide reprodutseerimise ja levitamise õigus kuulub Eesti Standardimis- ja Akrediteerimiskeskusele

Eesti standardid ja standardilaadsed dokumendid on Eesti Standardimis- ja Akrediteerimiskeskuse intellektuaalomand ning neid kasutatakse litsentsi alusel dokumentide kasutuslepingu tingimuste kohaselt.

Ilma Eesti Standardimis- ja Akrediteerimiskeskuse eelneva kirjaliku loata on keelatud standardite ja standardilaadsete dokumentide täielik või osaline reprodutseerimine, levitamine, muutmise või kasutamine mis tahes kujul ja viisil - sealhulgas kopeerimise, skaneerimise, salvestamise või jagamise teel digiplatvormidel (k.a masinõppe ja tehisintellekti rakendustes). Loata kasutamine väljaspool litsentsi tingimusi käsitletakse õigusrikkumisena.

Kui Teil on küsimusi standardite ja standardilaadsete dokumentide autoriõiguse kaitse kohta, võtke palun ühendust Eesti Standardimis- ja Akrediteerimiskeskusega:

Veebileht www.evs.ee; telefon +372 6055050; e-post info@evs.ee

The right to reproduce and distribute standards and standard-like documents belongs to the Estonian Centre for Standardisation and Accreditation

Estonian standards and standard-like documents are the intellectual property of the Estonian Centre for Standardisation and Accreditation and are made available under license in accordance with the terms and conditions of the document use agreement.

Without the prior written permission of the Estonian Centre for Standardisation and Accreditation, the full or partial reproduction, distribution, modification, or use of standards and standard-like documents in any form or by any means - including photocopying, scanning, storing, or sharing via digital platforms (incl. in machine learning and artificial intelligence applications) - is strictly prohibited. Any unauthorized use beyond the scope of the granted license is prohibited and may result in legal action.

If you have any questions about copyright, please contact Estonian Centre for Standardisation and Accreditation: Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

English Version

**OPC unified architecture - Part 4: Services
(IEC 62541-4:2025)**

Architecture unifiée OPC - Partie 4: Services
(IEC 62541-4:2025)

OPC Unified Architecture - Teil 4: Dienste
(IEC 62541-4:2025)

This European Standard was approved by CENELEC on 2026-01-20. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

The text of document 65E/1053/CDV, future edition 4 of IEC 62541-4, prepared by SC 65E "Devices and integration in enterprise systems" of IEC/TC 65 "Industrial-process measurement, control and automation" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 62541-4:2026.

The following dates are fixed:

- latest date by which the document has to be implemented at national (dop) 2027-02-28 level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with the (dow) 2029-02-28 document have to be withdrawn

This document supersedes EN IEC 62541-4:2020 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a standardization request addressed to CENELEC by the European Commission. The Standing Committee of the EFTA States subsequently approves these requests for its Member States.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

Endorsement notice

The text of the International Standard IEC 62541-4:2025 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following note has to be added for the standard indicated:

IEC 62541 (series) NOTE Approved as EN IEC 62541 (series)

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**OPC unified architecture -
Part 4: Services**

**Architecture unifiée OPC -
Partie 4: Services**



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2025 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search -

webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications, symboles graphiques et le glossaire. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 500 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 25 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Warning! Make sure that you obtained this publication from an authorized distributor.

Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

CONTENTS

FOREWORD.....	13
1 Scope.....	16
2 Normative references	16
3 Terms, definitions, abbreviated terms and conventions	17
3.1 Terms and definitions	17
3.2 Abbreviated terms	19
3.3 Conventions for Service definitions	19
4 Overview	20
4.1 Service Set model	20
4.2 Request/response Service procedures	23
5 Service Sets	24
5.1 General.....	24
5.2 Service request and response header.....	24
5.3 Service results	24
5.4 Discovery Service Set	26
5.4.1 Overview	26
5.4.2 FindServers	27
5.4.3 FindServersOnNetwork	29
5.4.4 GetEndpoints	30
5.4.5 RegisterServer	33
5.4.6 RegisterServer2	35
5.5 SecureChannel Service Set.....	37
5.5.1 Overview	37
5.5.2 OpenSecureChannel	38
5.5.3 CloseSecureChannel	42
5.6 Session Service Set	43
5.6.1 Overview	43
5.6.2 CreateSession	43
5.6.3 ActivateSession	49
5.6.4 CloseSession	52
5.6.5 Cancel	53
5.7 NodeManagement Service Set.....	54
5.7.1 Overview	54
5.7.2 AddNodes	54
5.7.3 AddReferences	56
5.7.4 DeleteNodes	58
5.7.5 DeleteReferences	59
5.8 View Service Set.....	61
5.8.1 Overview	61
5.8.2 Browse	61
5.8.3 BrowseNext	63
5.8.4 TranslateBrowsePathsToNodeIds	65
5.8.5 RegisterNodes	67
5.8.6 UnregisterNodes	68
5.9 Query Service Set.....	69
5.9.1 Overview	69
5.9.2 Querying Views.....	70

5.9.3	QueryFirst.....	70
5.9.4	QueryNext	74
5.10	Attribute Service Set	76
5.10.1	Overview	76
5.10.2	Read	76
5.10.3	HistoryRead.....	78
5.10.4	Write.....	81
5.10.5	HistoryUpdate	84
5.11	Method Service Set.....	85
5.11.1	Overview	85
5.11.2	Call.....	86
5.12	MonitoredItem Service Set	89
5.12.1	MonitoredItem model.....	89
5.12.2	CreateMonitoredItems.....	94
5.12.3	ModifyMonitoredItems	97
5.12.4	SetMonitoringMode	99
5.12.5	SetTriggering	101
5.12.6	DeleteMonitoredItems	102
5.13	Subscription Service Set	104
5.13.1	Subscription model	104
5.13.2	CreateSubscription	113
5.13.3	ModifySubscription.....	114
5.13.4	SetPublishingMode	116
5.13.5	Publish	117
5.13.6	Republish	119
5.13.7	TransferSubscriptions	120
5.13.8	DeleteSubscriptions	122
6	Service behaviours	123
6.1	Security	123
6.1.1	Overview	123
6.1.2	Obtaining and installing an Application Instance Certificate	124
6.1.3	Determining if a Certificate is trusted	125
6.1.4	Creating a SecureChannel	128
6.1.5	Creating a Session.....	130
6.1.6	Impersonating a User.....	131
6.1.7	Continuous security checks	131
6.2	Authorization Services.....	131
6.2.1	Overview	131
6.2.2	Indirect handshake with an Identity Provider	132
6.2.3	Direct handshake with an Identity Provider	132
6.3	Session-less Service invocation	133
6.3.1	Description	133
6.3.2	Parameters	134
6.3.3	Service results	135
6.4	Software Certificates	135
6.5	Auditing	135
6.5.1	Overview	135
6.5.2	General audit logs.....	136
6.5.3	General audit Events.....	136

6.5.4	Auditing for Discovery Service Set.....	136
6.5.5	Auditing for SecureChannel Service Set	136
6.5.6	Auditing for Session Service Set.....	137
6.5.7	Auditing for NodeManagement Service Set.....	137
6.5.8	Auditing for Attribute Service Set.....	137
6.5.9	Auditing for Method Service Set	138
6.5.10	Auditing for View, Query, MonitoredItem and Subscription Service Set.....	138
6.6	Redundancy.....	138
6.6.1	Redundancy overview	138
6.6.2	Server Redundancy.....	139
6.6.3	Client Redundancy.....	150
6.6.4	Network Redundancy	150
6.6.5	Manually forcing failover	152
6.7	Re-establishing connections	152
6.8	Durable Subscriptions	154
7	Common parameter type definitions	155
7.1	AdditionalParametersType.....	155
7.2	ApplicationDescription.....	156
7.3	ApplicationInstanceCertificate	156
7.4	ApplicationType	157
7.5	BrowseDirection.....	157
7.6	BrowseResult.....	158
7.7	ContentFilter	158
7.7.1	ContentFilter structure	158
7.7.2	ContentFilterResult	159
7.7.3	FilterOperator	160
7.7.4	FilterOperand parameters	168
7.8	Counter.....	170
7.9	ContinuationPoint.....	170
7.10	DataChangeTrigger.....	171
7.11	DataValue	172
7.11.1	General	172
7.11.2	PicoSeconds.....	172
7.11.3	SourceTimestamp	172
7.11.4	ServerTimestamp.....	173
7.11.5	StatusCode assigned to a value	173
7.12	DiagnosticInfo	174
7.13	DiscoveryConfiguration parameters	175
7.13.1	Overview	175
7.13.2	MdnsDiscoveryConfiguration	175
7.14	EndpointDescription	175
7.15	EphemeralKeyType	176
7.16	ExpandedNodeId.....	176
7.17	ExtensibleParameter	177
7.18	Index	177
7.19	IntegerId	177
7.20	MessageSecurityMode	178
7.21	MonitoringParameters	178
7.22	MonitoringFilter parameters.....	179

7.22.1	Overview	179
7.22.2	DataChangeFilter	180
7.22.3	EventFilter	181
7.22.4	AggregateFilter	183
7.23	MonitoringMode	185
7.24	NodeAttributes parameters	185
7.24.1	Overview	185
7.24.2	ObjectAttributes parameter	186
7.24.3	VariableAttributes parameter	186
7.24.4	MethodAttributes parameter	187
7.24.5	ObjectTypeAttributes parameter	187
7.24.6	VariableTypeAttributes parameter	188
7.24.7	ReferenceTypeAttributes parameter	188
7.24.8	DataTypeAttributes parameter	189
7.24.9	ViewAttributes parameter	189
7.24.10	GenericAttributes parameter	190
7.25	NotificationData parameters	190
7.25.1	Overview	190
7.25.2	DataChangeNotification parameter	191
7.25.3	EventNotificationList parameter	192
7.25.4	StatusChangeNotification parameter	192
7.26	NotificationMessage	192
7.27	NumericRange	193
7.28	QueryDataSet	194
7.29	ReadValueId	194
7.30	ReferenceDescription	195
7.31	RelativePath	196
7.32	RegisteredServer	197
7.33	RequestHeader	198
7.34	ResponseHeader	200
7.35	ServiceFault	201
7.36	SessionAuthenticationToken	201
7.37	SignatureData	202
7.38	SignedSoftwareCertificate	202
7.39	StatusCode	203
7.39.1	General	203
7.39.2	Common StatusCodes	206
7.40	TimestampsToReturn	209
7.41	UserIdentityToken parameters	210
7.41.1	Overview	210
7.41.2	Token Encryption and Proof of Possession	210
7.41.3	AnonymousIdentityToken	215
7.41.4	UserNameIdentityToken	216
7.41.5	X509IdentityTokens	217
7.41.6	IssuedIdentityToken	218
7.42	UserTokenPolicy	218
7.43	UserTokenType	219
7.44	VersionTime	219
7.45	ViewDescription	220

Annex A (informative) Backus-Naur form (BNF) definitions	221
A.1 Overview over BNF	221
A.2 BNF of RelativePath.....	221
A.3 BNF of NumericRange.....	223
Annex B (informative) ContentFilter and Query examples	224
B.1 Simple ContentFilter examples	224
B.1.1 Overview	224
B.1.2 Example 1	224
B.1.3 Example 2	225
B.2 Complex Examples of Query Filters	226
B.2.1 Overview	226
B.2.2 Used type model.....	226
B.2.3 Example Notes.....	229
B.2.4 Example 1	230
B.2.5 Example 2	231
B.2.6 Example 3	232
B.2.7 Example 4	235
B.2.8 Example 5	236
B.2.9 Example 6	237
B.2.10 Example 7	239
B.2.11 Example 8	241
B.2.12 Example 9	242
Bibliography	245
Figure 1 – Discovery Service Set	21
Figure 2 – SecureChannel Service Set	21
Figure 3 – Session Service Set	21
Figure 4 – NodeManagement Service Set.....	21
Figure 5 – View Service Set	22
Figure 6 – Attribute Service Set	22
Figure 7 – Method Service Set	23
Figure 8 – MonitoredItem and Subscription Service Sets	23
Figure 9 – Discovery process	26
Figure 10 – Using a Gateway Server	32
Figure 11 – The Registration Process – Manually Launched Servers.....	33
Figure 12 –The Registration Process – Automatically Launched Servers.....	34
Figure 13 – SecureChannel and Session Services.....	38
Figure 14 – Multiplexing users on a Session.....	45
Figure 15 – MonitoredItem model	89
Figure 16 – Typical delay in change detection	91
Figure 17 – Queue overflow handling	92
Figure 18 – Triggering model	93
Figure 19 – Obtaining and installing an Application Instance Certificate	125
Figure 20 – Determining if an Application Instance Certificate is trusted.....	128
Figure 21 – Establishing a SecureChannel	129
Figure 22 – Establishing a Session.....	130

Figure 23 – Impersonating a User	131
Figure 24 – Indirect handshake with an Identity Provider	132
Figure 25 – Direct handshake with an Identity Provider.....	133
Figure 26 – Transparent Redundancy setup example.....	140
Figure 27 – Non-Transparent Redundancy setup	141
Figure 28 – Client Start-up steps	145
Figure 29 – Cold Failover	146
Figure 30 – Warm Failover	147
Figure 31 – Hot Failover	148
Figure 32 – HotAndMirrored Failover.....	149
Figure 33 – Server proxy for Redundancy.....	150
Figure 34 – Transparent network Redundancy.....	151
Figure 35 – Non-transparent network Redundancy.....	152
Figure 36 – Reconnect sequence	153
Figure 37 – Logical layers of a Server	201
Figure 38 – Obtaining a SessionAuthenticationToken	202
Figure 39 – EncryptedSecret layout.....	212
Figure B.1 – Filter logic tree example	224
Figure B.2 – Filter logic tree example	225
Figure B.3 – Example Type Nodes	228
Figure B.4 – Example Instance Nodes	229
Figure B.5 – Example 1 Filter.....	230
Figure B.6 – Example 2 filter logic tree	232
Figure B.7 – Example 3 filter logic tree	233
Figure B.8 – Example 4 filter logic tree	235
Figure B.9 – Example 5 filter logic tree	236
Figure B.10 – Example 6 filter logic tree	238
Figure B.11 – Example 7 filter logic tree	240
Figure B.12 – Example 8 filter logic tree	242
Figure B.13 – Example 9 filter logic tree	243
Table 1 – Service definition table	19
Table 2 – Parameter Types defined in IEC 62541-3	20
Table 3 – FindServers Service Parameters.....	28
Table 4 – FindServersOnNetwork Service Parameters	29
Table 5 – GetEndpoints Service Parameters.....	32
Table 6 – RegisterServer Service Parameters	34
Table 7 – RegisterServer Service Result Codes	35
Table 8 – RegisterServer2	36
Table 9 – RegisterServer2 Service Result Codes.....	36
Table 10 – RegisterServer2 Operation Level Result Codes	37
Table 11 – OpenSecureChannel Service Parameters.....	40
Table 12 – OpenSecureChannel Service Result Codes.....	42

Table 13 – CloseSecureChannel Service Parameters	43
Table 14 – CloseSecureChannel Service Result Codes	43
Table 15 – CreateSession Service Parameters	46
Table 16 – CreateSession Service Result Codes	48
Table 17 – ActivateSession Service Parameters	50
Table 18 – ActivateSession Service Result Codes	52
Table 19 – CloseSession Service Parameters	53
Table 20 – CloseSession Service Result Codes	53
Table 21 – Cancel Service Parameters	53
Table 22 – AddNodes Service Parameters	54
Table 23 – AddNodes Service Result Codes	55
Table 24 – AddNodes Operation Level Result Codes	56
Table 25 – AddReferences Service Parameters	56
Table 26 – AddReferences Service Result Codes	57
Table 27 – AddReferences Operation Level Result Codes	57
Table 28 – DeleteNodes Service Parameters	58
Table 29 – DeleteNodes Service Result Codes	59
Table 30 – DeleteNodes Operation Level Result Codes	59
Table 31 – DeleteReferences Service Parameters	59
Table 32 – DeleteReferences Service Result Codes	60
Table 33 – DeleteReferences Operation Level Result Codes	60
Table 34 – Browse Service Parameters	61
Table 35 – Browse Service Result Codes	63
Table 36 – Browse Operation Level Result Codes	63
Table 37 – BrowseNext Service Parameters	64
Table 38 – BrowseNext Service Result Codes	64
Table 39 – BrowseNext Operation Level Result Codes	65
Table 40 – TranslateBrowsePathsToNodeIds Service Parameters	66
Table 41 – TranslateBrowsePathsToNodeIds Service Result Codes	67
Table 42 – TranslateBrowsePathsToNodeIds Operation Level Result Codes	67
Table 43 – RegisterNodes Service Parameters	68
Table 44 – RegisterNodes Service Result Codes	68
Table 45 – UnregisterNodes Service Parameters	69
Table 46 – UnregisterNodes Service Result Codes	69
Table 47 – QueryFirst Request Parameters	71
Table 48 – QueryFirst Response Parameters	73
Table 49 – QueryFirst Service Result Codes	74
Table 50 – QueryFirst Operation Level Result Codes	74
Table 51 – QueryNext Service Parameters	75
Table 52 – QueryNext Service Result Codes	75
Table 53 – Read Service Parameters	76
Table 54 – Read Service Result Codes	77
Table 55 – Read Operation Level Result Codes	77

Table 56 – HistoryRead Service Parameters.....	78
Table 57 – HistoryRead Service Result Codes.....	80
Table 58 – HistoryRead Operation Level Result Codes	81
Table 59 – Write Service Parameters	82
Table 60 – Write Service Result Codes	83
Table 61 – Write Operation Level Result Codes.....	83
Table 62 – HistoryUpdate Service Parameters.....	84
Table 63 – HistoryUpdate Service Result Codes.....	85
Table 64 – HistoryUpdate Operation Level Result Codes	85
Table 65 – Call Service Parameters	86
Table 66 – Call Service Result Codes	88
Table 67 – Call Operation Level Result Codes.....	88
Table 68 – Call Input Argument Result Codes.....	89
Table 69 – CreateMonitoredItems Service Parameters.....	96
Table 70 – CreateMonitoredItems Service Result Codes.....	97
Table 71 – CreateMonitoredItems Operation Level Result Codes	97
Table 72 – ModifyMonitoredItems Service Parameters.....	98
Table 73 – ModifyMonitoredItems Service Result Codes.....	99
Table 74 – ModifyMonitoredItems Operation Level Result Codes	99
Table 75 – SetMonitoringMode Service Parameters.....	100
Table 76 – SetMonitoringMode Service Result Codes.....	100
Table 77 – SetMonitoringMode Operation Level Result Codes	100
Table 78 – SetTriggering Service Parameters.....	101
Table 79 – SetTriggering Service Result Codes.....	102
Table 80 – SetTriggering Operation Level Result Codes.....	102
Table 81 – DeleteMonitoredItems Service Parameters.....	103
Table 82 – DeleteMonitoredItems Service Result Codes.....	103
Table 83 – DeleteMonitoredItems Operation Level Result Codes	103
Table 84 – Subscription States.....	107
Table 85 – Subscription State Table.....	107
Table 86 – State variables and parameters.....	111
Table 87 – Functions	111
Table 88 – CreateSubscription Service Parameters	113
Table 89 – CreateSubscription Service Result Codes	114
Table 90 – ModifySubscription Service Parameters	115
Table 91 – ModifySubscription Service Result Codes.....	116
Table 92 – SetPublishingMode Service Parameters	116
Table 93 – SetPublishingMode Service Result Codes	117
Table 94 – SetPublishingMode Operation Level Result Codes	117
Table 95 – Publish Service Parameters	118
Table 96 – Publish Service Result Codes	119
Table 97 – Publish Operation Level Result Codes	119
Table 98 – Republish Service Parameters	120

Table 99 – Republish Service Result Codes	120
Table 100 – TransferSubscriptions Service Parameters	121
Table 101 – TransferSubscriptions Service Result Codes	122
Table 102 – TransferSubscriptions Operation Level Result Codes.....	122
Table 103 – DeleteSubscriptions Service Parameters	123
Table 104 – DeleteSubscriptions Service Result Codes	123
Table 105 – DeleteSubscriptions Operation Level Result Codes	123
Table 106 – Certificate validation steps	126
Table 107 – SessionlessInvoke Service Parameters	134
Table 108 – SessionlessInvoke Service Result Codes	135
Table 109 – ServiceLevel ranges	142
Table 110 – Server Failover modes	144
Table 111 – Redundancy Failover actions	145
Table 112 – AdditionalParametersType	156
Table 113 – ApplicationDescription	156
Table 114 – ApplicationInstanceCertificate	157
Table 115 – ApplicationType values	157
Table 116 – BrowseDirection values.....	158
Table 117 – BrowseResult	158
Table 118 – ContentFilter structure	159
Table 119 – ContentFilterResult structure.....	159
Table 120 – ContentFilterResult Result Codes.....	160
Table 121 – ContentFilterResult Operand Result Codes	160
Table 122 – Basic FilterOperator definition	160
Table 123 – Complex FilterOperator definition	163
Table 124 – Wildcard characters	165
Table 125 – Conversion rules.....	166
Table 126 – Data Precedence rules.....	167
Table 127 – Logical AND Truth table	168
Table 128 – Logical OR Truth table	168
Table 129 – FilterOperand parameter Typelds.....	168
Table 130 – ElementOperand.....	169
Table 131 – LiteralOperand.....	169
Table 132 – AttributeOperand	169
Table 133 – SimpleAttributeOperand.....	170
Table 134 – DataChangeTrigger values.....	171
Table 135 – DataValue	172
Table 136 – DiagnosticInfo.....	174
Table 137 – DiscoveryConfiguration parameterTypelds	175
Table 138 – MdnsDiscoveryConfiguration.....	175
Table 139 – EndpointDescription.....	175
Table 140 – EphemeralKeyType.....	176
Table 141 – ExpandedNodeId	177

Table 142 – ExtensibleParameter base type	177
Table 143 – MessageSecurityMode values	178
Table 144 – MonitoringParameters	178
Table 145 – MonitoringFilter parameterTypelds	180
Table 146 – DataChangeFilter	180
Table 147 – EventFilter structure	182
Table 148 – EventFilterResult structure	182
Table 149 – EventFilterResult Result Codes	183
Table 150 – AggregateFilter structure	184
Table 151 – AggregateFilterResult structure	184
Table 152 – MonitoringMode values	185
Table 153 – NodeAttributes parameterTypelds	185
Table 154 – Bit mask for specified Attributes	186
Table 155 – ObjectAttributes	186
Table 156 – VariableAttributes	187
Table 157 – MethodAttributes	187
Table 158 – ObjectTypeAttributes	188
Table 159 – VariableTypeAttributes	188
Table 160 – ReferenceTypeAttributes	189
Table 161 – DataTypeAttributes	189
Table 162 – ViewAttributes	190
Table 163 – GenericAttributes	190
Table 164 – NotificationData parameterTypelds	191
Table 165 – DataChangeNotification	191
Table 166 – EventNotificationList	192
Table 167 – StatusChangeNotification	192
Table 168 – NotificationMessage	193
Table 169 – NumericRange	194
Table 170 – QueryDataSet	194
Table 171 – ReadValueId	194
Table 172 – ReferenceDescription	196
Table 173 – RelativePath	196
Table 174 – RegisteredServer	197
Table 175 – RequestHeader	198
Table 176 – ResponseHeader	200
Table 177 – ServiceFault	201
Table 178 – SignatureData	202
Table 179 – SignedSoftwareCertificate	203
Table 180 – StatusCode bit assignments	204
Table 181 – DataValue InfoBits	205
Table 182 – Common Service Result Codes	206
Table 183 – Common Operation Level Result Codes	208
Table 184 – TimestampsToReturn values	210

Table 185 – UserIdentityToken parameterTypelds	210
Table 186 – Legacy UserIdentityToken Encrypted Token Secret Format	211
Table 187 – EncryptedSecret layout	213
Table 188 – EncryptedSecret DataTypes	214
Table 189 – RsaEncryptedSecret structure	214
Table 190 – EccEncryptedSecret Layout	215
Table 191 – AnonymousIdentityToken	216
Table 192 – UserNameIdentityToken	216
Table 193 – EncryptionAlgorithm selection	217
Table 194 – X.509 v3 Identity Token	217
Table 195 – IssuedIdentityToken	218
Table 196 – UserTokenPolicy	219
Table 197 – UserTokenType values	219
Table 198 – ViewDescription	220
Table A.1 – RelativePath	221
Table A.2 – <i>RelativePath</i> Examples	222
Table B.1 – ContentFilter example	225
Table B.2 – ContentFilter example	226
Table B.3 – Example 1 NodeTypeDescription	230
Table B.4 – Example 1 ContentFilter	230
Table B.5 – Example 1 QueryDataSets	231
Table B.6 – Example 2 NodeTypeDescription	231
Table B.7 – Example 2 ContentFilter	232
Table B.8 – Example 2 QueryDataSets	232
Table B.9 – Example 3 – NodeTypeDescription	233
Table B.10 – Example 3 ContentFilter	233
Table B.11 – Example 3 QueryDataSets	234
Table B.12 – Example 4 NodeTypeDescription	235
Table B.13 – Example 4 ContentFilter	235
Table B.14 – Example 4 QueryDataSets	236
Table B.15 – Example 5 NodeTypeDescription	236
Table B.16 – Example 5 ContentFilter	237
Table B.17 – Example 5 QueryDataSets	237
Table B.18 – Example 6 NodeTypeDescription	237
Table B.19 – Example 6 ContentFilter	238
Table B.20 – Example 6 QueryDataSets	238
Table B.21 – Example 6 QueryDataSets without additional information	239
Table B.22 – Example 7 NodeTypeDescription	239
Table B.23 – Example 7 ContentFilter	240
Table B.24 – Example 7 QueryDataSets	241
Table B.25 – Example 8 NodeTypeDescription	241
Table B.26 – Example 8 ContentFilter	242
Table B.27 – Example 8 QueryDataSets	242

Table B.28 – Example 9 NodeTypeDescription 243
Table B.29 – Example 9 ContentFilter 243
Table B.30 – Example 9 QueryDataSets 244

This document is a preview generated by EVS

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**OPC unified architecture -
Part 4: Services**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 62541-4 has been prepared by subcommittee 65E: Devices and integration in enterprise systems, of IEC technical committee 65: Industrial-process measurement, control and automation. It is an International Standard.

This fourth edition cancels and replaces the third edition published in 2020. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) addition of new definitions to Method Call Service to allow optional Method arguments;
- b) addition of reference to SystemStatusChangeEvent Type for event monitored item error scenarios;
- c) enhancement of the general description of how determining if a Certificate is trusted;
- d) addition of support for ECC;

- e) addition of revisedAggregateConfiguration to AggregateFilterResult structure;
- f) addition of INVALID to the BrowseDirection enumeration data type;
- g) addition of INVALID to the TimestampsToReturn enumeration data type;
- h) addition of definitions that make sure the subscription functionality works if retransmission queues are optional;
- i) addition of client checks has been added to be symmetric to the Server Certificate check has been added;
- j) clarification that 'local' top level domain is not appended by server into certificate and not checked by client when returned from LDS-ME;
- k) addition of a definition for expiration behaviour of IssuedIdentityTokens;
- l) addition of status code Good_PasswordChangeRequired to ActivateSession;
- m) restriction of AdditionalInfo to servers in debug mode;
- n) addition of new status code Bad_ServerTooBusy;
- o) addition of definition for cases where server certificate must be contained in GetEndpoints response.

The text of this International Standard is based on the following documents:

Draft	Report on voting
65E/1053/CDV	65E/1129/RVC

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

Throughout this document and the other parts of the IEC 62541 series, certain document conventions are used:

Italics are used to denote a defined term or definition that appears in the "Terms and definitions" clause in one of the parts of the IEC 62541 series.

Italics are also used to denote the name of a service input or output parameter or the name of a structure or element of a structure that are usually defined in tables.

The *italicized terms and names* are, with a few exceptions, written in camel-case (the practice of writing compound words or phrases in which the elements are joined without spaces, with each element's initial letter capitalized within the compound). For example, the defined term is *AddressSpace* instead of Address Space. This makes it easier to understand that there is a single definition for *AddressSpace*, not separate definitions for Address and Space.

A list of all parts in the IEC 62541 series, published under the general title *OPC Unified Architecture*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

This document is a preview generated by EVS

1 Scope

This part of IEC 62541 defines the OPC Unified Architecture (OPC UA) *Services*. The *Services* defined are the collection of abstract Remote Procedure Calls (RPC) that are implemented by OPC UA *Servers* and called by OPC UA *Clients*. All interactions between OPC UA *Clients* and *Servers* occur via these *Services*. The defined *Services* are considered abstract because no particular RPC mechanism for implementation is defined in this document. IEC 62541-6 specifies one or more concrete mappings supported for implementation. For example, one mapping in IEC 62541-6 is to UA-TCP UA-SC UA-Binary. In that case the *Services* described in this document appear as OPC UA Binary encoded payload, secured with OPC UA Secure Conversation and transported via OPC UA TCP.

Not all OPC UA *Servers* implement all of the defined *Services*. IEC 62541-7 defines the *Profiles* that dictate which *Services* must be implemented in order to be compliant with a particular *Profile*.

A BNF (Backus-Naur form) for browse path names is described in Annex A.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 62541-1, *OPC Unified Architecture - Part 1: Overview and Concepts*

IEC 62541-2, *OPC Unified Architecture - Part 2: Security Model*

IEC 62541-3, *OPC Unified Architecture - Part 3: Address Space Model*

IEC 62541-5, *OPC Unified Architecture - Part 5: Information Model*

IEC 62541-6, *OPC Unified Architecture - Part 6: Mappings*

IEC 62541-7, *OPC Unified Architecture - Part 7: Profiles*

IEC 62541-8, *OPC Unified Architecture - Part 8: Data Access*

IEC 62541-9, *OPC unified architecture - Part 9: Alarms and Conditions*

IEC 62541-11, *OPC Unified Architecture - Part 11: Historical Access*

IEC 62541-12, *OPC Unified Architecture - Part 12: Discovery*

IEC 62541-13, *OPC Unified Architecture - Part 13: Aggregates*

IEC 62541-18, *OPC Unified Architecture - Part 18: Role-Based Security*