
**Graphic technology — Colour and
transparency of printing ink sets for four-
colour-printing —**

Part 3:
Publication gravure printing

*Technologie graphique — Couleur et transparence des gammes d'encre
d'impression en quadrichromie —*

Partie 3: Impression hélió



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

This document is a preview generated by EVS

© ISO 2002

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.ch
Web www.iso.ch

Printed in Switzerland

Contents

Page

Foreword	iv
Introduction.....	v
1 Scope.....	1
2 Normative references.....	1
3 Terms and definitions	2
4 Test method	2
4.1 Principle	2
4.2 Test print preparation.....	2
4.3 Colour measurement procedure.....	3
5 Colour and transparency	3
5.1 General	3
5.2 Colorimetric values	3
5.3 Transparency characteristics	4
Annex A (normative) Reference substrate.....	5
Annex B (informative) Spectral data	6
Annex C (informative) Colorimetric values for non-normative conditions.....	9
Annex D (informative) Detailed explanation of the test method, including examples.....	10
Bibliography.....	13

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 3.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this part of ISO 2846 may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 2846-3 was prepared by Technical Committee ISO/TC 130, *Graphic technology*.

ISO 2846 consists of the following parts, under the general title *Graphic technology — Colour and transparency of printing ink sets for four-colour-printing*:

- *Part 1: Sheet-fed and heat-set web offset lithographic printing*
- *Part 2: Coldset offset lithographic printing*
- *Part 3: Publication gravure printing*
- *Part 4: Screen printing*
- *Part 5: Flexographic printing*

Annex A forms a normative part of this part of ISO 2846. Annexes B to D are for information only.

Introduction

The demand for the publication gravure printing process to become more consistent and predictable has required a means of standardizing the product to ensure the easy flow of business between the various parties involved in its production. An essential component in this process is the colorimetric characteristics of the ink set.

To produce a set of standard four-colour process inks suitable for gravure printing it is necessary to specify a number of parameters. It is the purpose of this part of ISO 2846 to describe those parameters which affect the colorimetric characteristics in such a manner that a standard set of inks can be supplied by any ink manufacturer to any printer who can then supply prints to a print buyer with confidence in the colour of the work produced.

This part of ISO 2846 will allow publication gravure printers to obtain different sets of inks that will produce a similar colour when printed on the same substrate. In addition, it will allow colour separations for gravure printing to be based on known colour standards. The colorimetric characteristics specified may only be obtained when the inks are printed on the reference substrate. However, two inks of the same type that are similar in colorimetric characteristics and transparency according to this part of ISO 2846 will normally ensure similarity on another substrate.

This document is a preview generated by EVS

This document is a preview generated by EVS

Graphic technology — Colour and transparency of printing ink sets for four-colour-printing —

Part 3: Publication gravure printing

1 Scope

This part of ISO 2846 specifies the colour and transparency to be produced by a process colour ink set including extender intended for four-colour publication gravure printing when printed under specified gravure printing conditions. It also specifies the test method to ensure conformance.

This part of ISO 2846 does not specify pigments (or spectral reflectance) in order not to preclude developments which may enable different pigment combinations to be used advantageously while still achieving the colorimetric requirements specified in this part of ISO 2846.

NOTE This part of ISO 2846 may also apply to certain non-publication gravure applications.

2 Normative references

The following normative documents contain provisions which, through reference in this text, constitute provisions of this part of ISO 2846. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply. However, parties to agreements based on this part of ISO 2846 are encouraged to investigate the possibility of applying the most recent editions of the normative documents indicated below. For undated references, the latest edition of the normative document referred to applies. Members of ISO and IEC maintain registers of currently valid International Standards.

ISO 535:1991, *Paper and board — Determination of water absorptiveness — Cobb method*

ISO 536:1995, *Paper and board — Determination of grammage*

ISO 2144:1997, *Paper, board and pulps — Determination of residue (ash) on ignition at 900 °C*

ISO 2846-1:1997, *Graphic technology — Colour and transparency of ink sets for four-colour-printing — Part 1: Sheet-fed and heat-set web offset lithographic printing*

ISO 6588:1981, *Paper, board and pulps — Determination of pH of aqueous extracts*

ISO 8254-1:1999, *Paper and board — Measurement of specular gloss — Part 1: 75° gloss with a converging beam, TAPPI method*

ISO 8791-4:1992, *Paper and board — Determination of roughness/smoothness (air leak methods) — Part 4: Print-surf method*

ISO 13655:1996, *Graphic technology — Spectral measurement and colorimetric computation for graphic arts images*