
**Soil quality — Characterization of
excavated soil and other soil materials
intended for re-use**

*Qualité du sol — Caractérisation de la terre excavée et d'autres matériaux
du sol destinés à la réutilisation*



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

This document is a preview generated by EVS

© ISO 2002

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.ch
Web www.iso.ch

Printed in Switzerland

Contents

Page

Foreword	iv
Introduction.....	v
1 Scope	1
2 Normative reference	1
3 Terms and definitions	2
3.1 Types of soil and other soil materials	2
3.2 Soil characteristics	3
3.3 Land and sites	4
3.4 Utilization, reclamation and treatment	5
3.5 Assessment	6
4 Characterization of soil materials and sites	6
4.1 General	6
4.2 Investigation strategies	8
4.3 Sampling strategies	8
4.4 Characterization of soil materials	11
5 Data quality, handling and evaluation	30
6 Using this International Standard	30
Annex A (informative) Data quality, handling and evaluation	31
Annex B (informative) Good practice in the re-use of soil materials	33
B.1 General	33
B.2 General guidance for re-use	33
B.3 Handling and storing excavated soil and other soil materials	34
B.4 Placement at the target site	34
B.5 After-care of the target site	35
B.6 Use of soil materials in construction works	35
Annex C (informative) Guidance on determination of the scope of investigation needed before excavation of soil materials	36
C.1 General	36
C.2 Determining the need for investigation	36
C.3 Development of analytical strategies	37
Annex D (informative) Example of classification and evaluation of soils and other soil materials	40
D.1 General	40
D.2 The concept of suitability classes	40
D.3 Suitability classes depending on harmful substance content	40
D.4 Soil unsuitable for re-use	42
D.5 Additional suitability classes for soil improvement and reclamation	42
D.6 Suitability of soils and soil materials for combining	43
Annex E (informative) Examples of elements and compounds belonging to different contaminant groups	45
Bibliography	47

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 3.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 15176 was prepared by Technical Committee ISO/TC 190, *Soil quality*, Subcommittee SC 7, *Soil and site assessment*.

Annexes A, B, C, D and E of this International Standard are for information only.

This document is a preview generated by EVS

Introduction

This International Standard is one of a series providing guidance on the assessment of soils and soil materials in relation to certain functions and uses. It should be read in conjunction with these other International Standards, some of which give more specific guidance in relation to some of the uses listed in the Scope or particular aspects of assessments. For example, ISO 15800 gives guidance on assessments relating to human exposure to potentially harmful substances and ISO 15175 gives guidance on characterization of soil related to groundwater.

Soils are the dynamic product of chemical, physical and biological processes. They are the result of interactions between the inherent nature of the parent material, the prevailing environmental conditions and human activities. They are a valuable natural resource which should be conserved wherever possible. When construction, mining or other activities require soils to be excavated and moved from their natural situation, they should as far as possible be reused in a manner consistent with their natural properties and the intended use of the receiving location. Soils intended for re-use are usually required to have certain chemical, leaching, geotechnical, physical, biological and radiochemical attributes consistent with this future use. Particular attention must be paid in situations where there is reason to believe that the surplus soil may be contaminated.

Soils that are to be excavated should be investigated to determine how they may be re-used so as to minimize the quantities to be disposed of as waste and to determine environmental impacts that might arise during re-use. Treatment of soils and soil materials to remove or destroy contaminants or to reduce their availability to the environment may alter soil properties. These properties should therefore be determined before re-use. For manufactured soils, the characteristics of both the components and of the manufactured product may need to be determined.

The purpose of characterizing soil (or other media) as suggested in this International Standard is usually to enable judgements to be made about its suitability for a defined use (e.g. arable farming, domestic gardens). These judgements may be made by reference to published international or national guidance that sets out physical, chemical or other generic criteria that must be met, or against criteria set on a site-specific basis. When substances are present that might be harmful to human health or the environment, the judgement may also be made on the basis of a site-specific qualitative, semi-quantitative or fully quantitative risk assessment. In many jurisdictions, formal guidance on such assessments has been published. In some cases this guidance fits within a legislative framework. Guidance has also been provided by professional organizations and some standardization bodies.

When deciding whether to re-use soil material, other possibly competing or overriding objectives such as protection of soil, nature, water and air; physical planning requirements and national legislative requirements may have to be met.

Assessment of soil material for re-use may require the measurement of the chemical, physical, biological, geotechnical and radiochemical characteristics of soil material and of the source and target sites. The assessor should identify those parameters that are appropriate to the task in hand.

This International Standard identifies the functions and properties of soil materials at the source (point of origin) and also the properties of the target (receiving) site which may be relevant to the potential uses listed in the Scope, and indicates for which parameters or procedures there are International Standards available. Radiochemical and geotechnical aspects are not covered. For guidance on the geotechnical aspects of the use of soil materials as construction material, reference should be made to other relevant International Standards (e.g. those produced by ISO/TC 182, *Geotechnics in the field of civil engineering*) or national standards.

The way the soil is handled after excavation may affect soil properties. Some suggestions regarding good practice in soil handling and related practice and monitoring after placement are provided in annex B.

This document is a preview generated by EVS

Soil quality — Characterization of excavated soil and other soil materials intended for re-use

1 Scope

This International Standard provides guidance on the range of tests that may be necessary to characterize soil materials intended to be excavated and re-used, with or without preliminary treatment. Soil materials include excavated soil, dredged materials, fill materials, manufactured soils and soil treated to remove or destroy contaminants.

It takes into account the different requirements of top soil, sub-soil and other soil materials such as sediments or treated soils. International Standard methods are listed where available.

The test methods are intended to cover a range of possible end uses, such as:

- play areas for small children, including nursery schools, kindergardens, etc.,
- schools,
- gardens and other residential areas,
- allotments,
- horticulture,
- agriculture,
- forestry,
- recreational areas, e.g. parks, sport fields,
- restoration of damaged ecosystems,
- construction sites.

It is intended to be of use in determining the suitability of soil materials for re-use, and the assessment of the environmental impacts that might arise from re-use.

This International Standard is not applicable to the placement of soil materials in an aqueous environment or to restore underground workings. It does not address geotechnical requirements when soil materials are to be used as construction material.

2 Normative reference

The following normative document contains provisions which, through reference in this text, constitute provisions of this International Standard. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply. However, parties to agreements based on this International Standard are encouraged to investigate the possibility of applying the most recent editions of the normative documents indicated below. For

undated references, the latest edition of the normative document referred to applies. Members of ISO and IEC maintain registers of currently valid International Standards.

ISO 11259, *Soil quality — Simplified soil description*

3 Terms and definitions

For the purposes of this International Standard, the following terms and definitions apply.

3.1 Types of soil and other soil materials

3.1.1

soil

upper layer of the earth's crust composed of mineral parts, organic substance, water, air and living matter

[ISO 11074-1]

3.1.2

top soil

upper part of a natural soil which is generally dark-coloured and has a higher humus and nutrient content when compared to the subsoil below

[ISO 11074-4]

3.1.3

sub-soil

material underlying the topsoil and overlying the solid (parent) rock beneath

NOTE All or much of the original rock structure has usually been obliterated by pedogenic processes.

3.1.4

soil material

excavated soil, dredged materials, manufactured soils, treated soils and fill materials

3.1.5

excavated soil

any natural material excavated from the ground, including top soil, sub-soil, altered parent rock and parent rock itself

NOTE Excavated soil typically arises during construction works.

3.1.6

manufactured soil

manufactured soil material

manufactured product intended to perform specified soil functions produced by blending combinations of natural, waste or manufactured materials with the addition of nutrients or other additives when necessary

3.1.7

treated soil

soil that has been subjected to a process-based treatment method

3.1.8

dredged material

material excavated during maintenance, construction, reconstruction and extension measures from waters

NOTE Dredged material may consist of:

- sediments or subhydric soils,
- soils and their parent material beneath the surface water body.