

**MADALPINGELISED LÜLITUS- JA JUHTIMISAPARAADID.
OSA 5-1: JUHTIMISAHELASEADMED JA
LÜLITUSELEMENDID. ELEKTROMEHAANILISED
JUHTIMISAHELASEADMED**

**Low-voltage switchgear and controlgear - Part 5-1:
Control circuit devices and switching elements -
Electromechanical control circuit devices**

EESTI STANDARDI EESSÕNA**NATIONAL FOREWORD**

See Eesti standard EVS-EN 60947-5-1:2017 sisaldab Euroopa standardi EN 60947-5-1:2017 ingliskeelset teksti.	This Estonian standard EVS-EN 60947-5-1:2017 consists of the English text of the European standard EN 60947-5-1:2017.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 15.12.2017.	Date of Availability of the European standard is 15.12.2017.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 29.120.40, 29.130.20

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:
Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD

EN 60947-5-1

NORME EUROPÉENNE

EUROPÄISCHE NORM

December 2017

ICS 29.120.40; 29.130.20

Supersedes EN 60947-5-1:2004

English Version

**Low-voltage switchgear and controlgear - Part 5-1: Control
circuit devices and switching elements - Electromechanical
control circuit devices
(IEC 60947-5-1:2016 + COR1:2016)**

Appareillage à basse tension - Partie 5-1: Appareils et
éléments de commutation pour circuits de commande -
Appareils électromécaniques pour circuits de commande
(IEC 60947-5-1:2016 + COR1:2016)

Niederspannungsschaltgeräte - Teil 5-1: Steuergeräte und
Schaltelemente - Elektromechanische Steuergeräte
(IEC 60947-5-1:2016 + COR1:2016)

This European Standard was approved by CENELEC on 2016-06-29. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

The text of document 121A/62/FDIS, future edition 4 of IEC 60947-5-1, prepared by SC 121A "Low-voltage switchgear and controlgear" of IEC/TC 121 "Switchgear and controlgear and their assemblies for low voltage" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 60947-5-1:2017.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2018-06-15
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2020-12-15

This document supersedes EN 60947-5-1:2004.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directives.

For the relationship with EU Directives see informative Annexes ZZA and ZZB, which are integral parts of this document.

Endorsement notice

The text of the International Standard IEC 60947-5-1:2016 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60255 (series)	NOTE	Harmonized as EN 60255 (series).
IEC 61000 (series)	NOTE	Harmonized as EN 61000 (series).
IEC 61810 (series)	NOTE	Harmonized as EN 61810 (series).

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60068-2-6	2007	Environmental testing -- Part 2-6: Tests Test Fc: Vibration (sinusoidal)	-EN 60068-2-6	2008
IEC 60068-2-14	2009	Environmental testing -- Part 2-14: Tests Test N: Change of temperature	-EN 60068-2-14	2009
IEC 60068-2-27	2008	Environmental testing -- Part 2-27: Tests Test Ea and guidance: Shock	-EN 60068-2-27	2009
IEC 60068-2-30	2005	Environmental testing -- Part 2-30: Tests Test Db: Damp heat, cyclic (12 h + 12 h cycle)	-EN 60068-2-30	2005
IEC 60073	2002	Basic and safety principles for man-machine interface, marking and identification - Coding principles for indicators and actuators	EN 60073	2002
IEC 60417-DB	2002	Graphical symbols for use on equipment	-	-
IEC 60617-DB	2012	Graphical symbols for diagrams	-	-
IEC 60695-2-10	2013	Fire hazard testing -- Part 2-10: Glowing/hot- wire based test methods - Glow-wire apparatus and common test procedure	EN 60695-2-10	2013
IEC 60695-2-11	2014	Fire hazard testing - Part 2-11: Glowing/hot- wire based test methods - Glow-wire flammability test method for end-products (GWEPT)	EN 60695-2-11	2014
IEC 60695-2-12	2010	Fire hazard testing -- Part 2-12: Glowing/hot- wire based test methods - Glow-wire flammability index (GWFI) test method for materials	EN 60695-2-12	2010
+ A1	2014		+ A1	2014
IEC 60947-1	2007	Low-voltage switchgear and controlgear Part 1: General rules	--EN 60947-1	2007
+ A1	2010		+ A1	2011
+ A2	2014		+ A2	2014
IEC 60947-4-1	2009	Low-voltage switchgear and controlgear Part 4-1: Contactors and motor-starters - Electromechanical contactors and motor- starters	--EN 60947-4-1	2010

+ A1	2012		+ A1	2012
IEC 60947-5-5	1997	Low-voltage switchgear and controlgear --EN 60947-5-5 Part 5-5: Control circuit devices and switching elements - Electrical emergency stop device with mechanical latching function		1997
+ A1	2005		+ A1	2005
-	-		+ A11	2013
+ A2	2016		+ A2	2016
IEC 60999-1	1999	Connecting devices - Electrical copper conductors - Safety requirements for screw-type and screwless-type clamping units -- Part 1: General requirements and particular requirements for clamping units for conductors from 0,2 mm ² up to 35 mm ² (included)	EN 60999-1	2000
IEC 61000-3-2	-	Electromagnetic compatibility (EMC) - Part 3-2: Limits – Limits for harmonic current emissions (equipment input current ≤ 16 A per phase)	EN 61000-3-2	2014
IEC 61000-3-3	-	Electromagnetic compatibility (EMC) - Part 3-3: Limits - Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current ≤ 16 A per phase and not subject to conditional connection	EN 61000-3-3	2013
IEC 61000-4-2	2008	Electromagnetic compatibility (EMC) -- Part 4-2: Testing and measurement techniques - Electrostatic discharge immunity test	EN 61000-4-2	2009
IEC 61000-4-3	2006	Electromagnetic compatibility (EMC) -- Part 4-3: Testing and measurement techniques - Radiated, radio-frequency, electromagnetic field immunity test	EN 61000-4-3	2006
+ A1	2007		+ A1	2008
+ A2	2010		+ A2	2010
IEC 61000-4-4	2012	Electromagnetic compatibility (EMC) -- Part 4-4: Testing and measurement techniques - Electrical fast transient/burst immunity test	EN 61000-4-4	2012
IEC 61000-4-5	2014	Electromagnetic compatibility (EMC) - Part 4-5: Testing and measurement techniques - Surge immunity test	EN 61000-4-5	2014
IEC 61000-4-6	2013	Electromagnetic compatibility (EMC) -- Part 4-6: Testing and measurement techniques - Immunity to conducted disturbances, induced by radio-frequency fields	EN 61000-4-6	2014
IEC 61000-4-8	2009	Electromagnetic compatibility (EMC) -- Part 4-8: Testing and measurement techniques - Power frequency magnetic field immunity test	EN 61000-4-8	2010
IEC 61000-4-11	2004	Electromagnetic compatibility (EMC) -- Part 4-11: Testing and measurement techniques - Voltage dips, short interruptions and voltage variations immunity tests	EN 61000-4-11	2004

IEC 61000-4-13	2002	Electromagnetic compatibility (EMC) -- Part 4-13: Testing and measurement techniques - Harmonics and interharmonics including mains signaling at a.c. power port, low frequency immunity tests	EN 61000-4-13	2002
+ A1	2009		+ A1	2009
+ A2	2015		+ A2	2016
IEC 61140	2001	Protection against electric shock - Common aspects for installation and equipment	EN 61140	2002
+ A1 (mod)	2004		+ A1	2006
CIE S 004/E	2001	Colours of light signals	-	-
CISPR 11 (mod)	2015	Industrial, scientific and medical equipment - Radio-frequency disturbance characteristics - Limits and methods of measurement	EN 55011	2016

Annex ZZA (informative)

Relationship between this European standard and the essential requirements of Directive 2014/30/EU [2014 OJ L96] aimed to be covered

This European standard has been prepared under a Commission's standardisation request C(2016) 7641 final of 30.11.2016¹, ('M/552') as regards harmonised standards in support of Directive 2014/30/EU relating to electromagnetic compatibility, to provide one voluntary means of conforming to essential requirements of Directive 2014/30/EU of the European Parliament and of the Council of 26 February 2014 on the harmonisation of the laws of the Member States relating to electromagnetic compatibility [2014 OJ L96].

Once this standard is cited in the Official Journal of the European Union under that Directive, compliance with the normative clauses of this standard given in Table ZZA.1 confers, within the limits of the scope of this standard, a presumption of conformity with the corresponding essential requirements of that Directive, and associated EFTA regulations.

**Table ZZA.1 – Correspondence between this European standard and Annex I of Directive
2014/30/EU [2014 OJ L96]**

Essential requirements of Directive 2014/30/EU	Clause(s) / sub-clause(s) of this EN	Remarks / Notes
Electromagnetic disturbances (emissions), Article 6 and Annex I 1.(a)	7.3.1, 7.3.3, 8.4.1, 8.4.3, 8.4.4	
Electromagnetic immunity to electromagnetic disturbances (immunity), Article 6 and Annex I 1.(b)	7.3.1, 7.3.2, 8.4.1, 8.4.2, 8.4.4	Full coverage of requirements for conducted and radiated disturbances in the range 150 kHz to 2,7 GHz

WARNING 1: Presumption of conformity stays valid only as long as a reference to this European standard is maintained in the list published in the Official Journal of the European Union. Users of this standard should consult frequently the latest list published in the Official Journal of the European Union.

WARNING 2: Other Union legislation may be applicable to the product(s) falling within the scope of this standard.

¹ COMMISSION IMPLEMENTING DECISION C(2016) 7641 final of 30.11.2016 on a standardisation request to the European Committee for Standardisation, to the European Committee for Electrotechnical Standardisation and to the European Telecommunications Standards Institute as regards harmonised standards in support of Directive 2014/30/EU of the European Parliament and of the Council of 26 February 2014 on the harmonisation of the laws of the Member States relating to electromagnetic compatibility.

Annex ZZB

(informative)

Relationship between this European standard and the safety objectives of Directive 2014/35/EU [2014 OJ L96] aimed to be covered

This European standard has been prepared under a Commission's standardisation request relating to harmonised standards in the field of the Low Voltage Directive, M/511, to provide one voluntary means of conforming to safety objectives of Directive 2014/35/EU of the European Parliament and of the Council of 26 February 2014 on the harmonisation of the laws of the Member States relating to the making available on the market of electrical equipment designed for use within certain voltage limits [2014 OJ L96].

Once this standard is cited in the Official Journal of the European Union under that Directive, compliance with the normative clauses of this standard given in Table ZZB.1 confers, within the limits of the scope of this standard, a presumption of conformity with the corresponding safety objectives of that Directive, and associated EFTA regulations.

Table ZZB.1 – Correspondence between this European standard and Annex I of Directive 2014/35/EU [2014 OJ L96]

Safety objectives of Directive 2014/35/EU	Clause(s) / sub-clause(s) of this EN	Remarks/note
1 a)	1, 2, 3, 4, 5, Annex F, Annex K, Annex L, Annex M	
1 b)	1, 2, 3, 4, 5, 6, 8.2, 8.3, Annex E, Annex H, Annex J, Annex K, Annex L, Annex M	
1 c)	1, 2, 3, 4, 5 Also refer to 2 a) to 2 d) and 3 a) to 3 c) in this table	
2 a)	1, 2, 3, 4, 5.3, 7.1, 7.2, 7.3, 8.1, 8.3, Annex F	
2 b)	1, 2, 3, 4, 5.3, 7.1, 7.2, 8.2, 8.3, Annex H, Annex J	This standard does not deal with any specific requirements on acoustic noise and optical radiation.
2 c)	1, 2, 3, 4, 6, 7.1, 8.1, 8.2, 8.3, 8.4, Annex C, Annex J	
2 d)	1, 2, 3, 4, 5.3, 6, 7.1, 7.2, 8.1, 8.3, Annex F, Annex G, Annex J, Annex K, Annex L	
3 a)	1, 2, 3, 4, 6, 7, 8.1, 8.2, Annex C, Annex G, Annex J	

3 b)	1, 2, 3, 4, 8.1	
3 c)	1, 2, 3, 4, 6, 7.1, 7.2, 8.2, 8.3, Annex H	

WARNING 1: Presumption of conformity stays valid only as long as a reference to this European standard is maintained in the list published in the Official Journal of the European Union. Users of this standard should consult frequently the latest list published in the Official Journal of the European Union.

WARNING 2: Other Union legislation may be applicable to the product(s) falling within the scope of this standard.

CONTENTS

FOREWORD.....	9
1 General.....	11
1.1 Scope and object	11
1.2 Normative references	12
2 Terms and definitions	14
2.1 Basic terms and definitions.....	16
2.2 Control switches.....	17
2.3 Parts of control switches	20
2.4 Operation of control switches	22
2.4.1 Operation of contactor relays	22
2.4.2 Operation of pilot switches	22
2.4.3 Operation of rotary switches	23
2.4.4 Operation of mechanically operated control switches	24
3 Classification.....	25
3.1 Contact elements	25
3.2 Control switches.....	25
3.3 Control circuit devices	25
3.4 Time delay switching elements	25
3.5 Control switch mounting	25
4 Characteristics	25
4.1 Summary of characteristics	25
4.1.1 General	25
4.1.2 Operation of a control switch	26
4.2 Type of control circuit device or switching element.....	26
4.2.1 Kind of control circuit device.....	26
4.2.2 Kind of switching elements	26
4.2.3 Number of poles.....	26
4.2.4 Kind of current	26
4.2.5 Interrupting medium	27
4.2.6 Operating conditions	27
4.3 Rated and limiting values for switching elements	27
4.3.1 General	27
4.3.2 Rated voltages (of a switching element).....	27
4.3.3 Currents	28
4.3.4 Rated frequency.....	28
4.3.5 Vacant.....	28
4.3.6 Normal and abnormal load characteristics	28
4.3.7 Short-circuit characteristics	28
4.4 Utilization categories for switching elements	28
4.5 Vacant.....	29
4.6 Vacant.....	29
4.7 Vacant.....	29
4.8 Vacant.....	29
4.9 Vacant.....	29
4.10 Electrically separated contact elements	29
4.11 Actuating quantities for pilot switches	29

4.12	Pilot switches having two or more contact elements	29
5	Product information	29
5.1	Nature of information.....	29
5.2	Marking.....	30
5.2.1	General	30
5.2.2	Terminal identification and marking	30
5.2.3	Functional markings	31
5.2.4	Emergency stop	31
5.2.5	Operating diagram	31
5.2.6	Time delay markings	31
5.3	Instructions for installation, operation and maintenance	31
5.4	Additional information.....	32
6	Normal service, mounting and transport conditions	32
6.3.1	Mounting of single hole mounted devices.....	32
7	Constructional and performance requirements.....	33
7.1	Constructional requirements	33
7.1.1	General	33
7.1.2	Materials.....	33
7.1.3	Current-carrying parts and their connections.....	34
7.1.4	Clearances and creepage distances	34
7.1.7	Conditions for control switches suitable for isolation	35
7.1.8	Terminals.....	35
7.1.14	Class II control circuit devices	35
7.1.15	Requirements for control devices with integrally connected cables	35
7.2	Performance requirements	35
7.2.3	Dielectric properties	35
7.2.4	Ability to make and break under normal and abnormal load conditions	35
7.2.5	Conditional short-circuit current.....	36
7.2.6	Vacant.....	36
7.2.7	Additional requirements for control switches suitable for isolation.....	36
7.2.8	Maximum recovery time	36
7.3	Electromagnetic compatibility (EMC).....	36
7.3.1	General	36
7.3.2	Immunity.....	37
7.3.3	Emission.....	38
8	Tests.....	43
8.1	Kinds of test.....	43
8.1.1	General	43
8.1.2	Type tests.....	43
8.1.3	Routine tests	43
8.1.4	Sampling tests	44
8.1.5	Special tests	44
8.2	Compliance with constructional requirements.....	44
8.2.1	Materials.....	44
8.2.2	Equipment	44
8.2.3	Enclosures for equipment.....	45
8.2.4	Mechanical and electrical properties of terminals	45
8.2.5	Verification of actuating force (or moment).....	46

8.2.6	Verification of limitation of rotation (of a rotary switch)	46
8.2.7	Conduit pull-out test, torque test and bending test with metallic conduits	46
8.3	Performance	46
8.3.1	Test sequences	46
8.3.2	General test conditions	47
8.3.3	Performance under no-load, normal load and abnormal load conditions	48
8.3.4	Performance under conditional short-circuit current	51
8.4	Tests for EMC	52
8.4.1	General	52
8.4.2	Immunity	52
8.4.3	Emission	53
8.4.4	Test results and test report	53
Annex A (normative)	Electrical ratings based on utilization categories (see 3.1)	61
Annex B (normative)	Example of inductive test loads for d.c. contacts	63
B.1	General	63
B.2	Construction	63
Annex C (normative)	Special tests – Durability tests	65
C.1	General	65
C.1.1	Durability declaration	65
C.1.2	Test procedures	65
C.1.3	Failure criteria	66
C.2	Mechanical durability	66
C.2.1	General	66
C.2.2	Test procedures	66
C.3	Electrical durability	66
C.3.1	General	66
C.3.2	Test procedures	66
Annex D	Vacant	69
Annex E (normative)	Items subject to agreement between manufacturer and user	70
Annex F (normative)	Class II control circuit devices insulated by encapsulation Requirements and tests	71
F.1	General	71
F.2	Terms and definitions	71
F.5	Marking	71
F.7	Instructional and functional requirements	72
F.7.1	Choice of compound	72
F.7.2	Adhesion of the compound	72
F.7.3	Dielectric properties	72
F.8	Tests	72
F.8.1	Kind of tests	72
Annex G (normative)	Additional requirements for control circuit devices with integrally connected cables	75
G.1	General	75
G.2	Terms and definitions	75
G.7	Constructional and performance requirements	75
G.7.1	Constructional requirements	75
G.7.2	Performance requirements	76
G.8	Tests	76

G.8.1	General	76
G.8.2	Type tests	76
G.8.3	Results to be obtained	77
Annex H (normative)	Additional requirements for semiconductor switching elements for control circuit devices	78
H.1	General.....	78
H.2	Terms and definitions	78
H.3	Classification	78
H.3.1	Semiconductor switching elements	78
H.4	Characteristics	78
H.4.1	Rated voltage	78
H.4.2	Utilization categories.....	79
H.5	Product information	79
H.7	Constructional and performance requirements	79
H.7.1	Performance requirements	79
H.7.2	Ability to make under abnormal and normal conditions	80
H.7.3	Conditional short-circuit current.....	80
H.7.4	Electromagnetic compatibility (EMC)	80
H.8	Tests	80
H.8.1	Type tests.....	80
H.8.2	Voltage drop (U_d).....	80
H.8.3	Minimum operational current (I_m)	81
H.8.4	OFF-state current (I_f)	81
H.8.5	Making and breaking capacities.....	81
H.8.6	Performance under short-circuit current conditions	81
H.8.7	Verification of electromagnetic compatibility.....	82
Annex J (normative)	Special requirements for indicator lights and indicating towers	84
J.1	General.....	84
J.2	Terms and definitions	84
J.3	Classification	84
J.4	Characteristics	85
J.4.1	Rated operational voltage of an indicator light	85
J.4.2	Rated thermal power of an indicator light.....	85
J.4.3	Rated values of the lamp.....	85
J.5	Product information	85
J.6	Normal service, mounting and transport conditions	85
J.7	Constructional and performance requirements	86
J.8	Tests	86
J.8.3	Tests for indicator lights and indicating towers.....	86
J.8.4	Shock and vibration	88
J.8.5	Degree of protection for indicating towers.....	89
Annex K (normative)	Special requirements for control switches with direct opening action	90
K.1	General.....	90
K.2	Terms and definitions	90
K.3	Classification	90
K.4	Characteristics	91
K.4.4	Utilization categories for switching elements.....	91
K.5	Product information	91

K.5.2	Marking	91
K.5.4	Additional information	91
K.6	Normal service, mounting and transport conditions	92
K.7	Constructional and performance requirements	92
K.8	Tests	93
Annex L (normative)	Special requirements for mechanically linked contact elements	96
L.1	General.....	96
L.2	Terms and definitions	96
L.3	Classification	96
L.4	Characteristics	96
L.5	Product information	96
L.6	Normal service, mounting and transport conditions	97
L.7	Constructional and performance requirements	97
L.8	Tests	97
L.8.4	Special test for mechanically linked contact elements	98
Annex M (normative)	Terminal marking, distinctive number and distinctive letter for control circuit devices	99
M.1	Scope	99
M.2	Terminal marking rule.....	99
M.2.1	General	99
M.2.2	Function digit.....	99
M.2.3	Sequence digit.....	99
M.2.4	Numbering method.....	100
M.3	Distinctive number and distinctive letter.....	100
M.3.1	General	100
M.3.2	Distinctive number	100
M.3.3	Distinctive letter	100
M.4	Terminal numbering sequence.....	100
M.5	Contactors designated by the distinctive letter E.....	101
M.6	Contactors designated by distinctive letters X, Y or Z	103
M.6.1	Contactors designated by the distinctive letter Z.....	103
M.6.2	Contactors designated by the distinctive letter X	103
M.6.3	Contactors designated by the distinctive letter Y	103
Annex N (normative)	Procedure to determine reliability data for electromechanical devices in control circuits used in functional safety applications	104
N.1	General.....	104
N.1.1	Overview	104
N.1.2	Scope and object	104
N.1.3	General requirements.....	104
N.2	Terms, definitions and symbols	104
N.3	Method based on durability test results.....	104
N.3.1	General method	104
N.3.2	Test requirements	104
N.3.3	Number of samples	105
N.3.4	Characterization of a failure mode	105
N.3.5	Weibull modelling.....	105
N.3.6	Useful life and upper limit of failure rate.....	105
N.3.7	Reliability data	105
N.4	Data information.....	105