

**RAUDTEE ELEKTROONIKASEADMED. RONGISISENE
KOMMUNIKATSIOONIVÕRK. OSA 2-5: RONGI
ETHERNET MAGISTRAAL**

**Electronic railway equipment - Train communication
network (TCN) - Part 2-5: Ethernet train backbone**

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 61375-2-5:2015 sisaldab Euroopa standardi EN 61375-2-5:2015 ingliskeelset teksti.	This Estonian standard EVS-EN 61375-2-5:2015 consists of the English text of the European standard EN 61375-2-5:2015.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 27.02.2015.	Date of Availability of the European standard is 27.02.2015.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 45.060

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:
Aru 10, 10317 Tallinn, Eesti; koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Aru 10, 10317 Tallinn, Estonia; homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

English Version

**Electronic railway equipment - Train communication network
(TCN) - Part 2-5: Ethernet train backbone
(IEC 61375-2-5:2014)**

Matériel électronique ferroviaire - Réseau embarqué de
train (TCN) - Partie 2-5: Réseau central de train Ethernet
(IEC 61375-2-5:2014)

Elektronische Betriebsmittel für Bahnen - Zug-
Kommunikations-Netzwerk - Teil 2-5: ETB - Ethernet Train
Backbone
(IEC 61375-2-5:2014)

This European Standard was approved by CENELEC on 2014-09-29. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Foreword

The text of document 9/1933/FDIS, future edition 1 of IEC 61375-2-5, prepared by IEC/TC 9 "Electrical equipment and systems for railways" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61375-2-5:2015.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2015-08-27
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2017-09-29

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 61375-2-5:2014 was approved by CENELEC as a European Standard without any modification.

IEC 61375-2-1:2012
IEC 61784-2
IEC 61918

NOTE Harmonized as EN 61375-2-1:2012.
NOTE Harmonized as EN 61784-2.
NOTE Harmonized as EN 61918.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 61076-2-101	2012	Connectors for electronic equipment - Product requirements -- Part 2-101: Circular connectors - Detail specification for M12 connectors with screw-locking	EN 61076-2-101	2012
IEC 61156	series	Multicore and symmetrical pair/quad cables - for digital communications		series
IEC 61156-1	2007	Multicore and symmetrical pair/quad cables - for digital communications - Part 1: Generic specification		-
IEC 61156-5	-	Multicore and symmetrical pair/quad cables - for digital communications - Part 5: Symmetrical pair/quad cables with transmission characteristics up to 1 000 MHz - Horizontal floor wiring - Sectional specification		-
IEC 61375-1	2012	Electronic railway equipment - Train communication network (TCN) -- Part 1: General architecture	EN 61375-1	2012
IEC 61375-2-3	-	Electronic railway equipment - Train Communication Network (TCN) - Part 2-3: TCN communication profile	FprEN 61375-2-3	-
IEC 61375-3-4	-	Electronic railway equipment - Train Bus - Part 3-4: ECN - Ethernet Consist Network	EN 61375-3-4	-
IEC 62236-3-2	-	Railway applications - Electromagnetic compatibility -- Part 3-2: Rolling stock - Apparatus		-
ISO/IEC 7498	series	Information processing systems - Open systems interconnection - Basic reference model		series
ISO/IEC 8824	series	Information technology - Abstract Syntax Notation One (ASN.1)		series
ISO/IEC 9646	series	Information technology - Open Systems Interconnection	EN ISO/IEC 9646	series
ISO/IEC 11801	2002	Information technology - Generic cabling for - customer premises		-
IEEE 802.1AB	-	IEEE Standard for Local and Metropolitan Area Networks - Station and Media Access Control Connectivity Discovery		-
IEEE 802.1AX	2008	IEEE Standard for Local and metropolitan area networks - Link Aggregation		-

IEEE 802.1D	2012	IEEE Standard for local and metropolitan area networks - Media Access Control (MAC) Bridges	-	-
IEEE 802.1Q	-	IEEE Standard for Local and metropolitan area networks - Media Access Control (MAC) Bridges and Virtual Bridges	-	-
IEEE 802.2	-	IEEE Standard for Information technology - Telecommunications and information exchange between systems - Local and metropolitan area networks - Specific requirements - Part 2: Logical Link Control	-	-
IEEE 802.3	2012	IEEE Standard for Ethernet	-	-

Annex ZZ (informative)

Relationship between this European Standard and the Essential Requirements of EU Directive 2008/57/EC

This European Standard has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association and within its scope the standard covers all relevant essential requirements as given in Annex III of the EC Directive 2008/57/EC (also named as New Approach Directive 2008/57/EC Rail Systems: Interoperability).

Once this standard is cited in the Official Journal of the European Union under that Directive and has been implemented as a national standard in at least one Member State, compliance with the clauses of this standard given in Table ZZ.1 relating to the 'rolling stock - locomotives and passenger rolling stock' subsystem of the rail system in the European Union, confers, within the limits of the scope of this standard, a presumption of conformity with the corresponding Essential Requirements of that Directive and associated EFTA regulations.

**Table ZZ.1 - Correspondence between this European Standard, the RST LOC&PAS TSI
(published in the Official Journal L 356 on 12 December 2014, p. 228) and Directive
2008/57/EC**

Clauses of this European Standard	Chapter / § / points / of RST LOC&PAS TSI	Essential Requirements (ER) of Directive 2008/57/EC	Comments
The whole standard is applicable	4.2.4.9 Brake state and fault indication	2. Requirements specific to each sub-subsystem	The TSI does not impose any technical solution regarding physical interfaces between units. The standard offers a general multi-purpose solution for the inter-vehicle digital communication network and it is relevant to vehicle interoperability.
	4.2.5.2 Audible communication system	2.4. Rolling Stock	
	4.2.5.3 Passenger alarm	2.4.1. Safety	
	4.2.5.4 Communication devices for passengers	2.4.2. Reliability and availability	
	4.2.5.5 Exterior doors	2.4.3. Technical compatibility	
	4.2.12.2 General documentation: - description of computerised onboard systems		

WARNING: Other requirements and other EU Directives may be applicable to the products falling within the scope of this standard.

CONTENTS

FOREWORD.....	7
INTRODUCTION.....	9
1 Scope.....	10
2 Normative references.....	10
3 Terms, definitions, symbols, abbreviations and conventions	11
3.1 Terms and definitions	11
3.2 Symbols and abbreviations.....	15
3.3 Conventions.....	17
3.3.1 Base of numeric values	17
3.3.2 Naming conventions.....	17
3.3.3 State diagram conventions	17
3.3.4 Annotation of data structures.....	17
4 ETB physical layer.....	17
4.1 Train regions.....	17
4.2 Physical characteristics	18
4.2.1 General	18
4.2.2 Intra car physical layer.....	18
4.2.3 Inter car physical layer.....	20
4.2.4 Inter Consist physical layer	24
4.3 Power over Ethernet (PoE).....	27
4.4 ETB physical architecture and redundancy.....	29
4.4.1 General	29
4.4.2 Link aggregation architecture	29
4.4.3 Functions.....	31
5 ETB data link layer	32
6 ETB network layer: IPv4 subnets definition.....	33
6.1 General.....	33
6.2 IP mapping introduction.....	34
6.3 Topology.....	34
6.3.1 General	34
6.3.2 Closed train	35
6.4 Network IP address map	36
6.4.1 Global IPv4 address space.....	36
6.4.2 Train subnet definition.....	36
6.4.3 Train IP address map summary	40
6.4.4 Train IP group addresses (multicast)	41
6.5 Particular hosts IP addresses	41
6.5.1 ETBN (Ethernet Train Backbone Node).....	41
6.5.2 Hosts on train subnet	42
6.5.3 Host inside a closed train	43
6.6 Some use cases.....	45
6.7 Dynamic IP routing management	48
6.7.1 Unicast routes.....	48
6.7.2 Multicast routes	48
7 ETB Transport layer.....	49
8 ETB Train Inauguration: TTDP	50

8.1	Contents of this clause	50
8.2	Objectives and assumptions	50
8.2.1	Goals	50
8.2.2	Out of scope	51
8.2.3	Assumptions	51
8.3	ETBN settings	52
8.3.1	ETB switch port states	52
8.3.2	Node settings	52
8.4	General behaviour	54
8.5	ETBN Inauguration state diagram	54
8.5.1	General	54
8.5.2	Actions	55
8.5.3	Transitions	57
8.6	ETBN peers discovery	58
8.6.1	Internal peers detection	58
8.6.2	External peers detection	58
8.6.3	Switch port states handling	59
8.6.4	ETB lines statuses	59
8.7	TTDP messages description	61
8.7.1	General	61
8.7.2	Convention	61
8.7.3	TTDP frame tagging	61
8.7.4	Transport and addressing	61
8.7.5	TTDP HELLO frame	62
8.7.6	TTDP TOPOLOGY frame	66
8.8	TTDP data structures	72
8.8.1	Connectivity Vector	72
8.8.2	ETBN Vector	73
8.8.3	Connectivity Table	73
8.8.4	Connectivity Table CRC	74
8.8.5	Train network directory	76
8.8.6	Train network directory CRC (Topology Counter)	78
8.8.7	Corrected topology	78
8.9	TTDP frames timing	79
8.9.1	TTDP HELLO	79
8.9.2	TTDP TOPOLOGY	81
8.10	Inauguration Train Application interface	83
8.11	Degraded modes	83
8.11.1	Late insertion ETBN	83
8.11.2	Losing ETBN	84
8.11.3	End ETBN failure and partial topology counter	84
8.12	Some discovery timing	85
8.12.1	ETBN wakeup	85
8.12.2	ETBN failure	86
8.12.3	Consist coupling	87
9	ETB ETBN redundancy	88
10	ETB physical train naming convention (optional)	89
10.1	General	89
10.2	ETB Train domain	89

10.3	Hostname	90
11	ETB Quality of Service	91
11.1	Contents of this clause	91
11.2	Frame forwarding	91
11.2.1	ETBN switching rate	91
11.2.2	No Head-of-Line blocking	91
11.2.3	Switching priorities	91
11.2.4	Switching queuing scheme	92
11.3	Priority of Inauguration frames	92
11.4	ETB ingress rate limiting	92
11.5	ETB egress rate shaping	92
11.6	ETB data classes	92
12	ETB Management and monitoring	93
13	ETB Application interface	93
13.1	Contents of this clause	93
13.2	Abstract communication model	93
13.3	ETB Process Data and Message Data protocols	94
13.4	ETB protocol transparency	94
13.5	ETBN interfaces	94
13.5.1	Application	94
13.5.2	Maintenance and monitoring	95
14	ETB conformity statement	96
	Annex A (normative) Summary of ETB sizing parameters	97
	Annex B (normative) Physical topology building algorithm	98
	Annex C (normative) TTDP MIB definition	101
	Bibliography	121
	Figure 1 – ETB train regions	18
	Figure 2 – ETB Inter car at same potential	23
	Figure 3 – ETB Inter car not at the same potential	24
	Figure 4 – ETB Consist reversing	26
	Figure 5 – ETB Inter Consist segment	27
	Figure 6 – ETBN PSE PoE use case	27
	Figure 7 – ETBN PD PoE use case	28
	Figure 8 – PoE in inter-Consist	28
	Figure 9 – PoE PSE alternative A	29
	Figure 10 – Redundant train backbone architecture	29
	Figure 11 – Link aggregation model	30
	Figure 12 – Link aggregation group	31
	Figure 13 – Conversations over LAG	31
	Figure 14 – Hierarchical Consist topology	35
	Figure 15 – Closed train	36
	Figure 16 – "Subnet Id" with single Consist Network	38
	Figure 17 – "Subnet Id" with two single Consist Networks	38
	Figure 18 – Multiple Consist Networks, without fault tolerance	39

Figure 19 – "Subnet Id" with ETBN redundancy	39
Figure 20 – "Subnet Id" in multiple units with ETBN redundancy	40
Figure 21 – IP train address space summary	40
Figure 22 – Relative addressing example	45
Figure 23 – Train composed of a single Consist Network	46
Figure 24 – Train composed of two single Consist Networks	46
Figure 25 – Train composed of single Consist Network with ETBN redundancy	47
Figure 26 – Train composed of two Consist Networks with ETBN redundancy	47
Figure 27 – Train with two Consist Networks in single Consist	48
Figure 28 – ETBN top node reference	51
Figure 29 – ETBN orientation capability.....	52
Figure 30 – ETB switch in passive bypass setting	53
Figure 31 – ETB switch in intermediate setting	53
Figure 32 – ETB switch in End Node Setting.....	54
Figure 33 – ETBN Inauguration state diagram	55
Figure 34 – Switch port state diagram	59
Figure 35 – ETBN physical line state machine	60
Figure 36 – TTDP HELLO frame LLDPDU structure	62
Figure 37 – LLDP organizationally TLV structure	62
Figure 38 – TTDP HELLO frame structure	66
Figure 39 – TTDP specific HELLO TLV structure	66
Figure 40 – TTDP TOPOLOGY frame structure.....	71
Figure 41 – TTDP TOPOLOGY specific ETB TLV structure	72
Figure 42 – TTDP TOPOLOGY specific CN TLV structure.....	72
Figure 43 – Train composition for TNDiir example	77
Figure 44 – TTDP HELLO normal mode and recovery timing.....	80
Figure 45 – TTDP HELLO failure timing.....	81
Figure 46 – TTDP TOPOLOGY frames handling	82
Figure 47 – TTDP ETBNs wake up timing	85
Figure 48 – TTDP ETBN failure timing.....	86
Figure 49 – TTDP Consist coupling timing	87
Figure 50 – Example of ETBN IP routing table without redundancy	88
Figure 51 – Example of ETBN IP routing table with redundancy	88
Figure 52 – ETB train domain defintion.....	90
Figure 53 – Abstract communication model for ETB communication	94
Figure B.1 – Physical topology building	98
Figure C.1 – TTDP MIB tree view	103
Table 1 – ETB Intra car physical layer interface.....	19
Table 2 – ETB Inter car physical layer interface.....	21
Table 3 – ETB Inter consist physical layer interface	25
Table 4 – ETB Switch data link layer interface	32
Table 5 – ETB OSI Network layer	33

Table 6 – Train subnet definition	36
Table 7 – Train subnet decomposition	37
Table 8 – Train IP group addresses reserved range.....	41
Table 9 – ETBN ETB IP address	42
Table 10 – Hosts IP on train subnet.....	43
Table 11 – Application ED common interface.....	50
Table 12 – ETB switch port states	52
Table 13 – TTDP destination MAC addresses.....	62
Table 14 – Connectivity Vector.....	73
Table 15 – Connectivity Vector Fields	73
Table 16 – ETBN Vector	73
Table 17 – ETBN Vector Fields	73
Table 18 – Connectivity Table	74
Table 19 – Connectivity Table fields.....	74
Table 20 – Train network directory	76
Table 21 – Train network directory fields	76
Table 22 – Train network directory (example)	78
Table 23 – DSCP field mapping.....	91
Table 24 – ETB Switching Priorities.....	92
Table 25 – Train Topology Discovery Object.....	95
Table A.1 – ETB sizing parameters	97

Preview generated by EVS