

Dentistry - Artificial teeth for dental prostheses (ISO 22112:2017)

This document is a preview generated by EVS

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN ISO 22112:2017 sisaldab Euroopa standardi EN ISO 22112:2017 ingliskeelset teksti.	This Estonian standard EVS-EN ISO 22112:2017 consists of the English text of the European standard EN ISO 22112:2017.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 30.08.2017.	Date of Availability of the European standard is 30.08.2017.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 11.060.10

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:
Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD

EN ISO 22112

NORME EUROPÉENNE

EUROPÄISCHE NORM

August 2017

ICS 11.060.10

Supersedes EN ISO 22112:2006

English Version

Dentistry - Artificial teeth for dental prostheses (ISO 22112:2017)

Médecine bucco-dentaire - Dents artificielles pour prothèses dentaires (ISO 22112:2017)

Zahnheilkunde - Künstliche Zähne für Dentalprothesen (ISO 22112:2017)

This European Standard was approved by CEN on 6 May 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

European foreword

This document (EN ISO 22112:2017) has been prepared by Technical Committee ISO/TC 106 “Dentistry” in collaboration with Technical Committee CEN/TC 55 “Dentistry” the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by February 2018, and conflicting national standards shall be withdrawn at the latest by February 2018.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 22112:2006.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 22112:2017 has been approved by CEN as EN ISO 22112:2017 without any modification.

Contents

	Page
Foreword	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Classification	2
5 Requirements	2
5.1 General.....	2
5.1.1 Biocompatibility.....	2
5.1.2 Dimensions of teeth.....	2
5.1.3 Colour and blending of shades.....	2
5.1.4 Surface finish.....	2
5.1.5 Porosity and other defects.....	3
5.2 Ceramic teeth.....	3
5.2.1 Radioactivity.....	3
5.2.2 Anchorage.....	3
5.2.3 Resistance to thermal shock.....	3
5.3 Polymer teeth.....	3
5.3.1 Bonding to denture base polymer.....	3
5.3.2 Resistance to blanching, distortion and crazing.....	3
5.3.3 Colour stability.....	3
5.3.4 Dimensional stability.....	3
6 Sampling	4
7 Measurement and test methods	4
7.1 Visual inspection.....	4
7.2 Dimensions of teeth.....	4
7.2.1 Reagents and/or materials.....	4
7.2.2 Apparatus.....	4
7.2.3 Procedure.....	4
7.3 Comparison with shade guide.....	5
7.3.1 Reagents and/or materials.....	5
7.3.2 Apparatus.....	5
7.4 Surface finish of ceramic teeth.....	5
7.4.1 Reagents and/or materials.....	5
7.4.2 Apparatus.....	6
7.4.3 Processing.....	6
7.4.4 Grinding.....	6
7.5 Surface finish of polymer teeth.....	6
7.5.1 Reagents and/or materials.....	6
7.5.2 Apparatus.....	7
7.5.3 Processing.....	7
7.6 Porosity of ceramic teeth and other defects.....	7
7.6.1 Reagents and/or materials.....	7
7.6.2 Apparatus.....	7
7.6.3 Preparation of specimens.....	8
7.6.4 Procedure.....	8
7.7 Porosity of polymer teeth and other defects.....	8
7.7.1 Reagents and/or materials.....	8
7.7.2 Apparatus.....	8
7.7.3 Procedure.....	8
7.8 Radioactivity of ceramic teeth.....	9
7.8.1 Reagents and/or materials.....	9
7.8.2 Apparatus.....	9

7.8.3	Sample preparation.....	10
7.8.4	Counting procedure.....	10
7.8.5	Assessment of results.....	10
7.9	Anchorage of ceramic teeth to denture base polymers.....	10
7.9.1	Reagents and/or materials.....	10
7.9.2	Apparatus.....	10
7.9.3	Procedure.....	10
7.10	Resistance of ceramic teeth to thermal shock.....	10
7.10.1	Reagents and/or materials.....	10
7.10.2	Apparatus.....	10
7.10.3	Preparation of specimens.....	11
7.10.4	Procedure.....	11
7.11	Bonding of polymer teeth to denture-base polymers.....	11
7.11.1	Reagents and/or materials.....	11
7.11.2	Apparatus.....	11
7.11.3	Procedure.....	12
7.12	Resistance to blanching, distortion and crazing of polymer teeth.....	14
7.12.1	Sampling.....	14
7.12.2	Reagents and/or materials.....	14
7.12.3	Apparatus.....	14
7.12.4	Conditioning of test specimens.....	15
7.12.5	Procedure for exposure to monomer.....	15
7.12.6	Visual inspection.....	15
7.13	Colour stability of polymer teeth.....	15
7.13.1	General.....	15
7.13.2	Reagents and/or materials.....	15
7.13.3	Procedure.....	15
7.14	Dimensional stability of polymer teeth.....	15
7.14.1	Reagents and/or materials.....	15
7.14.2	Apparatus.....	16
7.14.3	Procedure.....	16
8	Marking, labelling, and information to be supplied by the manufacturer.....	16
8.1	Marking and labelling.....	16
8.2	Information to be supplied by manufacturer.....	16
8.2.1	Mould chart.....	16
8.2.2	Shade guide.....	17
8.3	Manufacturer's instructions for use.....	17
9	Packaging.....	17
	Bibliography.....	18

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by ISO/TC 106 *Dentistry*, Subcommittee SC 2 *Prosthetic materials*.

This second edition cancels and replaces the first edition (ISO 22112:2005), which has been technically revised.

The main changes compared to the previous edition are as follows:

- clarification of colour and blending requirement for multi-layered teeth ([5.1.3](#));
- clarification of test procedure for surface finishing ([7.5](#));
- for testing of radioactivity of ceramic teeth: gamma spectroscopy system is added ([7.8](#)).

Dentistry — Artificial teeth for dental prostheses

1 Scope

This document specifies the classification, requirements, and test methods for artificial teeth such as ceramic teeth and polymer teeth that are industrially manufactured for use in dental prostheses.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 483, *Plastics — Small enclosures for conditioning and testing using aqueous solutions to maintain the humidity at a constant value*

ISO 1942, *Dentistry — Vocabulary*

ISO 3950, *Dentistry — Designation system for teeth and areas of the oral cavity*

ISO 6344-1, *Coated abrasives — Grain size analysis — Part 1: Grain size distribution test*

ISO 6873:2013, *Dentistry — Gypsum products*

ISO 7491:2000, *Dental materials — Determination of colour stability*

ISO 20795-1, *Dentistry — Base polymers — Part 1: Denture base polymers*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 1942 and ISO 20795-1 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1

artificial teeth

manufactured product designed to simulate and replace natural teeth

3.2

diatoric teeth

teeth designed to be retained by anchorage slots and/or holes

3.3

pin teeth

teeth designed to be retained by headed pins

3.4

set

set of six anterior teeth or eight posterior teeth, as received from the manufacturer