

CONSOLIDATED VERSION

VERSION CONSOLIDÉE



Discharge lamps (excluding fluorescent lamps) – Safety specifications

Lampes à décharge (à l'exclusion des lampes à fluorescence) – Prescriptions de sécurité



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2016 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC - www.iec.ch/searchpub

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 15 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

65 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.

CONSOLIDATED VERSION

VERSION CONSOLIDÉE



Discharge lamps (excluding fluorescent lamps) – Safety specifications

Lampes à décharge (à l'exclusion des lampes à fluorescence) – Prescriptions de sécurité

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 29.140.30

ISBN 978-2-8322-3657-4

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

REDLINE VERSION

VERSION REDLINE



Discharge lamps (excluding fluorescent lamps) – Safety specifications

Lampes à décharge (à l'exclusion des lampes à fluorescence) – Prescriptions de sécurité

CONTENTS

FOREWORD.....	6
1 Scope.....	8
2 Normative references	8
3 Terms and definitions	9
4 General safety requirements.....	11
4.1 General.....	11
4.2 Marking.....	11
4.2.1 Lamp marking.....	11
4.2.2 Additional information to be provided.....	12
4.3 Mechanical requirements	12
4.3.1 Requirements for caps.....	12
4.3.2 Construction and assembly.....	13
4.4 Electrical requirements	14
4.4.1 Parts which can become accidentally live	14
4.4.2 Insulation resistance.....	15
4.4.3 Electric strength	15
4.5 Thermal requirements	15
4.5.1 General	15
4.5.2 Resistance to heat.....	16
4.5.3 Resistance to abnormal heat and fire.....	16
4.6 Photobiological requirements	17
4.6.1 UV Hazard.....	17
4.6.2 Blue light hazard.....	18
4.6.3 IR hazard.....	18
5 Particular safety requirements	18
5.1 High-pressure sodium vapour lamps	18
5.2 Metal halide lamps.....	18
5.2.1 General	18
5.2.2 Marking	18
5.2.3 Containment.....	19
6 Information for luminaire design.....	19
7 Assessment.....	19
7.1 General.....	19
7.2 Assessment of whole production by means of manufacturer's records	19
7.2.1 General	19
7.2.2 Assessment of manufacturer's records for particular tests	19
7.2.3 Sampling procedures for the whole production testing	19
7.3 Assessment of batches	25
7.3.1 Sampling for batch testing	25
7.3.2 Number of lamps in batch sample	25
7.3.3 Sequence of the tests	25
7.3.4 Rejection conditions for large batches (> 500 lamps).....	25
7.3.5 Rejection conditions for small batches (≤ 500 lamps).....	25
Annex A (normative) List of lamp caps and gauges.....	28
Annex B (normative) Pull and torsion test values	29

Annex C (normative) Torsion test holders	30
Annex D (normative) Information for thermal tests	32
Annex E (normative) Measurement of pulse height for lamps with internal starting device	33
E.1 Introduction	33
E.2 Test circuit	33
E.2.1 Test circuit and key	33
E.2.2 Ballast characteristics	33
E.2.3 Power factor capacitor	34
E.2.4 Pulse height measuring circuit	34
E.3 Tests	34
E.3.1 Lamps with an internal glow switch	34
E.3.2 Lamps with an internal thermal switch	34
Annex F (informative) Information for luminaire design	36
F.1 Guidelines for safe lamp operation	36
F.2 Maximum lamp cap temperature	36
F.3 Cap/holder – key configuration and information for class II luminaires	36
F.4 Protection against lamp shattering	37
F.5 Protection against UV radiation	37
F.6 Possible condition at end of lamp life	37
F.7 Water contact	38
Annex G (normative) Conditions of compliance for design tests	39
G.1 Insulation resistance (see 4.4.2) Electric strength (see 4.4.3)	39
G.2 Cap construction and assembly (see 4.3.2.2 b) and 4.3.2.3 b)	39
G.3 Cap creepage distance (see 4.3.1.2) Resistance to heat (see 4.5.2.1 and 4.5.2.2) Resistance to abnormal heat and fire (see 4.5.3.1) Pulse height (see 5.1.) UV radiation (see 4.6.1.3)	39
Annex H (normative) Symbols	40
H.1 General	40
H.2 Symbol indicating that the lamp shall be operated only in a luminaire provided with a protective shield	40
H.3 Symbol indicating that the lamp emits a high level of UV radiation	40
H.4 Symbol indicating that the lamp shall not be operated when the outer bulb is broken	40
H.5 Self-shielded lamp symbol indicating that the lamp can be operated in a luminaire without a protective shield	41
H.6 Symbol indicating not to stare at a light source, for example, a lamp, a luminaire, a video projector etc.	41
Annex I (normative) Containment testing procedure for metal halide lamps with quartz arc tubes	42
I.1 General	42
I.1.1 Purpose	42
I.1.2 Test description	42
I.2 Experimental setup	42
I.2.1 Safety precautions	42
I.2.2 Electrical circuit	42
I.2.3 Enclosure requirements	44
I.3 Test procedures	44
I.3.1 Lamp selection and preparation	44

1.3.2	Determination of median rupture energy	44
1.3.3	Rupture test procedure	45
1.4	Self-shielded lamp design	45
1.4.1	Definition of damage to the outer bulb	45
1.4.2	Determination of self-shielded	45
Annex J (normative)	Containment testing procedure for metal halide lamps with ceramic arc tubes	46
J.1	General.....	46
J.1.1	Purpose.....	46
J.1.2	Test description	46
J.2	Experimental setup	46
J.2.1	Safety precautions.....	46
J.2.2	Electrical circuit.....	46
J.2.3	Enclosure requirements	47
J.3	Test procedures	47
J.3.1	Lamp selection and preparation	47
J.3.2	Determination of median rupture energy	47
J.3.3	Rupture test procedure	48
J.4	Self-shielded lamp design	48
J.4.1	Definition of damage to the outer bulb	48
J.4.2	Determination of containment rating	48
Annex K (informative)	Additional requirements for certification.....	50
K.1	General.....	50
K.2	Assessment of manufacturer's records for particular tests	51
K.3	Sampling procedures for the whole production testing	51
Bibliography	55
Figure 1	– Edison screw-capped lamp	15
Figure C.1	– Holder for torsion test on lamps with Edison screw caps	30
Figure C.2	– Holder for torsion test on lamps with bayonet caps	31
Figure D.1	– Ball pressure test apparatus	32
Figure E.1	– Test circuit.....	33
Figure I.1	– Basic electrical diagram for quartz metal halide lamp containment test	43
Figure J.1	– Electrical diagram for containment test.....	47
Table 1	– Classification of risk groups.....	17
Table 2	– Grouping of test records – Sampling and acceptable quality levels (AQL)
Table 3	– Acceptance numbers AQL = 0,65 %
Table 4	– Acceptance numbers AQL = 2,5 %
Table 5	– Batch sample size and rejection number (for batches > 500 lamps).....	26
Table 6	– Batch sample size and rejection number (for batches ≤ 500 lamps).....	27
Table 7	– Voltage to be considered for creepage and clearance	13
Table A.1	– Data sheet references of IEC 60061	28
Table B.1	– Pull test values	29
Table B.2	– Torsion test values.....	29
Table D.1	– Temperatures	32

Table E.1 – Test ballast resonance characteristics	34
Table E.2 – Power factor capacitor values for tests	34
Table F.1 – Maximum lamp cap temperatures	36
Table K.1 – Grouping of test records – Sampling and acceptable quality levels (AQL)	52
Table K.2 – Acceptance numbers AQL = 0,65 %	53
Table K.3 – Acceptance numbers AQL = 2,5 %	54

This document is a preview generated by EVS

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**DISCHARGE LAMPS
(EXCLUDING FLUORESCENT LAMPS) –
SAFETY SPECIFICATIONS****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

DISCLAIMER

This Consolidated version is not an official IEC Standard and has been prepared for user convenience. Only the current versions of the standard and its amendment(s) are to be considered the official documents.

This Consolidated version of IEC 62035 bears the edition number 2.1. It consists of the second edition (2014-04) [documents 34A/1600/CDV and 34A/1643/RVC] and its amendment 1 (2016-11) [documents 34A/1873/CDV and 34A/1909/RVC]. The technical content is identical to the base edition and its amendment.

In this Redline version, a vertical line in the margin shows where the technical content is modified by amendment 1. Additions are in green text, deletions are in strikethrough red text. A separate Final version with all changes accepted is available in this publication.

International Standard IEC 62035 has been prepared by subcommittee 34A: Lamps, of IEC technical committee 34: Lamps and related equipment.

This edition includes the following significant technical changes with respect to the previous edition. Photobiological safety requirements are taken care of on basis of the risk group concept of IEC 62471 and the technical report IEC TR 62778 on blue light hazard. This has consequences for terms, marking, structure of 4.6, and introduction of a new symbol “Caution, do not stare at light source”. Special attention is given to blue light hazard.

The French version of this standard has not been voted upon.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of the base publication and its amendment will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

DISCHARGE LAMPS (EXCLUDING FLUORESCENT LAMPS) – SAFETY SPECIFICATIONS

1 Scope

This International Standard specifies the safety requirements for discharge lamps (excluding fluorescent lamps) for general lighting purposes.

This International Standard is applicable to low-pressure sodium vapour lamps and to high-intensity discharge (HID) lamps, i.e. high-pressure mercury vapour lamps (including blended lamps), high-pressure sodium vapour lamps and metal halide lamps. It applies to single- and double-capped lamps, having caps as listed in Annex A.

This standard only concerns safety criteria and does not take into account performance. The performance standards IEC 60188, IEC 60192, IEC 60662, IEC 61167 and IEC 61549 should be referred to for such characteristics.

It may be expected that lamps which comply with this standard will operate safely at supply voltages between 90 % and 110 % of rated supply voltage and when operated with a ballast complying with IEC 61347-2-9 and IEC 60923, with a starting device complying with IEC 61347-2-1 and IEC 60927, and in a luminaire complying with IEC 60598-1.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050, *International Electrotechnical Vocabulary* (available at <http://www.electropedia.org>)

IEC 60061-1, *Lamp caps and holders together with gauges for the control of interchangeability and safety – Part 1: Lamp caps*

IEC 60061-2, *Lamp caps and holders together with gauges for the control of interchangeability and safety – Part 2: Lampholders*

IEC 60061-3, *Lamp caps and holders together with gauges for the control of interchangeability and safety – Part 3: Gauges*

IEC 60061-4, *Lamp caps and holders together with gauges for the control of interchangeability and safety – Part 4: Guidelines and general information*

IEC 60155, *Glow-starters for fluorescent lamps*

IEC 60598-1:2014, *Luminaires – Part 1: General requirements and tests*

IEC 60662, *High-pressure sodium vapour lamps*

IEC 60695-2-10:2000, *Fire hazard testing – Part 2-10: Glowing/hot-wire based test methods – Glow-wire apparatus and common test procedure*

IEC 60923, *Auxiliaries for lamps – Ballasts for discharge lamps (excluding tubular fluorescent lamps) – Performance requirements*

IEC 61347-2-1, *Lamp controlgear – Part 2-1: Particular requirements for starting devices (other than glow starters)*

IEC 61167, *Metal halide lamps – Performance specification*

IEC TR 62778, *Application of IEC 62471 for the assessment of blue light hazard to light sources and luminaires*

ISO 4046-4:2002, *Paper, board, pulp and related terms – Vocabulary – Part 4: Paper and board grades and converted products*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 60050-845 and IEC TR 62778, as well as the following apply.

3.1

HID lamp

high intensity discharge lamp

electric discharge lamp in which the light-producing arc is stabilised by wall temperature and the arc has a bulb wall loading in excess of 3 W/cm^2

Note 1 to entry: HID lamps include groups of lamps known as high-pressure mercury, metal halide and high-pressure sodium lamps.

[SOURCE: IEC 60050-845:1987, 845.07.19]

3.2

high pressure mercury vapour lamp

high-intensity discharge lamp in which the major portion of the light is produced, directly or indirectly, by radiation from mercury operating at a partial pressure in excess of 100 kPa

Note 1 to entry: This term covers clear, phosphor coated (mercury fluorescent) and blended lamps. In a fluorescent mercury discharge lamp, the light is produced partly by the mercury vapour and partly by the layer of phosphors excited by the ultraviolet radiation of the discharge.

[SOURCE: IEC 60050-845:1987, 845.07.20]

3.3

blended lamp

self-ballasted mercury lamp, US

lamp containing in the same bulb certain elements of a mercury vapour lamp and an incandescent lamp filament connected in series

Note 1 to entry: The bulb may be diffusing or coated with phosphors.

[SOURCE: IEC 60050-845:1987, 845.07.21, modified — The words "certain elements of" are added.]