
Steel cord conveyor belts —

Part 2:
Preferred belt types

*Courroies transporteuses à câbles d'acier —
Partie 2: Types de courroies recommandées*

This document is a preview generated by EMS



COPYRIGHT PROTECTED DOCUMENT

© ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

	Page
Foreword.....	iv
Introduction.....	v
1 Scope.....	1
2 Normative references.....	1
3 Terms and definitions.....	1
4 Symbols and units.....	1
5 General remarks.....	2
6 Belt types A.....	2
7 Belt types B.....	4
8 Belt types C.....	5

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

The committee responsible for this document is ISO/TC 41, *Pulleys and belts (including veebelts)*, Subcommittee SC 3, *Conveyor belts*.

This second edition cancels and replaces the first edition (ISO 15236-2:2004), which has been technically revised.

A list of all the parts in the ISO 15236 series can be found on the ISO website.

Introduction

Steel cord conveyor belts are mainly long belts which are manufactured by joining several delivery lengths on the site. To achieve joints with a high dynamic capability from belts supplied by various manufacturers, it is necessary to standardize some features, e.g. thickness of carcass or cord pitch and cord diameter.

Steel cord conveyor belts —

Part 2: Preferred belt types

1 Scope

This document specifies preferred types of conveyor belts with steel cords in the longitudinal direction as reinforcement. The belt type series in this document are based on the general requirements for construction given in ISO 15236-1.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition indicated applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 15236-1:2016, *Steel cord conveyor belts — Part 1: Design, dimensions and mechanical requirements for conveyor belts for general use*

ISO 15236-4, *Steel cord conveyor belts — Part 4: Vulcanized belt joints*

3 Terms and definitions

No terms and definitions are listed in this document.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

4 Symbols and units

For the purposes of this document, the symbols and the units given in [Table 1](#) apply.

Table 1 — Symbols and units

Symbol	Explanation	Unit
B	Belt width	mm
F_{bs}	Breaking strength of the cord taken from the cured belt	kN
K_N	Nominal breaking strength per width of belt	N/mm
b_K	Calculated edge width	mm
d	Cord diameter	mm
n	Number of cords	—
s	Cover thickness	mm
s_6	Carcass thickness	mm