

RAUDTEEALASED RAKENDUSED. PIDURDAMINE.
NÕUDED VEDURIGA VEETAVATE RONGIDE
PIDURISÜSTEEMIDELE

Railway applications - Braking - Requirements for the
brake system of trains hauled by locomotives

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 14198:2016+A1:2018 sisaldab Euroopa standardi EN 14198:2016+A1:2018 ingliskeelset teksti.	This Estonian standard EVS-EN 14198:2016+A1:2018 consists of the English text of the European standard EN 14198:2016+A1:2018.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 05.12.2018.	Date of Availability of the European standard is 05.12.2018.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 45.040, 45.060.01

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:

Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD

EN 14198:2016+A1

NORME EUROPÉENNE

EUROPÄISCHE NORM

December 2018

ICS 45.060.01; 45.040

Supersedes EN 14198:2016

English Version

Railway applications - Braking - Requirements for the brake system of trains hauled by locomotives

Applications ferroviaires - Freinage - Exigences
concernant le système de freinage des trains tractés
par locomotive

Bahnwendungen - Bremsen - Anforderungen an die
Bremsausrüstung lokbespannter Züge

This European Standard was approved by CEN on 16 October 2016 and includes Amendment approved by CEN on 5 August 2018.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page
European foreword.....	4
1 Scope	5
2 Normative References	5
3 Terms and definitions	7
4 Symbols and abbreviations	9
5 Requirements	9
5.1 General requirements of the train braking system	9
5.2 General safety requirements	10
5.2.1 Design principles	10
5.2.2 Fire protection	11
5.2.3 Environmental condition	11
5.3 Requirements of the main brake system	12
5.3.1 General requirements	12
5.3.2 General functions on train level	13
5.3.3 Additional requirements at the vehicle level	18
5.4 “EN-UIC” brake system - based on air brake system	20
5.4.1 Foreword	20
5.4.2 General architecture	20
5.4.3 Additional brake systems	22
5.4.4 Functional requirements at train level	22
5.4.5 Design requirements	35
5.4.6 Brake functions at vehicle level	36
5.5 Direct EP brake control	41
5.6 Additional brake systems	41
5.6.1 Dynamic brakes	41
5.6.2 Direct brake	44
5.6.3 Magnetic Track brake	46
5.7 Brake management	46
5.7.1 Brake blending at vehicle level	46
5.7.2 Manual mode	46
5.7.3 Brake blending at train level	46
5.7.4 Jerk / ramps	47
5.8 Wheel slide protection	48
5.9 Compressed air supply	49
5.9.1 General requirements	49
5.9.2 Capacity	49
5.9.3 Air quality	49
5.10 Enhancement of wheel/rail adhesion	49
6 Performances	50
6.1 General aspects	50
6.2 Performance calculation	51
6.2.1 General	51
6.2.2 Calculations for nominal mode	52
6.2.3 Equivalent response and delay time	53
6.2.4 Calculations for degraded mode	53

6.2.5	Calculations for degraded conditions	53
6.3	Relevant load conditions	53
6.3.1	Locomotives.....	53
6.3.2	Coaches.....	53
6.3.3	Wagons.....	54
6.4	Service braking.....	54
6.5	Thermal capacity	55
6.6	Adhesion	55
6.6.1	General requirements.....	55
6.6.2	Emergency brake application	56
6.6.3	Service brake application	56
6.7	Parking brake performance	56
Annex A (normative) Vehicle requirements.....		57
Annex B (informative) Train related brake performance categories.....		59
Annex C (informative) Explanation of “proven design” concept		63
Annex D (informative) Corresponding standards EN – UIC.....		64
Annex E (normative) Brake pipe pressure control system		66
E.1	General requirements.....	66
E.2	Release position	67
E.3	Service brake application	68
E.4	Emergency brake application	68
E.5	Overcharge function	69
E.6	Quick release function	70
Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 2008/57/EC.....		74
Bibliography		78

European foreword

This document (EN 14198:2016+A1:2018) has been prepared by Technical Committee CEN/TC 256 "Railway applications", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2019, and conflicting national standards shall be withdrawn at the latest by June 2019.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document includes Amendment 1 approved by CEN on 2018-08-05.

This document supersedes A1 EN 14198:2016 A1.

The start and finish of text introduced or altered by amendment is indicated in the text by tags A1 A1.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive 2008/57/EC.

For relationship with EU Directive 2008/57/EC, see informative Annex ZA, which is an integral part of this document.

A1 *deleted text* A1

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

1 Scope

This European Standard specifies basic requirements for the braking of trains hauled by locomotives:

- For trains hauled by locomotives and intended for use in general operation each vehicle is fitted with the traditional brake system with a brake pipe compatible with the UIC brake system.

NOTE This ensures technical compatibility of the brake function between vehicles of various origins in a train (see 5.4).

- For trains hauled by locomotives and intended for use in fixed or predefined formation, the requirements on the vehicle and the train are necessary. In the case of a UIC brake system, this standard applies; if not, the EN 16185 series or the EN 15734 series applies.

If concerned, the UIC brake architecture described in this standard (see 5.4) can be used for brakes for multiple unit train and high speed trains and urban rail described in the EN 13452 series, the EN 16185 series and the EN 15734 series.

This European Standard also takes into account electrical and electronic control functions and additional brake systems like dynamic brakes and adhesion independent brakes.

The brake system requirements, which are specific for on-track machines are set out in EN 14033-1.

This European Standard does not apply to Urban Rail rolling stock braking system, which is specified by EN 13452-1.

2 Normative References

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 286-3, *Simple unfired pressure vessels designed to contain air or nitrogen - Part 3: Steel pressure vessels designed for air braking equipment and auxiliary pneumatic equipment for railway rolling stock*

EN 286-4, *Simple unfired pressure vessels designed to contain air or nitrogen - Part 4: Aluminium alloy pressure vessels designed for air braking equipment and auxiliary pneumatic equipment for railway rolling stock*

EN 837-1:1996, *Pressure gauges - Part 1: Bourdon tube pressure gauges - Dimensions, metrology, requirements and testing*

EN 854, *Rubber hoses and hose assemblies - Textile reinforced hydraulic type - Specification*

EN 10220, *Seamless and welded steel tubes - Dimensions and masses per unit length*

EN 10305-4, *Steel tubes for precision applications - Technical delivery conditions - Part 4: Seamless cold drawn tubes for hydraulic and pneumatic power systems*

EN 10305-6, *Steel tubes for precision applications - Technical delivery conditions - Part 6: Welded cold drawn tubes for hydraulic and pneumatic power systems*

EN 13749:2011, *Railway applications - Wheelsets and bogies - Method of specifying the structural requirements of bogie frames*

EN 14478, *Railway applications - Braking - Generic vocabulary*

EN 14531-1, *Railway applications - Methods for calculation of stopping and slowing distances and immobilization braking - Part 1: General algorithms utilizing mean value calculation for train sets or single vehicles*

EN 14531-2, *Railway applications - Methods for calculation of stopping and slowing distances and immobilization braking - Part 2: Step by step calculations for train sets or single vehicles*

EN 14535-1, *Railway applications — Brake discs for railway rolling stock — Part 1: Brake discs pressed or shrunk onto the axle or drive shaft, dimensions and quality requirements*

EN 14535-2, *Railway applications - Brake discs for railway rolling stock - Part 2: Brake discs mounted onto the wheel, dimensions and quality requirements*

EN 14535-3, *Railway applications - Brake discs for railway rolling stock - Part 3: Brake discs, performance of the disc and the friction couple, classification*

EN 14601, *Railway applications — Straight and angled end cocks for brake pipe and main reservoir pipe*

EN 15220, *Railway applications - Brake indicators*

EN 15273-2, *Railway applications - Gauges - Part 2: Rolling stock gauge*

EN 15329, *Railway applications - Braking - Brake block holder and brake shoe key for railway vehicles*

EN 15355, *Railway applications — Braking — Distributor valves and distributor-isolating devices*

EN 15595, *Railway applications — Braking — Wheel slide protection*

EN 15611, *Railway applications — Braking — Relay valves*

EN 15612, *Railway applications — Braking — Brake pipe accelerator valve*

EN 15663, *Railway applications - Definition of vehicle reference masses*

EN 15734-1, *Railway applications - Braking systems of high speed trains - Part 1: Requirements and definitions*

EN 15807, *Railway applications - Pneumatic half couplings*

EN 16185-1, *Railway applications - Braking systems of multiple unit trains - Part 1: Requirements and definitions*

prEN 16186-2, *Railway applications - Driver's cab - Part 2: Integration of displays, controls and indicators*

EN 16207, *Railway applications - Braking - Functional and performance criteria of Magnetic Track Brake systems for use in railway rolling stock*

EN 16241, *Railway applications - Slack adjuster*

EN 16334, *Railway applications - Passenger Alarm System - System requirements*

EN 16451, *Railway applications - Braking - Brake pad holder*

EN 16452, *Railway applications - Braking - Brake blocks*

prEN 16834, *Railway applications - Braking - Brake performance*

EN 45545 (all parts), *Railway applications — Fire protection on railway vehicles*

EN 50125-1, *Railway applications — Environmental conditions for equipment — Part 1: Rolling stock and on-board equipment*

EN 50163, *Railway applications - Supply voltages of traction systems*

EN 50553, *Railway applications - Requirements for running capability in case of fire on board of rolling stock*

EN ISO 1127, *Stainless steel tubes - Dimensions, tolerances and conventional masses per unit length (ISO 1127)*

NF F 11-100:1995, *Matériel roulant ferroviaire — Qualité de l'air comprimé destiné aux appareils et circuits pneumatiques*

UIC 541-3, *Brakes - Disc brakes and their application - General conditions for the approval of brake pads*

UIC 541-5:2005, *Brakes — Electropneumatic brake (ep brake) — Electropneumatic emergency brake override (EBO)*

UIC 541-6:2010, *Brakes — Electropneumatic brake (ep brake) and Passenger alarm signal (PAS) for vehicles used in hauled consists*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN 14478 ¹⁾ and the following apply.

3.1

general operation

mode of operation of units intended to be coupled with other units in a train formation which is not defined at design stage

3.2

brake mode

in the “EN-UIC” design, mode that defines the brake force build up and release timings – namely “G” for Goods timings, i.e. slow-acting, “P” for Passenger timings, i.e. fast timing, typically controlled by the brake distributor in an air brake system

3.3

brake positions G, P, R and others

in the “EN-UIC” design, position that defines the behaviour of the distributor valve in regard of brake application and release timings and brake cylinder forces, combined with additional brake systems

3.4

automatic brake application

automatic application of the brakes when the brake line is interrupted

1) EN 14478 is under revision and the next edition will include several of the definitions currently contained in this document.