

International Standard 6038

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION

Cinematography — Splices for use on 70 mm, 65 mm, 35 mm and 16 mm motion-picture films — Dimensions and locations

Cinématographie — Raccords sur films cinématographiques 70 mm, 65 mm, 35 mm et 16 mm — Dimensions et emplacements

First edition — 1985-10-01

UDC 778.582

Ref. No. ISO 6038-1985 (E)

Descriptors : cinematography, motion-picture film, dimensions.

Price based on 5 pages

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work.

Draft International Standards adopted by the technical committees are circulated to the member bodies for approval before their acceptance as International Standards by the ISO Council. They are approved in accordance with ISO procedures requiring at least 75 % approval by the member bodies voting.

International Standard ISO 6038 was prepared by Technical Committee ISO/TC 36, *Cinematography*.

Users should note that all International Standards undergo revision from time to time and that any reference made herein to any other International Standard implies its latest edition, unless otherwise stated.

Cinematography — Splices for use on 70 mm, 65 mm, 35 mm and 16 mm motion-picture films — Dimensions and locations

1 Scope and field of application

1.1 This International Standard specifies the dimensions and locations of transverse cemented or welded overlap splices and butt splices on 70 mm, 65 mm, 35 mm and 16 mm motion-picture films and prints with magnetic or photographic sound records.

1.2 The following types are specified:

Type 1 — Laboratory type, overlap splice intended for negatives and intermediate films, perforated short pitch.

Type 2 — Projection type, overlap splice intended for prints with non-anamorphic type picture.

Type 3 — Projection type, overlap splice intended for prints with anamorphic type picture.

Type 4 — Projection type, overlap splice made with transparent adhesive tape and intended for prints.

Type 5 — Projection type specialized uses, butt splice made with transparent tape and intended for prints.