TECHNICAL REPORT RAPPORT TECHNIQUE

TECHNISCHER BERICHT

CLC/TR 62453-51-20

February 2019

ICS 25.040.40; 35.110

English Version

Field device tool (FDT) interface specification - Part 51-20: Communication implementation for common object model - IEC 61784 CPF 2 (IEC/TR 62453-51-20:2017)

Spécification des interfaces des outils des dispositifs de terrain (FDT) - Partie 51-20: Mise en œuvre d'un profil de communication pour le modèle d'objet commun - CPF 2 de l'IEC 61784 (IEC/TR 62453-51-20:2017)

Field Device Tool (FDT)-Schnittstellenspezifikation - Teil 51-20: Kommunikationsimplementierung mit dem allgemeinen Objektmodell (COM) - Kommunikationsprofilfamilie (CPF) 2 nach IEC 61784 (IEC/TR 62453-51-20:2017)

This Technical Report was approved by CENELEC on 2019-01-07.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

This document (CLC/TR 62453-51-20:2019) consists of the text of the IEC/TR 62453-51-20:2017 prepared by IEC/TC 65 "Industrial-process measurement, control and automation".

Endorsement notice

The text of the International Standard IEC TR 62453-51-20:2017 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 61131-3:2013 NOTE Harmonized as EN 61131-3:2013 (not modified).

a provide a series of the seri

IEC 61784-3-2 NOTE Harmonized as EN 61784-3-2.

ISO/IEC 7498 (all parts) NOTE Harmonized in EN ISO/IEC 7498-1 series.

Annex ZA

(normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here:

Publication IEC 61158-2	<u>Year</u>	<u>Title</u> Industrial communication networks - Fieldbus EN 61158-2	<u>Year</u> -
	5	specifications - Part 2: Physical layer specification and service definition	
IEC 61158-3-2	-	Industrial communication networks - Fieldbus EN 61158-3-2 specifications - Part 3-2: Data-lonk layer	-
IEC 61158-4-2	-	service definition - Type 2 elements Industrial communication networks - Fieldbus EN 61158-4-2 specifications - Part 4-2: Data-link layer	-
IEC 61158-5-2	-	protocol specification - Type 2 elements Industrial communication networks - Fieldbus EN 61158-5-2 specifications - Part 5-2: Application layer	-
IEC 61158-6-2	-	service definition - Type 2 elements Industrial communication networks - Fieldbus EN 61158-6-2 specifications - Part 6-2: Application layer	-
IEC 61784-1	2014	protocol specification - Type 2 elements Industrial communication networks - Profiles - EN 61784-1 Part 1: Fieldbus profiles	2014
IEC 61784-2	-	Industrial communication networks - Profiles - EN 61784-2 Part 2: Additional fieldbus profiles for real- time networks based on ISO/IEC 8802-3	-
IEC 62026-3	-	Low-voltage switchgear and controlgear Controller-device interfaces (CDIs) - Part 3:	-
IEC 62453-1	2016	DeviceNet Field device tool (FDT) interface specification EN 62453-1 - Part 1: Overview and guidance	2017
IEC 62453-2	2016	Field device tool (FDT) interface specification EN 62453-2 - Part 2: Concepts and detailed description	2017
IEC/TR 62453-41	2016	Field device tool (FDT) interface specification Part 41: Object model integration profile - Common object model	-
IEC 62453-302	2016	Field device tool (FDT) interface specification EN 62453-302 - Part 302: Communication profile integration - IEC 61784 CPF 2	2017
		6	
			5

CONTENTS

FO	REWO	PRD	3
INT	RODU	JCTION	5
1	Scop	e	6
2	Norm	native references	6
3	Term	is, definitions, symbols, abbreviated terms and conventions	7
;	3.1	Terms and definitions	7
;	3.2	Symbols and abbreviated terms	7
;	3.3	Conventions	7
	3.3.1	Data type names and references to data types	7
	3.3.2	,	
4	Bus	category	8
5	Acce	ss to instance and device data	8
6	Proto	ocol specific behaviour	8
7	Proto	ocol specific usage of general data types	8
8	Proto	ocol specific common data types	9
	8.1	Common data types – DTMCIPDataTypeSchema	
	8.2	Data types for Ethernet/IP – DTMEIPDataTypeSchema	
9	Netw	ork management data types	13
9	9.1	General	
9	9.2	Node address	
9	9.3	Scanner/Master – Bus Parameter Set (CIP) –	
		FDTCIPDTMParameterSchema	
10		munication data types	
11		nnel parameter data types	
12	Devi	ce identification	21
	12.1	Device type identification data types – FDTCIPIdentSchema	
	12.2	Topology scan data types	
	12.3	Scan identification data types – FDTCIPScanIdentSchema	
	12.4	Device type identification data types – FDTCIPDeviceTypeIdentSchema	
Anr	nex A ((informative) Implementation hints	
	A.1	XML Characters	
	A.2	Support for FDT 1.2	
	A.3	Addressing examples in CompoNet DTMs	
	A.4	Unique identification of a connection	
	A.5	Relation between connections and device internal modularity	
	A.6 A.7	Handling of process channels	
		phy	
טוט	nograp	y	29
Fig	ure 1 -	- Part 51-20 of the IEC 62453 series	5
Tak	ole 1 –	Protocol specific usage of general attributes	8

INTERNATIONAL ELECTROTECHNICAL COMMISSION

FIELD DEVICE TOOL (FDT) INTERFACE SPECIFICATION -

Part 51-20: Communication implementation for common object model – IEC 61784 CPF 2

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. However, a technical committee may propose the publication of a technical report when it has collected data of a different kind from that which is normally published as an International Standard, for example "state of the art".

IEC TR 62453-51-20, which is a technical report, has been prepared by subcommittee 65E: Devices and integration in enterprise systems, of IEC technical committee 65: Industrial-process management, control and automation.

This document cancels and replaces IEC TR 62453-502 published in 2009. This edition constitutes a technical revision. The main change consists in improved support for Ethernet/IP.

Each part of the IEC 62453-51-xy series is intended to be read in conjunction with its corresponding part in the IEC 62453-3xy series. This document corresponds to IEC 62453-302.

The text of this technical report is based on the following documents:

Enquiry draft	Report on voting
65E/440/DTR	65E/514/RVC

Full information on the voting for the approval of this technical report can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

The list of all parts of the IEC 62453 series, under the general title *Field device tool (FDT) interface specification*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

This part of IEC 62453 is an interface specification for developers of Field Device Tool (FDT) components for function control and data access within a client/server architecture. The specification is a result of an analysis and design process to develop standard interfaces to facilitate the development of servers and clients by multiple vendors that need to interoperate seamlessly.

With the integration of fieldbuses into control systems, there are a few other tasks which need to be performed. In addition to fieldbus- and device-specific tools, there is a need to integrate these tools into higher-level system-wide planning or engineering tools. In particular, for use in extensive and heterogeneous control systems, typically in the area of the process industry, the unambiguous definition of engineering interfaces that are easy to use for all those involved is of great importance.

A device-specific software component, called Device Type Manager (DTM), is supplied by the field device manufacturer with its device. The DTM is integrated into engineering tools via the FDT interfaces defined in this specification. The approach to integration is in general open for all kind of fieldbuses and thus meets the requirements for integrating different kinds of devices into heterogeneous control systems.

Figure 1 shows how this part of the IEC 62453-51-xy series is aligned in the structure of the IEC 62453 series.




Figure 1 – Part 51-20 of the IEC 62453 series

Part 51-20: Communication implementation for common object model – IEC 61784 CPF 2

FIELD DEVICE TOOL (FDT) INTERFACE SPECIFICATION -

1 Scope

This part of the IEC 62453-51-xy series, which is a Technical Report, provides information for integrating the CIP™ technology into the COM-based implementation of FDT interface specification (IEC TR 62453-41).

The Communication Profile Family 2 (commonly known as $CIP^{TM}1$) defines communication profiles based on IEC 61158-2 Type 2, IEC 61158-3-2, IEC 61158-4-2, IEC 61158-5-2, and IEC 61158-6-2, IEC 62026-3. The basic profiles CP 2/1 (ControlNet $^{TM}2$), CP 2/2 (EtherNet/IP $^{TM}3$), and CP 2/3 (DeviceNet $^{TM}1$) are defined in IEC 61784-1 and IEC 61784-2. An additional communication profile (CompoNet $^{TM}1$), also based on $CIP^{TM}1$, is defined in [15]4.

This document specifies implementation of communication and other services based on IEC 62453-302.

This document neither contains the FDT specification nor modifies it.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61158-2, Industrial communication networks – Fieldbus specifications – Part 2: Physical layer specification and service definition

IEC 61158-3-2, Industrial communication networks – Fieldbus specifications – Part 3-2: Datalink layer service definition – Type 2 elements

IEC 61158-4-2, Industrial communication networks – Fieldbus specifications – Part 4-2: Datalink layer protocol specification – Type 2 elements

CIP™ (Common Industrial Protocol), DeviceNet™ and CompoNet™ are trade names of Open DeviceNet Vendor Association, Inc (ODVA). This information is given for the convenience of users of this document and does not constitute an endorsement by IEC of the trade name holder or any of its products. Compliance to this profile does not require use of the trade names CIP™, DeviceNet™ or CompoNet™. Use of the trade names CIP™, DeviceNet™ or CompoNet™ requires permission of Open DeviceNet Vendor Association,Inc.

ControlNet™ is a trade name of ControlNet International, Ltd. This information is given for the convenience of users of this document and does not constitute an endorsement by IEC of the trademark holder or any of its products. Compliance to this profile does not require use of the trade name ControlNet™. Use of the trade name ControlNet™ requires permission of ControlNet International, Ltd.

³ EtherNet/IP™ is a trade name of ControlNet International, Ltd. and Open DeviceNet Vendor Association, Inc. This information is given for the convenience of users of this document and does not constitute an endorsement by IEC of the trademark holder or any of its products. Compliance to this profile does not require use of the trade name EtherNet/IP™. Use of the trade name EtherNet/IP™ requires permission of either ControlNet International, Ltd. or Open DeviceNet Vendor Association, Inc.

⁴ Figures in square brackets refer to the Bibliography.