

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



**Fuel cell technologies –**

**Part 8-102: Energy storage systems using fuel cell modules in reverse mode –  
Test procedures for the performance of single cells and stacks with proton  
exchange membranes, including reversible operation**

**Technologies des piles à combustible –**

**Partie 8-102: Systèmes de stockage de l'énergie utilisant des modules à  
piles à combustible en mode inversé – Procédures d'essai pour la  
performance des cellules élémentaires et des piles à membrane  
échangeuse de protons, comprenant le fonctionnement réversible**





## THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2019 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office  
3, rue de Varembé  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

#### IEC publications search - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

#### IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [sales@iec.ch](mailto:sales@iec.ch).

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### IEC Glossary - [std.iec.ch/glossary](http://std.iec.ch/glossary)

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

### A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

### A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### Recherche de publications IEC - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

#### Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [sales@iec.ch](mailto:sales@iec.ch).

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

#### Glossaire IEC - [std.iec.ch/glossary](http://std.iec.ch/glossary)

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



**Fuel cell technologies –  
Part 8-102: Energy storage systems using fuel cell modules in reverse mode –  
Test procedures for the performance of single cells and stacks with proton  
exchange membranes, including reversible operation**

**Technologies des piles à combustible –  
Partie 8-102: Systèmes de stockage de l'énergie utilisant des modules à  
piles à combustible en mode inversé – Procédures d'essai pour la  
performance des cellules élémentaires et des piles à membrane  
échangeuse de protons, comprenant le fonctionnement réversible**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

ICS 27.070

ISBN 978-2-8322-7675-4

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

FOREWORD .....	5
INTRODUCTION .....	7
1 Scope .....	8
2 Normative references .....	8
3 Terms, definitions and symbols .....	8
3.1 Terms and definitions .....	8
3.2 Symbols .....	13
3.3 Standard temperature and pressure (STP) values for gas temperature and pressure .....	15
4 General safety considerations .....	15
5 Test environment .....	16
5.1 General .....	16
5.2 Reversible PEM cell/stack assembly unit .....	17
5.3 Separated reversible PEM cell/stack assembly unit .....	17
5.4 Experimental set-up .....	17
5.4.1 General .....	17
5.4.2 Fluid flow control equipment .....	18
5.4.3 Load/power control equipment .....	18
5.4.4 Measurement and data acquisition equipment .....	18
5.4.5 Safety equipment .....	19
5.4.6 Mechanical load control equipment .....	19
5.4.7 Heat management equipment .....	19
5.4.8 Gas pressure control equipment .....	19
5.4.9 Test system control equipment .....	19
5.5 Parameter control and measurement .....	19
5.6 Measurement methods of TIPs and TOPs and control accuracy .....	20
6 Measurement instruments and measurement methods .....	20
6.1 Instrument uncertainty .....	20
6.2 Recommended measurement instruments and methods .....	21
6.2.1 General .....	21
6.2.2 Voltage .....	21
6.2.3 Current .....	21
6.2.4 Internal resistance (IR) .....	21
6.2.5 Electrode gas flow rates .....	22
6.2.6 Electrode gas temperature .....	22
6.2.7 Cell/stack temperature .....	23
6.2.8 Electrode gas pressures .....	23
6.2.9 Electrode gas humidity .....	23
6.2.10 Ambient conditions .....	23
6.3 Reference test conditions and manufacturer recommendations .....	24
6.3.1 Start-up and shut-down conditions .....	24
6.3.2 Range of test conditions .....	24
6.3.3 Stabilization, initialization conditions and stable state .....	24
6.4 Data acquisition method .....	24
7 Test procedures and computation of results .....	25
7.1 General .....	25

7.2	Current-voltage ( $I-V$ ) characteristics test .....	25
7.2.1	Objective .....	25
7.2.2	Test method .....	25
7.2.3	Data post-processing .....	25
7.3	Steady-state test .....	26
7.3.1	Objective .....	26
7.3.2	Test methods .....	26
7.3.3	Data post-processing .....	26
7.4	Durability test .....	26
7.4.1	Objective .....	26
7.4.2	Test method .....	26
7.4.3	Data post-processing .....	26
7.5	Internal resistance (IR) measurement .....	27
7.5.1	Objective .....	27
7.5.2	Test methods .....	27
7.5.3	Data post processing .....	28
7.6	Current cycling durability test .....	28
7.6.1	Objective .....	28
7.6.2	Test method .....	28
7.6.3	Data post-processing .....	28
7.7	Pressurized test .....	29
7.7.1	Objective .....	29
7.7.2	Test method .....	29
7.7.3	Data post-processing .....	29
8	Test report .....	29
8.1	General .....	29
8.2	Report items .....	29
8.3	Test unit data description .....	30
8.4	Test condition description .....	30
8.5	Test data description .....	30
8.6	Uncertainty evaluation .....	30
Annex A (normative)	Test procedure guidelines .....	31
A.1	Test objective .....	31
A.2	Test set-up .....	31
A.3	Current-voltage characteristics test (7.2) .....	31
A.3.1	Test input parameters (TIPs) .....	31
A.3.2	Test output parameters (TOPs) .....	32
A.3.3	Derived quantities .....	32
A.4	Steady-state test (7.3) .....	33
A.4.1	Test input parameters (TIPs) .....	33
A.4.2	Test output parameters (TOPs) .....	34
A.4.3	Derived quantities .....	34
A.5	Durability test (7.4) .....	35
A.5.1	Test input parameters (TIPs) .....	35
A.5.2	Test output parameters (TOPs) .....	35
A.5.3	Derived quantities .....	36
A.5.4	Measurement of durability .....	36
A.6	Current cycling durability test .....	37
A.6.1	Test input parameters (TIPs) .....	37

A.6.2	Test output parameters (TOPs).....	37
A.6.3	Derived quantities.....	38
A.6.4	Measurement of current cycling durability .....	38
A.7	Pressurized test.....	39
A.7.1	Test input parameters (TIPs) .....	39
A.7.2	Test output parameters (TOPs).....	39
A.7.3	Derived quantities.....	39
A.7.4	Measurement of pressurized test.....	40
Annex B (normative)	Formulary.....	41
Bibliography	.....	42
Figure 1	– Schematic representation of a reversible PEM cell/stack assembly unit .....	17
Figure 2	– Schematic representation of a separate reversible PEM cell/stack assembly unit.	17
Figure 3	– Schematic graph of a test environment for a PEM cell/stack assembly unit .....	18
Figure 4	– Schematic diagram of PEM cell impedance .....	22
Table 1	– Symbols .....	14
Table 2	– Instrument uncertainty for each quantity to be measured.....	20
Table A.1	– Test input parameters (TIPs) for current-voltage characteristics test .....	32
Table A.2	– Test output parameters (TOPs) for current-voltage characteristics test .....	32
Table A.3	– Derived quantities for current-voltage characteristics test .....	33
Table A.4	– Test input parameters (TIPs) for steady state test.....	33
Table A.5	– Test output parameters (TOPs) for steady state test .....	34
Table A.6	– Derived quantities for steady state test .....	34
Table A.7	– Test input parameters (TIPs) for durability test.....	35
Table A.8	– Test output parameters (TOPs) for durability test.....	36
Table A.9	– Derived quantities for constant load durability test .....	36
Table A.10	– Test input parameters (TIPs) for current cycling durability test within a single operating mode (fuel cell or electrolysis).....	37
Table A.11	– Test input parameters (TIPs) for current cycling durability test covering both operating modes (fuel cell and electrolysis).....	37
Table A.12	– Test output parameters (TOPs) for current cycling durability test .....	38
Table A.13	– Derived quantities for current cycling durability test.....	38
Table A.14	– Test input parameters (TIPs) for pressurized testing .....	39
Table A.15	– Test output parameters (TOPs) for pressurized testing .....	39
Table A.16	– Derived quantities for pressurized test .....	39

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**FUEL CELL TECHNOLOGIES –****Part 8-102: Energy storage systems using fuel cell modules in reverse mode – Test procedures for the performance of single cells and stacks with proton exchange membranes, including reversible operation****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62282-8-102 has been prepared by IEC technical committee 105: Fuel cell technologies.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
105/763/FDIS	105/776/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 62282 series, published under the general title *Fuel cell technologies*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

## INTRODUCTION

This part of IEC 62282 describes test methods for a single cell and stack (denoted as "cell/stack" hereafter) that are intended for use in energy storage systems that use proton exchange membrane fuel cells (PEMFC) in combination with proton exchange membrane water electrolyzers (PEMWE), or directly using proton exchange membrane cells (Re-PEM).

This document is intended to be used for data exchanges in commercial transactions between cell/stack manufacturers and system developers or for acquiring data on a cell or stack in order to estimate the performance of a system based on it. Users of this document can selectively execute test items suitable for their purposes from those described in this document.

PEMFCs, PEMWEs and Re-PEMs have a broad range of geometry and size. As such, in general, peripherals like current collectors and gas manifolds are unique to each cell or stack and are often incorporated into a cell or stack to form one integrated unit. In addition, they tend to have a significant effect on the power generation characteristics of the cell or stack. This document therefore introduces as its subject "cell/stack assembly unit", which are defined as those units containing not only a cell or a stack, but also peripherals.

IEC 62282-8 (all parts) aims to develop performance test methods for power storage and buffering systems based on electrochemical modules (combining electrolysis and fuel cells, in particular reversible fuel cells), taking into consideration both options of re-electrification and substance (and heat) production for sustainable integration of renewable energy sources.

Under the general title *Energy storage systems using fuel cell modules in reverse mode*, the IEC 62282-8 series consists of the following parts:

- IEC 62282-8-101: *Test procedures for the performance of solid oxide single cells and stacks, including reversible operation*
- IEC 62282-8-102: *Test procedures for the performance of single cells and stacks with proton exchange membranes, including reversible operation*
- IEC 62282-8-103<sup>1</sup>: *Alkaline single cell and stack performance including reversible operation*
- IEC 62282-8-201: *Test procedures for the performance of power-to-power systems*
- IEC 62282-8-202<sup>2</sup>: *Power-to-power systems – Safety*
- IEC 62282-8-300 (all parts)<sup>3</sup>: *Power-to-substance systems*

As a priority dictated by the emerging needs for industry and opportunities for technological development, IEC 62282-8-101, IEC 62282-8-102 and IEC 62282-8-201 have been initiated jointly and as a priority. These parts are presented as a package to highlight the need for an integrated approach as regards the system application (i.e. a solution for energy storage) and its fundamental constituent components (i.e. fuel cells operated in reverse or reversing mode).

IEC 62282-8-103, IEC 62282-8-202 and IEC 62282-8-300 (all parts) are suggested but are left for initiation at a later stage.

<sup>1</sup> Under consideration.

<sup>2</sup> Under consideration.

<sup>3</sup> Under consideration.

## FUEL CELL TECHNOLOGIES –

### Part 8-102: Energy storage systems using fuel cell modules in reverse mode – Test procedures for the performance of single cells and stacks with proton exchange membranes, including reversible operation

#### 1 Scope

This part of IEC 62282 deals with PEM cell/stack assembly units, testing systems, instruments and measuring methods, and test methods to test the performance of PEM cells and stacks in fuel cell mode, electrolysis and/or reversible mode.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-485:—<sup>4</sup>, *International Electrotechnical Vocabulary – Part 485: Fuel cell technologies*

IEC TS 62282-7-1:2017, *Fuel cell technologies – Part 7-1: Test methods – Single cell performance tests for polymer electrolyte fuel cells (PEMFC)*

#### 3 Terms, definitions and symbols

##### 3.1 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 60050-485 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

###### 3.1.1

###### active electrode area

geometric area of the electrode perpendicular to the direction of the current flow

Note 1 to entry: Usually this corresponds to the smaller of the two areas of negative electrode or positive electrode.

[SOURCE: IEC 60050-485:—, 485-02-08, modified – "electrode" added to the term, the term "effective area" has been deleted, and the notes to entry have been replaced with a new note to entry.]

<sup>4</sup> Under preparation. Stage at the time of preparation: IEC FDIS 60050-485:2019.