

INTERNATIONAL STANDARD

**Railway applications – Fixed installations – Particular requirements for
AC switchgear –
Part 3-1: Measurement, control and protection devices for specific use
in AC traction systems – Devices**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2020 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

INTERNATIONAL STANDARD

**Railway applications – Fixed installations – Particular requirements for
AC switchgear –
Part 3-1: Measurement, control and protection devices for specific use
in AC traction systems – Devices**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 45.060.01

ISBN 978-2-8322-7846-8

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD	3
INTRODUCTION	5
1 Scope	6
2 Normative references	6
3 Terms and definitions	7
4 Specific requirements from the traction system	8
5 Requirements on measurement, control and protection devices	8
5.1 General	8
5.2 Voltage detection systems	8
5.3 Devices at supply voltage of a traction system	9
5.4 Protection devices	9
Annex A (informative) Application guide – Measurement principles, particularly related to the line testing methods	11
A.1 Overview	11
A.2 Line testing	11
A.2.1 General	11
A.2.2 Line testing methods	12
A.2.3 Line testing procedures	13
Annex B (informative) Application guide – Control principles	15
B.1 Overview	15
B.2 Closing control	15
B.2.1 General	15
B.2.2 Close inhibit	15
B.2.3 On-command	16
B.2.4 Auto-reclose	17
B.3 Opening control	17
B.3.1 General	17
B.3.2 Auto-off sequences	18
B.4 Automated sequences	19
Bibliography	21
Figure A.1 – Example of a feeder related line testing based on voltage criterion	14

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**RAILWAY APPLICATIONS – FIXED INSTALLATIONS –
PARTICULAR REQUIREMENTS FOR AC SWITCHGEAR –****Part 3-1: Measurement, control and protection devices
for specific use in AC traction systems – Devices**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62505-3-1 has been prepared by IEC technical committee 9: Electrical equipment and systems for railways.

This second edition cancels and replaces the first edition published in 2009. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- distinguish between requirements, Clauses 4 and 5, and application guides, annexes;
- include requirements on devices for example control and protection relays not included before;
- remove parts already included in other standards, for example EN 50633 for protection principles, which is intended to become an IEC standard.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
9/2563/FDIS	9/2575/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 62505 series, published under the general title *Railway applications – Fixed installations – Particular requirements for AC switchgear*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

INTRODUCTION

IEC 62505-3-1 is intended for measurement, control and protection devices for specific use in AC traction systems other than current and voltage transformers. These are covered by IEC 62505-3-2 and IEC 62505-3-3 respectively.

This standard covers a large variety of different kinds of equipment used in railway fixed installations which do not have railway specific product standards. It provides clarification on how to select ratings and test values relevant for operation in fixed installations. This standard should be read in conjunction with the relevant product standard of the equipment concerned.

Annex A and Annex B are application guides. Annex A deals with railway specific measurement principles and Annex B provides guidance on the design of control systems for AC traction. These application guides identify characteristics of and parameters for procedures and functions used. Guidance on protection principles is given in EN 50633.

The clause numbering of this part is different to that used in all other parts of the IEC 62505 series. Clause numbering in the other parts is the same as in the specific referenced product standard.

RAILWAY APPLICATIONS – FIXED INSTALLATIONS – PARTICULAR REQUIREMENTS FOR AC SWITCHGEAR –

Part 3-1: Measurement, control and protection devices for specific use in AC traction systems – Devices

1 Scope

This part of IEC 62505 is applicable to new low voltage devices for measurement, control and protection which are:

- for indoor or outdoor fixed installations in traction systems, and
- operated in conjunction with high voltage equipment with an AC line voltage and frequency as specified in IEC 60850.

NOTE 1 IEC 60850 specifies the AC traction systems:

15 kV 16,7 Hz,
12 kV 25 Hz,
12,5 kV, 20 kV also 25 kV with 50 Hz and
12,5 kV, 20 kV, 25 kV also 50 kV with 60 Hz.

This document does not provide specific requirements for AC traction systems supplied with a frequency of 25 Hz or with a nominal voltage of 12,5 kV or 50 kV. Nevertheless, requirements set out in this document can also be used as a guidance for these systems.

This document also applies to measurement, control and protective devices other than low voltage devices and not covered by a specific railway product standard as far as reasonably possible. Requirements of this document prevail.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60255-1, *Measuring relays and protection equipment – Part 1: Common requirements*

IEC 60850:2014, *Railway applications – Supply voltages of traction systems*

IEC 61243-5, *Live working – Voltage detectors – Part 5: Voltage detecting systems (VDS)*

IEC 61869 (all parts), *Instrument transformers*

IEC 61869-1:2007, *Instrument transformers – Part 1: General requirements*

IEC 62236-5:2018, *Railway applications – Electromagnetic compatibility – Part 5: Emission and immunity of fixed power supply installations and apparatus*

IEC 62497-1, *Railway applications – Insulation coordination – Part 1: Basic requirements – Clearances and creepage distances for all electrical and electronic equipment*

IEC 62505 (all parts), *Railway applications – Fixed installations – Particular requirements for AC switchgear*

IEC 62505-2:2016, *Railway applications – Fixed installations – Particular requirements for AC switchgear – Part 2: Disconnectors, earthing switches and switches with nominal voltage above 1 kV*

IEC 62505-3-3:—1, *Railway applications – Fixed installations – Particular requirements for AC switchgear – Part 3-3: Measurement, control and protection devices for specific use in AC traction systems – Voltage transformers*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 62505 (all parts) and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1

under-voltage

voltage the value of which is lower than a specified limiting value

[SOURCE: IEC 60050-151:2001, 151-15-29]

3.2

under-voltage off

control function which permits a mechanical switching device to open, with or without time-delay, when the voltage of the circuit, the mechanical switching device is connected to, falls below a predetermined value

Note 1 to entry: This term is used when a loss of primary voltage is considered.

Note 2 to entry: This function will in most cases require some kind of shunt release.

3.3

under-voltage release

shunt release which permits a mechanical switching device to open or close, with or without time-delay, when the voltage across the terminals of the release falls below a predetermined value

Note 1 to entry: This term is used when a loss of an auxiliary voltage is considered.

[SOURCE: IEC 60050-441:2000, 441-16-42, modified – Note 1 to entry has been added.]

3.4

under-voltage trip

protection function which permits a mechanical switching device to open, with or without time-delay, when the voltage of the circuit, the mechanical switching device is connected to, falls below a predetermined value

Note 1 to entry: This term is used when a loss of primary voltage is considered.

Note 2 to entry: This function will in most cases require some kind of shunt release.

¹ Second edition under preparation. Stage at the time of publication IEC CFDIS 62505-3-3:2019.