

INTERNATIONAL  
STANDARD

ISO/IEC  
23090-8

First edition  
2020-12

---

---

**Information technology — Coded  
representation of immersive media —  
Part 8:  
Network based media processing**



Reference number  
ISO/IEC 23090-8:2020(E)

© ISO/IEC 2020



## COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
CP 401 • Ch. de Blandonnet 8  
CH-1214 Vernier, Geneva  
Phone: +41 22 749 01 11  
Email: [copyright@iso.org](mailto:copyright@iso.org)  
Website: [www.iso.org](http://www.iso.org)

Published in Switzerland

## Contents

<b>Foreword.....</b>	<b>vii</b>
<b>Introduction.....</b>	<b>viii</b>
<b>1 Scope.....</b>	<b>1</b>
<b>2 Normative references.....</b>	<b>1</b>
<b>3 Terms, definitions and abbreviated terms.....</b>	<b>1</b>
<b>3.1 Terms and definitions.....</b>	<b>1</b>
<b>3.2 Abbreviated terms.....</b>	<b>4</b>
<b>4 Conventions .....</b>	<b>4</b>
<b>5 Overview .....</b>	<b>5</b>
<b>5.1 General.....</b>	<b>5</b>
<b>5.2 Architecture .....</b>	<b>5</b>
<b>5.3 NBMP workflow .....</b>	<b>6</b>
<b>5.3.1 General .....</b>	<b>6</b>
<b>5.3.2 Workflow processing model.....</b>	<b>6</b>
<b>5.3.3 Task allocation and distribution.....</b>	<b>8</b>
<b>5.3.4 Workflow graph .....</b>	<b>8</b>
<b>5.4 Relationship between logical definitions, data objects and REST resources.....</b>	<b>9</b>
<b>5.5 Description of the defined entities in this document .....</b>	<b>10</b>
<b>5.5.1 NBMP APIs.....</b>	<b>10</b>
<b>5.5.2 Content format.....</b>	<b>10</b>
<b>5.5.3 Definitions.....</b>	<b>10</b>
<b>5.5.4 Functional behaviour .....</b>	<b>11</b>
<b>6 NBMP descriptions .....</b>	<b>11</b>
<b>6.1 NBMP function description (FD) .....</b>	<b>11</b>
<b>6.1.1 General .....</b>	<b>11</b>
<b>6.1.2 Description.....</b>	<b>11</b>
<b>6.1.3 Function group .....</b>	<b>12</b>
<b>6.2 NBMP task description (TD) .....</b>	<b>13</b>
<b>6.2.1 General .....</b>	<b>13</b>
<b>6.2.2 Description.....</b>	<b>13</b>
<b>6.2.2 Task lifecycle .....</b>	<b>14</b>
<b>6.3 NBMP workflow description (WD) .....</b>	<b>15</b>
<b>6.3.1 General .....</b>	<b>15</b>
<b>6.3.2 Description.....</b>	<b>15</b>
<b>6.3.3 Workflow lifecycle.....</b>	<b>16</b>
<b>7 NBMP interfaces .....</b>	<b>17</b>
<b>7.1 General.....</b>	<b>17</b>
<b>7.2 Workflow APIs .....</b>	<b>18</b>
<b>7.2.3 Workflow API operations .....</b>	<b>18</b>
<b>7.3 Task APIs.....</b>	<b>20</b>
<b>7.3.1 General .....</b>	<b>20</b>
<b>7.3.2 Task resource.....</b>	<b>20</b>
<b>7.3.3 Task API operations.....</b>	<b>21</b>
<b>7.4 Function discovery APIs .....</b>	<b>22</b>
<b>7.4.1 General .....</b>	<b>22</b>
<b>7.4.2 Function discovery queries.....</b>	<b>22</b>
<b>7.4.3 Function discovery API operations .....</b>	<b>23</b>
<b>7.5 Supported protocols .....</b>	<b>25</b>
<b>8 NBMP descriptors .....</b>	<b>25</b>

8.1 Scheme descriptor .....	25
8.1.1 General.....	25
8.1.2 JSON schema.....	26
8.2 General descriptor .....	27
8.2.1 General.....	27
8.2.2 JSON schema.....	28
8.3 Input descriptor .....	32
8.3.1 General.....	32
8.3.2 JSON schema.....	33
8.3.3 General.....	38
8.3.4 JSON schema.....	39
8.4 Processing descriptor .....	43
8.4.1 General.....	43
8.4.2 JSON schema.....	46
8.5 Requirements descriptor .....	53
8.5.1 General.....	53
8.5.2 JSON schema .....	55
8.6 Configuration descriptor .....	59
8.6.1 General.....	59
8.6.2 JSON schema.....	60
8.7 Startup-delay descriptor.....	63
8.7.1 General.....	63
8.7.2 JSON schema.....	64
8.8 Client-Assistance descriptor .....	64
8.8.1 General.....	64
8.8.2 JSON schema.....	65
8.9 Failover descriptor .....	66
8.9.1 General.....	66
8.9.2 JSON schema.....	66
8.10 Events descriptor .....	67
8.10.1 General.....	67
8.10.2 JSON schema.....	68
8.11 Variables descriptor.....	68
8.11.1 General.....	68
8.11.2 JSON schema.....	69
8.12 Monitoring descriptor .....	70
8.12.1 General.....	70
8.12.2 JSON schema.....	70
8.13 Reporting descriptor .....	71
8.13.1 General.....	71
8.13.2 JSON schema.....	72
8.14 Notification descriptor .....	74
8.14.1 General.....	74
8.14.2 JSON schema.....	74
8.15 Assertion descriptor .....	76
8.15.1 General.....	76
8.15.2 JSON schema.....	78
8.16 Request Descriptor.....	81
8.16.1 General.....	81
8.16.2 JSON schema.....	81
8.17 Acknowledge descriptor.....	82
8.17.1 General.....	82
8.17.2 JSON schema.....	82
8.18 Repository descriptor.....	83
8.18.1 General.....	83

8.18.2 JSON schema .....	84
8.19 Security descriptor.....	85
8.19.1 General .....	85
8.19.1 JSON schema .....	86
8.20 Step descriptor .....	87
8.20.1 General .....	87
8.20.2 JSON schema .....	87
9 NBMP parameters.....	88
9.1 General.....	88
9.2 Scheme descriptor parameters.....	88
9.3 General descriptor parameters .....	89
9.4 Input descriptor parameters.....	90
9.5 Output descriptor parameters.....	92
9.6 Processing descriptor parameters .....	94
9.7 Requirements descriptor parameters .....	95
9.7.1 Flow control parameters .....	95
9.7.2 Hardware parameters .....	95
9.7.3 Security requirements .....	96
9.7.4 Workflow/task requirements.....	97
9.7.5 Resource estimator parameters .....	97
9.8 Startup-Delay descriptor parameters .....	97
9.9 Client-Assistant parameters .....	98
9.10 Failover parameters .....	98
9.11 Events parameters .....	99
9.12 Variables parameters.....	99
9.13 Monitoring parameters .....	100
9.14 Reporting parameters.....	100
9.15 Notification parameters .....	101
9.16 Assertion parameters .....	101
9.17 Request parameters .....	103
9.18 Acknowledge parameters.....	103
9.19 Repository parameters.....	104
9.20 Security parameters .....	104
9.21 Step Descriptor parameters .....	105
9.22 Configuration descriptor parameters.....	106
9.22.1 Generic parameter representation .....	106
9.22.2 Example of parameter representation .....	107
10 Workflow manager, task and function repository requirements .....	110
10.1 Workflow manager requirements.....	110
10.2 Function repository requirements.....	111
10.3 Task requirements.....	111
11 NBMP support for media formats and metadata.....	112
11.1 General .....	112
11.2 Media formats .....	112
11.3 Application formats .....	112
11.4 Metadata formats.....	112
12 Security considerations in NBMP .....	112
12.1 Overview.....	112
12.2 Secure and authenticated channels between NBMP source and NBMP workflow manager .....	113
12.2.1 General .....	113
12.2.2 Secure communication channel between NBMP source and NBMP workflow manager .....	113

12.2.3 NBMP source authentication to workflow manager .....	113
12.2.4 Workflow manager authentication to NBMP source.....	113
12.2.5 Secure channels for task communication .....	113
12.2.6 NBMP source authentication/authorization to workflow task .....	114
12.2.7 Workflow task authentication to NBMP source .....	114
12.2.8 Secure channel for NBMP source and task communication .....	114
12.2.9 MPE security .....	114
12.2.10 Network security .....	114
Annex A (normative) JSON schemas .....	115
Annex B (normative) NBMP workflow management .....	116
Annex C (informative) Schema for identifying MPEG compatible functions .....	119
Annex D (normative) NBMP MIME types .....	120
Annex E (informative) Interface for managing function descriptions in function repository .....	123
Bibliography.....	124

## Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)) or the IEC list of patent declarations received (see <http://patents.iec.ch>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).

This document was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 29, *Coding of audio, picture, multimedia and hypermedia information*.

A list of all parts in the ISO/IEC 23090 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at [www.iso.org/members.html](http://www.iso.org/members.html).

## Introduction

This document defines a framework that enables initializing and controlling media processing in a network. A network-based media processing (NBMP) source describes the requested media processing and provides information about the nature and format of the media data. Based on that, an NBMP workflow manager establishes the media processing workflow and informs the NBMP source that the workflow is ready, and that media processing can start. The media source(s) can then start transmitting their media to the network for processing.

An NBMP workflow can be understood as a connected graph of media processing tasks, each of which performs a well-defined media processing operation. The workflow manager ensures the correct operation of the workflow by configuring and monitoring each task as well as the workflow output. The workflow manager is responsible for the selection of the media processing functions and instantiating them as tasks based on the workflow description that is received from the NBMP source.

NBMP abstracts the underlying computing platform interactions to establish, load, instantiate and monitor the media processing entities that will run the media processing tasks. NBMP defines application programming interfaces (APIs) between an NBMP source and workflow manager; workflow manager and task(s); and an API to discover appropriate function(s). NBMP is media format and protocol agnostic. However, it identifies and signals the media, metadata and auxiliary information formats for data exchanged between media source, the workflow manager and tasks.

Annex C provides schema for identifying MPEG compatible functions.

Annex E provides an interface for managing function descriptions in function repository.

# Information technology — Coded representation of immersive media —

## Part 8: Network-based media processing

### 1 Scope

The network-based media processing (NBMP) framework defines the interfaces including both data formats and application programming interfaces (APIs) among the entities connected through digital networks for media processing. Users can access and configure their operations remotely for efficient, intelligent processing. This document describes and manages workflows to be applied to the media data. This process includes uploading of media data to the network, instantiation of the media processing tasks, and configuration of the tasks. The framework enables dynamic creation of media processing pipelines, as well as access to processed media data and metadata in real-time or in a deferred way. The media and metadata formats used between the media source, workflow manager and media processing entities in a media processing pipeline are also specified.

### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 9899, *Information technology — Programming languages — C*

ISO/IEC 23001-7, *Information technology — MPEG systems technologies — Part 7: Common encryption in ISO base media file format files*

IETF RFC 3339:2002, *Date and Time on the Internet: Timestamps*, <https://tools.ietf.org/html/rfc3339>

IETF RFC 3986:2005, *Uniform Resource Identifier (URI): Generic Syntax*,  
<https://tools.ietf.org/html/rfc3986>

IETF RFC 7231, *Hypertext Transfer Protocol (HTTP/1.1): Semantics and Content*,  
<https://tools.ietf.org/html/rfc7231>

IETF RFC 6381:2011, *The 'Codecs' and 'Profiles' Parameters for "Bucket" Media Types*

### 3 Terms, definitions and abbreviated terms

#### 3.1 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>