INTERNATIONAL STANDARD



Second edition 1998-07-15

Optics and optical instruments — Environmental test methods —

Part 10:

Combined sinusoidal vibration and dry heat or cold

Optique et instruments d'optique — Méthodes d'essais d'environnement — Partie 10: Essai combiné de vibrations sinusoïdales et chaleur sèche ou froid



Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and nongovernmental, in liaison with ISO also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote. 0

International Standard ISO 9022-10 was prepared by Pachnical Committee Supcommittee SC 1, ISO/TC 172, Optics and optical instruments, Fundamental standards.

edition This second edition cancels and replaces the (ISO 9022-10:1994), which has been technically revised.

s and ISO 9022 consists of the following parts, under the general title A DETAILED DY THE S optical instruments — Environmental test methods:

- Part 1: Definitions, extent of testing
- Part 2: Cold, heat, humidity
- Part 3: Mechanical stress
- Part 4: Salt mist
- Part 5: Combined cold, low air pressure
- Part 6: Dust
- Part 7: Drip, rain
- Part 8: High pressure, low pressure, immersion

© ISO 1998

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Organization for Standardization Case postale 56 • CH-1211 Genève 20 • Switzerland Internet iso@iso.ch

Printed in Switzerland

- Part 9: Solar radiation
- Part 10: Combined sinusoidal vibration and dry heat or cold
- Part 11: Mould growth
- Part 12: Contamination
- Part 13: Combined shock, bump or free fall and dry heat or cold
- Part 14: Dew, hoarfrost, ice

Part 16: Connulton, or cold
Part 17: Combined contamination, successful or land or l Per 21: Combined low pressure and ambient temperature or dry heat Oreview Oreview

OT ROS

Introduction

Optical instruments are affected during their use by a number of different environmental parameters, which they are required to resist without significant reduction in performance.


The type and severity of these parameters depend on the conditions of use of the instrument (for example, in the laboratory or workshop) and on its geographical location. The environmental effects on optical instrument performance in the tropics and subtropics are totally different from those found when they are used in arctic regions. Individual parameters cause a variety of different and overlapping effects on instrument performance.

The manufacturer attempts to ensure, and the user naturally expects, that instruments will resist the likely rigours of their environment throughout their life. This expectation can be assessed by exposure of the instrument to a range of simulated environmental parameters under controlled laboratory conditions. The severity of these conditions is often increased to obtain meaningful results in a relatively short period of time.

In order to allow assessment and comparison of the response of optical instruments to appropriate environmental conditions, ISO 9022 contains details of a number of laboratory tests which reliably simulated variety of different environments. The tests are based largely on IEC standards, modified where necessary to take into account features special optical instruments.

It should be noted that, as a result of continuous progress in all fields, optical instruments are no longer only precision-engineered optical products, but, depending on their range of application, also contain additional assemblies from other fields. For this reason, the principal function of the instrument must be assessed to determine which International Standard should be used for testing. If the optical function is of primary importance, then ISO 9022 is applicable, but if other functions take precedence then the appropriate International Standard in the field concerned should be applied. Cases may arise where application of both ISO 9022 and other appropriate International Standards will be necessary.

Optics and optical instruments — Environmental test methods —



1 Scope

This part of ISO 9022 specifies methods for the testing of optical instruments and instruments containing optical components under equivalent conditions, for their ability to resist combined sinusoidal vibration and dry heat or cold.

The purpose of the testing is to investigate to what extent the optical, thermal, chemical and electrical performance characteristics of the specimen are affected by Sinbined sinusoidal vibration and dry heat or cold.

2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this part of ISO 9022. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this part of ISO 9022 are encouraged to investigate the possibility of applying the most recent editions of the standards indicated below. Members **ONEC** and ISO maintain registers of currently valid International Standards.

ISO 9022-1:1994, Optics and optical instruments — Environmental testing.

ISO 9022-2:1994, Optics and optical instruments — Environmental test methods — Part 2: Cold, heat, humidity.

ISO 9022-3:1998, Optics and optical instruments — Environmental test methods / Part 3: Mechanical stress.

IEC 60068-2-47:1982, Environmental testing — Part 2: Tests — Mounting of components, equipment and other articles for dynamic tests including shock (Ea), bump (Eb), vibration (Fc and Fd) and steady-state acceleration (Ga) and guidance.

IEC 60068-2-50:1983, Environmental testing — Part 2: Tests — Tests Z/AFc: Combined cold/vibration (sinusoidal) tests for both heat-dissipating and non-heat-dissipating specimens.

IEC 60068-2-51:1983, Environmental testing — Part 2: Tests — Tests Z/BFc: Combined dry heat/vibration (sinusoidal) tests for both heat-dissipating and non-heat-dissipating specimens.

IEC 60068-2-53:1984, Environmental testing — Part 2: Tests — Guidance to tests Z/AFc and Z/BFc: Combined temperature (cold and dry heat) and vibration (sinusoidal) tests.