

TOOTE GEOMEETRILISED SPETSIFIKATSIOONID (GPS).  
GEOMEETRILINE TOLEREERIMINE. STRUKTUUR JA  
KOMBINEERITUD GEOMEETRILINE SPETSIFIKATSIOON

Geometrical product specifications (GPS) - Geometrical  
tolerancing - Pattern and combined geometrical  
specification (ISO 5458:2018)

## EESTI STANDARDI EESSÕNA

## NATIONAL FOREWORD

See Eesti standard EVS-EN ISO 5458:2018 sisaldab Euroopa standardi EN ISO 5458:2018 ingliskeelset teksti.	This Estonian standard EVS-EN ISO 5458:2018 consists of the English text of the European standard EN ISO 5458:2018.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 06.06.2018.	Date of Availability of the European standard is 06.06.2018.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile [standardiosakond@evs.ee](mailto:standardiosakond@evs.ee).

ICS 17.040.10

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:  
Koduleht [www.evs.ee](http://www.evs.ee); telefon 605 5050; e-post [info@evs.ee](mailto:info@evs.ee)

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage [www.evs.ee](http://www.evs.ee); phone +372 605 5050; e-mail [info@evs.ee](mailto:info@evs.ee)

English Version

Geometrical product specifications (GPS) - Geometrical  
tolerancing - Pattern and combined geometrical  
specification (ISO 5458:2018)

Spécification géométrique des produits (GPS) -  
Tolérancement géométrique - Spécification  
géométrique de groupes d'éléments et spécification  
géométrique combinée (ISO 5458:2018)

Geometrische Produktspezifikation (GPS) - Form und  
Lagetolerierung - Positions- und Mustertolerierung  
(ISO 5458:2018)

This European Standard was approved by CEN on 25 February 2018.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

## European foreword

This document (EN ISO 5458:2018) has been prepared by Technical Committee ISO/TC 213 "Dimensional and geometrical product specifications and verification" in collaboration with Technical Committee CEN/TC 290 "Dimensional and geometrical product specification and verification" the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by December 2018, and conflicting national standards shall be withdrawn at the latest by December 2018.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 5458:1998.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

## Endorsement notice

The text of ISO 5458:2018 has been approved by CEN as EN ISO 5458:2018 without any modification.

# Contents

Page

<b>Foreword</b> .....	<b>iv</b>
<b>Introduction</b> .....	<b>v</b>
<b>1 Scope</b> .....	<b>1</b>
<b>2 Normative references</b> .....	<b>1</b>
<b>3 Terms and definitions</b> .....	<b>1</b>
<b>4 Symbols and specification modifiers</b> .....	<b>3</b>
<b>5 Principles</b> .....	<b>3</b>
5.1 General.....	3
5.2 Concepts.....	4
5.3 Rule A: for position specification.....	4
5.4 Rules for pattern specification.....	5
5.4.1 General.....	5
5.4.2 Rule B: constraints.....	5
5.4.3 Rule C: indication of a single indicator pattern specification.....	6
5.4.4 Rule D: indication of a multiple indicator pattern specification.....	8
5.4.5 Rule E: indication of multi-level single indicator pattern specification.....	12
5.5 Pattern characteristic.....	17
<b>Annex A (informative) Former practice, important changes</b> .....	<b>18</b>
<b>Annex B (informative) Differences between ISO 5458:1998 and this document</b> .....	<b>20</b>
<b>Annex C (informative) Examples of pattern specifications</b> .....	<b>22</b>
<b>Annex D (normative) Relations and dimensions of graphical symbols</b> .....	<b>41</b>
<b>Annex E (informative) Concept diagram for pattern specification and relation with modifiers</b> .....	<b>42</b>
<b>Annex F (informative) Relation to the GPS matrix model</b> .....	<b>43</b>
<b>Bibliography</b> .....	<b>44</b>

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).

This document was prepared by Technical Committee ISO/TC 213, *Dimensional and geometrical product specifications and verification*.

This third edition cancels and replaces the second edition (ISO 5458:1998), which has been technically revised.

The main changes to the previous edition are as follows:

- exception from the independency principle removed according to ISO 8015;
- rules harmonized to align with ISO 1101;
- unstated rules in ISO 5458:1998 removed;
- concept of “pattern” to control all types of geometrical features introduced more generically, rather than applying it only with position symbol.

## Introduction

This document is a geometrical product specification (GPS) standard and is to be regarded as a general GPS standard (see ISO 14638). It influences chain links A, B and C for form, orientation and location.

The ISO/GPS matrix model given in ISO 14638 gives an overview of the ISO/GPS system of which this document is a part. The fundamental rules of ISO/GPS given in ISO 8015 apply to this document and the default decision rules given in ISO 14253-1 apply to specifications made in accordance with this document, unless otherwise indicated.

For more detailed information of the relation of this document to the GPS matrix model, see [Annex F](#).

ISO 1101 and other relevant documents, such as those dealing with the least and maximum material requirement (ISO 2692) and the datum system (ISO 5459), should be taken into consideration when using this document.

This document provides rules for the tolerancing of a tolerance zone pattern, i.e. a collection of tolerance zones constrained to each other with or without reference to a datum system which does not lock all degrees of freedom.

For the presentation of lettering (proportions and dimensions), see ISO 3098-2.

All figures in this document for the 2D drawing indications have been drawn in first-angle projection with dimensions and tolerances in millimeters. It should be understood that third-angle projection and other units of measurement could have been used equally well without prejudice to the principles established.

[Annexes A](#) and [B](#) provide more information on the changes in practice and differences between this document and ISO 1101 on one hand and ISO 5458:1998 on the other hand.

# Geometrical product specifications (GPS) — Geometrical tolerancing — Pattern and combined geometrical specification

**IMPORTANT** — The illustrations included in this document are intended to illustrate the text and/or to provide examples of the related technical drawing specification; these illustrations are not fully dimensioned and toleranced, showing only the relevant general principles. In particular, many illustrations do not contain filter specifications. As a consequence, the illustrations are not a representation of a complete workpiece, and are not of a quality that is required for use in industry (in terms of full conformity with the standards prepared by ISO/TC 10 and ISO/TC 213), and as such are not suitable for projection for teaching purposes.

## 1 Scope

This document establishes complementary rules to ISO 1101 to be applied to pattern specifications and defines rules to combine individual specifications, for geometrical specifications e.g. using the symbols POSITION, SYMMETRY, LINE PROFILE and SURFACE PROFILE, as well as STRAIGHTNESS (in the case where the toleranced features are nominally coaxial) and FLATNESS (in the case where the toleranced features are nominally coplanar) as listed in [Annex C](#).

These rules apply when a set of tolerance zones are grouped together with location or orientation constraints, through the use of the CZ, CZR or SIM modifiers.

This document does not cover the use of the pattern specifications when the least and maximum material requirement is applied (see ISO 2692).

This document does not cover the establishment of common datum (see ISO 5459) based on pattern features.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 1101, *Geometrical product specifications (GPS) — Geometrical tolerancing — Tolerances of form, orientation, location and run-out*

ISO 8015, *Geometrical product specifications (GPS) — Fundamentals — Concepts, principles and rules*

ISO 17450-1, *Geometrical product specifications (GPS) — General concepts — Part 1: Model for geometrical specification and verification*

ISO 17450-2, *Geometrical product specifications (GPS) — General concepts — Part 2: Basic tenets, specifications, operators, uncertainties and ambiguities*

ISO 22432, *Geometrical product specifications (GPS) — Features utilized in specification and verification*

## 3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 8015, ISO 1101, ISO 17450-1, ISO 17450-2, ISO 22432 and the following apply.