INTERNATIONAL **STANDARD**

ISO/IEC 8825-6

> Third edition 2015-11-15

Information technology — ASN.1 encoding rules: Registration and application of PER encoding instructions

inologic egistreme. Technologies de l'information — Règles de codage ASN.1:



Reference number ISO/IEC 8825-6:2015(E)



© ISO/IEC 2015

ad or utilized otherwise ir
intranet, without pr
i country of the re All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

This third edition cancels and replaces the second edition of ISO/IEC 8825-6:2008 which has been technically revised.

ISO/IEC 8825-6 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 6, *Telecommunications and information exchange between systems*, in collaboration with ITU-T. The identical text is published as ITU-T X.695 (08/2015).

This document is a previous general ded by tills

打U-T

X.695

TELECOMMUNICATION STANDARDIZATION SECTOR OF ITU (08/2015)

SERIES X: DATA NETWORKS, OPEN SYSTEM COMMUNICATIONS AND SECURITY

OSI networking and system aspects – Abstract Syntax Notation One (ASN.1)

Information technology – ASN.1 encoding rules: Registration and application of PER encoding instructions

Recommendation ITU-T X.695



ITU-T X-SERIES RECOMMENDATIONS

DATA NETWORKS, OPEN SYSTEM COMMUNICATIONS AND SECURITY

DUDLIC DATA NETWORKS	
PUBLIC DATA NETWORKS	V 1 V 10
Services and facilities	X.1–X.19
Interfaces	X.20–X.49
Transmission, signalling and switching	X.50–X.89
Network aspects	X.90–X.149
Maintenance	X.150–X.179
Administrative arrangements	X.180-X.199
OPEN SYSTEMS INTERCONNECTION	T. 200 T. 200
Model and notation	X.200-X.209
Service definitions	X.210-X.219
Connection-mode protocol specifications	X.220-X.229
Connectionless-mode protocol specifications	X.230-X.239
PICS proformas	X.240-X.259
Protocol Identification	X.260-X.269
Security Protocols	X.270-X.279
Layer Managed Objects	X.280-X.289
Conformance testing	X.290-X.299
INTERWORKING BETWEEN NETWORKS	
General	X.300-X.349
Satellite data transmission systems	X.350-X.369
IP-based networks	X.370-X.379
MESSAGE HANDLING SYSTEMS	X.400-X.499
DIRECTORY	X.500-X.599
OSI NETWORKING AND SYSTEM ASPECTS	
Networking	X.600-X.629
Efficiency	X.630-X.639
Quality of service	X.640-X.649
Naming, Addressing and Registration	X.650-X.679
Abstract Syntax Notation One (ASN.1)	X.680-X.699
OSI MANAGEMENT	
Systems management framework and architecture	X.700-X.709
Management communication service and protocol	X.710-X.719
Structure of management information	X.720-X.729
Management functions and ODMA functions	X.730-X.799
SECURITY	X.800-X.849
OSI APPLICATIONS	
OSI APPLICATIONS Commitment, concurrency and recovery Transaction processing Remote operations Generic applications of ASN.1	X.850-X.859
Transaction processing	X.860-X.879
Remote operations	X.880-X.889
Generic applications of ASN.1	X.890-X.899
OPEN DISTRIBUTED PROCESSING	X.900-X.999
INFORMATION AND NETWORK SECURITY	X.1000-X.1099
SECURE APPLICATIONS AND SERVICES	X.1100-X.1199
CYBERSPACE SECURITY	X.1200–X.1299
SECURE APPLICATIONS AND SERVICES	X.1300-X.1399
CYBERSECURITY INFORMATION EXCHANGE	X.1500-X.1599
CLOUD COMPUTING SECURITY	X.1600-X.1699
ezeez esim ernye ezeetari	11.1000 11.1077

For further details, please refer to the list of ITU-T Recommendations.

INTERNATIONAL STANDARD ISO/IEC 8825-6 **RECOMMENDATION ITU-T X.695**

Information technology -**ASN.1 encoding rules:** Registration and application of PER encoding instructions

Summary

Recommendation ITU-T X.695 | ISO/IEC 8825-6 specifies the rules for applying PER encoding instructions using either type prefixes or an encoding control section.

Encoding instructions are a means of modifying the encodings of ASN.1 types for some specified encoding rule (in this case PER). They can be inserted in an ASN 1 specification in square brackets (much like a tag in the Basic Encoding Rules, Unique ID*
11.1002/1000/9112
1002/1000/9613
302/1000/12488 BER) immediately before the type that they affect (type prefixes), or they can be collected together at the end of an ASN.1 module (an encoding control section).

It also specifies the procedures for developing, registering and publishing new PER encoding instructions from time to time.

History

Edition	Recommendation	Approval	Study Group	Unique ID*
1.0	ITU-T X.695	2007-05-29	17	11.1002/1000/9112
2.0	ITU-T X.695	2008-11-13	17	11.1002/1000/9613
3.0	ITU-T X.695	2015-08-13	17	11.1002/1000/12488

To access the Recommendation, type the URL http://handle.itu.int/ in the address field of your web browser, followed by the Recommendation's unique ID. For example, http://handle.itu.int/11.1002/1000/11830-en.

FOREWORD

The International Telecommunication Union (ITU) is the United Nations specialized agency in the field of telecommunications, information and communication technologies (ICTs). The ITU Telecommunication Standardization Sector (ITU-T) is a permanent organ of ITU. ITU-T is responsible for studying technical, operating and tariff questions and issuing Recommendations on them with a view to standardizing telecommunications on a worldwide basis.

The World Telecommunication Standardization Assembly (WTSA), which meets every four years, establishes the topics for study by the ITU-T study groups which, in turn, produce Recommendations on these topics.

The approval of ITU-T Recommendations is covered by the procedure laid down in WTSA Resolution 1.

In some areas of information technology which fall within ITU-T's purview, the necessary standards are prepared on a collaborative basis with ISO and IEC.

NOTE

In this Recommendation, the expression "Administration" is used for conciseness to indicate both a telecommunication administration and a recognized operating agency.

Compliance with this Recommendation is voluntary. However, the Recommendation may contain certain mandatory provisions (to ensure, e.g., interoperability or applicability) and compliance with the Recommendation is achieved when all of these mandatory provisions are met. The words "shall" or some other obligatory language such as "must" and the negative equivalents are used to express requirements. The use of such words does not suggest that compliance with the Recommendation is required of any party.

INTELLECTUAL PROPERTY RIGHTS

ITU draws attention to the possibility that the practice or implementation of this Recommendation may involve the use of a claimed Intellectual Property Right. ITU takes no position concerning the evidence, validity or applicability of claimed Intellectual Property Rights, whether asserted by ITU members or others outside of the Recommendation development process.

As of the date of approval of this Recommendation, ITU had not received notice of intellectual property, protected by patents, which may be required to implement this Recommendation. However, implementers are cautioned that this may not represent the latest information and are therefore strongly urged to consult the TSB patent database at http://www.itu.int/ITU-T/ipr/.

© ITU 2015

All rights reserved. No part of this publication may be reproduced, by any means whatsoever, without the prior written permission of ITU.

CONTENTS

Norm			
2 1		rences	
2.1		al Recommendations International Standards	
		be provided to specify a PER encoding instruction	
		R EI proposal during the approval process	
	-	ess	
	-	the Registration Authority	
		n the use of PER Encoding Instructions	
_	_	ER EI to an ASN.1 type using a type prefix	
_		ER encoding instruction using an encoding control section	
12.1		coding instruction assignment list	
12.2	12.2.1	ication of the targets for a PER encoding instruction using a target list	
	12.2.2	Target identification using an ASN.1 type reference and identifiers	
	12.2.3		
3.5.1.1		Use of identifiers in context	
Multi		nment of PER encoding instructions	
13.1		of assigning a negating encoding instruction.	
13.3		le assignment of PER encoding instructions	
A – E		of the application of PER EIs using prefixed encoding instructions	
	_	of the application of PER EIs using targeted encoding instructions	
		of the ASN.1 notation	
	oummar y	2	
	ommary		
	oninina y	2	
	oninina. y	2	

Introduction

Rec. ITU-T X.680 | ISO/IEC 8824-1 makes syntactic provision for the application of encoding instructions to modify the behaviour of a particular set of encoding rules, identified by an encoding reference (see Rec. ITU-T X.680 | ISO/IEC 8824-1).

Rec. ITU-T X.691 | ISO/IEC 8825-2 specifies the BASIC-PER and CANONICAL-PER encoding rules, each with two variants: the ALIGNED variant and the UNALIGNED variant. The PER encoding instructions allow minor variations to be made in parts of the UNALIGNED variant of a BASIC-PER and CANONICAL-PER encoding. They have no effect on the ALIGNED variant of these encodings.

NOTE – The purpose of PER encoding instructions is to ease the task of producing an ASN.1 specification, which when encoded by the UNALIGNED variant of a PER encoding produces bit-patterns that exactly match those of a legacy protocol. It is unusual for the ALIGNED variant to be used for this purpose, and so for simplicity all PER encoding instructions have no effect on the ALIGNED variant.

This Recommendation | International Standard specifies the use of type prefixes and encoding control sections (see Rec. ITU-T X.680 | ISO/IEC 8824-1, 31.3 and clause 54) to associate one or more PER encoding instructions with an ASN.1 type. Where an encoding instruction is associated with an ASN.1 type, specific clauses in Rec. ITU-T X.691 | ISO/IEC 8825-2 are amended according to the specification of the encoding instruction. These mechanisms are similar to those for the application of XER encoding instructions specified in Rec. ITU-T X.693 | ISO/IEC 8825-4.

This Recommendation | International Standard also specifies the procedures for the operation of a Registration Authority to receive, record and publish the specification of PER encoding instructions that are agreed from time to time. The Registration Authority is the ITU Telecommunication Standardization Bureau, and the form of publication is an Implementers' Guide for ASN.1. This Guide will be available freely on an ITU-T web-site.

This Recommendation | International Standard also specifies the procedures to be used for the approval of new PER encoding instructions. Broadly, these procedures involve the prior publication in the Implementers' Guide of a proposed new encoding instruction, with a later publication announcing that the new encoding instruction has been approved by a simple resolution of the relevant Study Group of ITU-T and the relevant Sub-Committee of ISO/IEC JTC 1.

Clauses 6 to 9 specify the operation of the Registration Authority for PER encoding instructions.

Clauses 10 to 13 specify the application of PER encoding instructions to an ASN.1 specification.

Annex A is informative and contains an example of the application of PER encoding instructions using encoding prefixes.

Annex B is informative and contains an example of the application of the same PER encoding instructions using an encoding control section.

Annex C is informative and summarizes the productions defined in this Recommendation | International Standard.

Information technology – ASN.1 encoding rules: Registration and application of PER encoding instructions

1 Scope

This Recommendation | International Standard:

- a) specifies the information needed and the format to be used for specifying PER encoding instructions;
- b) specifies the mechanisms for approving new PER encoding instructions from time to time and the operation of the Registration Authority for PER encoding instructions;
- c) specifies the means of associating a PER encoding instruction with an ASN.1 type using both type prefixes and an encoding control section.

2 Normative references

The following Recommendations and International Standards contain provisions which, through reference in this text, constitute provisions of this Recommendation | International Standard. At the time of publication, the editions indicated were valid. All Recommendations and Standards are subject to revision, and parties to agreements based on this Recommendation | International Standard are encouraged to investigate the possibility of applying the most recent edition of the Recommendations and Standards listed below. Members of IEC and ISO maintain registers of currently valid International Standards. The Telecommunication Standardization Bureau of the ITU maintains a list of currently valid ITU-T Recommendations.

2.1 Identical Recommendations | International Standards

- Recommendation ITU-T X.680 (2015) | ISO/IEC 8824-1:2015, Information technology Abstract Syntax Notation One (ASN.1): Specification of basic notation
- Recommendation ITU-T X.691 (2015) | ISO/IEC 8825-2:2015, Information technology ASN.1 encoding rules: Specification of Packed Encoding Rules (PER).

3 Definitions

For the purposes of this Recommendation | International Standard, the definitions of Rec. ITU-T X.680 | ISO/IEC 8824-1 apply. The following additional definitions apply.

- **3.1 associated encoding instructions (for a type)**: A set of PER encoding instructions associated with a type.
- **3.2 final encoding instructions (for a type)**: The set of PER encoding instructions associated with a type as a result of the complete ASN.1 specification, and which are applied in producing encodings of that type.
- **3.3 identifying keyword**: A word or hyphenated word that identifies a PER encoding instruction.
- **3.4 inherited encoding instructions**: PER encoding instructions that are associated with the type identified by a type reference.
- **3.5 Joint ITU-T** | **ISO/IEC JTC1 Collaborative Team for ASN.1**: A group established in accordance with Rec. ITU-T A.23, Annex A and ISO/IEC JTC 1 Directives Edition 5 Version 2.0, subclause 2.6.4 and Annex K, clause 8 to progress work on Joint Text in relation to Abstract Syntax Notation One (ASN.1).
- **3.6 PER encoding instructions (PER EIs)**: Notation used to change the unaligned PER encoding of a type (or of a component of a type).

NOTE – PER encoding instructions are included in either a PER type prefix (see Rec. ITU-T X.680 | ISO/IEC 8824-1, 31.3) or a PER encoding control section (see Rec. ITU-T X.680 | ISO/IEC 8824-1, clause 54).

3.7 PER EI proposal: A proposal for a new PER encoding instruction that is progressing to either the REJECTED or the APPROVED state.