

**UJUVVAHENDID UJUMISE ÕPETAMISEKS. OSA 1: KEHAL  
KANTAVATE UJUVVAHENDITE OHUTUSNÕUDED JA  
KATSEMEETODID**

**Buoyant aids for swimming instruction - Part 1: Safety  
requirements and test methods for buoyant aids to be  
worn**

**EESTI STANDARDI EESSÕNA****NATIONAL FOREWORD**

See Eesti standard EVS-EN 13138-1:2021 sisaldab Euroopa standardi EN 13138-1:2021 ja selle paranduse AC:2022 ingliskeelset teksti.	This Estonian standard EVS-EN 13138-1:2021 consists of the English text of the European standard EN 13138-1:2021 and its corrigendum AC:2022.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.  Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 20.10.2021.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation and Accreditation.  Date of Availability of the European standard is 20.10.2021.
Parandusega AC lisatud või muudetud teksti algus ja lõpp on tekstis tähistatud sümbolitega <b>AC</b> <b>AC</b> .	The start and finish of text introduced or altered by corrigendum AC is indicated in the text by tags <b>AC</b> <b>AC</b> .
Standard on kättesaadav Eesti Standardimis- ja Akrediteerimiskeskusest.	The standard is available from the Estonian Centre for Standardisation and Accreditation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile [standardiosakond@evs.ee](mailto:standardiosakond@evs.ee).

ICS 13.340.70; 97.220.40

**Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardimis- ja Akrediteerimiskeskusele**

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardimis- ja Akrediteerimiskeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autoriõiguse kaitse kohta, võtke palun ühendust Eesti Standardimis- ja Akrediteerimiskeskusega: Koduleht [www.evs.ee](http://www.evs.ee); telefon 605 5050; e-post [info@evs.ee](mailto:info@evs.ee)

**The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation and Accreditation**

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation and Accreditation.

If you have any questions about standards copyright protection, please contact the Estonian Centre for Standardisation and Accreditation:

Homepage [www.evs.ee](http://www.evs.ee); phone +372 605 5050; e-mail [info@evs.ee](mailto:info@evs.ee)

EUROPEAN STANDARD

**EN 13138-1**

NORME EUROPÉENNE

EUROPÄISCHE NORM

October 2021

ICS 13.340.70; 97.220.40

Supersedes EN 13138-1:2014

English Version

## Buoyant aids for swimming instruction - Part 1: Safety requirements and test methods for buoyant aids to be worn

Aides à la flottabilité pour l'apprentissage de la natation - Partie 1 : Exigences de sécurité et méthodes d'essai pour les aides à la flottabilité portées au corps

Auftriebshilfen für das Schwimmenlernen - Teil 1: Sicherheitstechnische Anforderungen und Prüfverfahren für am Körper getragene Auftriebshilfen

This European Standard was approved by CEN on 18 July 2021.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels**

<b>Contents</b>	Page
European foreword .....	5
<b>0 Introduction</b> .....	<b>6</b>
<b>1 Scope</b> .....	<b>9</b>
<b>2 Normative references</b> .....	<b>9</b>
<b>3 Terms and definitions</b> .....	<b>10</b>
<b>4 Classification</b> .....	<b>12</b>
<b>5 Safety Requirements concerning design and material</b> .....	<b>13</b>
5.1 General.....	13
5.2 Conspicuity .....	13
5.3 Buoyancy.....	13
5.4 Fit and positioning.....	15
5.5 Entire assembly and components .....	16
5.6 Materials — Mechanical properties .....	17
5.7 Markings on swimming devices.....	18
<b>6 Test methods</b> .....	<b>19</b>
6.1 Conditioning .....	19
6.2 Test procedure.....	20
<b>7 Warnings and markings</b> .....	<b>20</b>
7.1 General.....	20
7.2 Warnings and markings on the product.....	20
7.3 Information supplied by the manufacturer .....	21
7.4 Consumer information at the point of sale.....	21
<b>8 Safety requirements concerning in-water performance</b> .....	<b>23</b>
8.1 General.....	23
8.2 Category of users, test manikins, human test subjects.....	23
8.3 Prevention from sinking .....	24
8.4 Flotation angle (horizontal, vertical) .....	24
8.5 Displacement of the swimming device on the body .....	24
8.6 Retention of function after failure of an air chamber.....	24
<b>9 Testing</b> .....	<b>24</b>
9.1 Test methods .....	24
9.2 In-water performance test with a human test subject .....	24
9.3 In-water performance testing with free floating manikin .....	25
9.4 Testing for displacement of the swimming device on the body .....	26
9.5 Test method for retention of function after failure of an air chamber.....	26
<b>Annex A (normative) Procedures for testing resistance of markings to saliva</b> .....	<b>27</b>
<b>Annex B (normative) Procedures for testing efficiency of valves of inflatable swimming devices</b> .....	<b>28</b>
<b>Annex C (normative) Procedure for testing the security of the pressure release of buckles without double action (simultaneous/sequential) release</b> .....	<b>29</b>

<b>Annex D (normative) Procedures for testing non-objectively measurable features like donning, adjustability, retention of function, edges, corners and points by assessment panel</b> .....	<b>30</b>
<b>D.1 General</b> .....	<b>30</b>
<b>D.2 Assessment of risks to the user</b> .....	<b>30</b>
<b>D.3 Re-assessment of instructions supplied with the swimming device</b> .....	<b>30</b>
<b>Annex E (normative) Procedures for testing seam strength and durability of inflatable swimming devices</b> .....	<b>32</b>
<b>Annex F (normative) Procedures for determining the puncture resistance of inflatable swimming devices</b> .....	<b>33</b>
<b>Annex G (normative) Procedures for testing conspicuity</b> .....	<b>34</b>
<b>G.1 Test sequence</b> .....	<b>34</b>
<b>G.2 Test parameter</b> .....	<b>34</b>
<b>G.3 Photo tests boards or beamer projection</b> .....	<b>34</b>
<b>Annex H (normative) Procedures for testing for integrity of the entire assembly</b> .....	<b>37</b>
<b>H.1 Test description</b> .....	<b>37</b>
<b>H.2 Test parameters</b> .....	<b>37</b>
<b>Annex I (normative) Detailed illustrations regarding the layout of information symbols, general safety signs and their arrangement on the product</b> .....	<b>38</b>
<b>I.1 General</b> .....	<b>38</b>
<b>I.2 Graphical symbols characterizing the category of information and heading arrayed groups of symbols</b> .....	<b>38</b>
<b>Annex J (normative) Procedure for testing entanglement on protruding parts</b> .....	<b>45</b>
<b>Annex K (normative) Dimensions of manikins I to III</b> .....	<b>46</b>
<b>K.1 Dimensions of manikins I to III</b> .....	<b>46</b>
<b>K.2 Functional residual lung volume</b> .....	<b>48</b>
<b>K.3 Mass and density of components of manikins I to III</b> .....	<b>48</b>
<b>K.4 Centre of gravity of manikins I to III</b> .....	<b>49</b>
<b>Annex L (normative) Dimensions of manikins IV to VII</b> .....	<b>51</b>
<b>L.1 Dimensions of manikins IV to VII</b> .....	<b>51</b>
<b>L.2 Density of manikin components</b> .....	<b>56</b>
<b>L.3 Functional residual lung capacity (FRC)</b> .....	<b>56</b>
<b>L.4 Calibration on land (dry), manikins III to VII</b> .....	<b>56</b>
<b>L.5 Calibration underwater (wet), manikins I to VII</b> .....	<b>56</b>
<b>Annex M (normative) In-water performance test, measuring devices fitted to free floating manikins I to VII, measurement of floating angle</b> .....	<b>58</b>
<b>M.1 In-water performance test, measuring devices fitted to free floating manikins I to VII, measurement of floating angle</b> .....	<b>58</b>
<b>M.2 In-water performance test, free floating manikins I to VII, measurement of freeboard</b> ....	<b>59</b>

<b>Annex N (informative) Significant changes between this document and the previous edition of EN 13138-1:2014.....</b>	<b>60</b>
<b>Annex ZA (informative) Relationship between this European Standard and the essential requirements of Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment aimed to be covered .....</b>	<b>61</b>
<b>Bibliography.....</b>	<b>62</b>

This document is a preview generated by EVS

## European foreword

This document (EN 13138-1:2021) has been prepared by Technical Committee CEN/TC 162 “Protective clothing including hand and arm protection and lifejackets”, the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2022 and conflicting national standards shall be withdrawn at the latest by April 2022.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 13138-1:2014.

This document has been prepared under a Standardization Request given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s) / Regulation(s).

For relationship with EU Directive(s) / Regulation(s), see informative Annex ZA, which is an integral part of this document.

Annex N provides details of significant technical changes between this European Standard and the previous edition EN 13138-1:2014.

EN 13138, *Buoyant aids for swimming instruction* consists of the following parts dealing with buoyant swimming devices for swimming instructions for the various stages of the learning process:

- *Part 1: Safety requirements and test methods for buoyant aids to be worn*
- *Part 2: Safety requirements and test methods for buoyant aids to be held*
- *Part 3: Safety requirements and test methods for swim seats into which a user is positioned*

Any feedback and questions on this document should be directed to the users’ national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

## 0 Introduction

### 0.1 Design and materials

The entire process of learning to swim is considered to include two stages:

- getting familiar with the water environment and movements in it, and
- acquiring skills in standard swimming strokes.

Buoyant aids for swimming instruction (in brief: swimming device(s)) are intended to assist users (in particular children) to learn to swim. The design and purpose of the swimming devices are related to the above stages.

Swimming devices are intended to give the user positive buoyancy in the water while maintaining the correct body position for swimming. However, it should not be assumed that standard conformity of the swimming devices will by itself eliminate the risk of drowning as this depends also on the behaviour of the user and any supervision.

Although this document sets performance requirements to ensure that swimming devices perform appropriately, it is essential that the swimming devices are used correctly and under constant and close supervision. It is important to ensure that they are securely fitted to the appropriate size of user and that when correctly fitted, they cannot become displaced. Swim seats however should allow immediate escape in case of capsizing. Therefore, the use of these swimming devices is recommended to be restricted to water out of standing depth of the user.

The highest degree of protection against drowning can only be achieved by using lifejackets. It is essential that there is a clear distinction between rescue intended to preserve life and those which are intended only to assist buoyancy for the user when learning to swim. As swimming devices are not life preservers, they should only be used in swimming pools and other situations free from current, tides and waves.

The bulk storage of some types of swimming devices could, under certain conditions, result in a potential fire hazard. The perceived risk of such a hazard was evaluated against the actual risk to the user from materials treated with certain known toxic fire-retardant chemicals. However, the fire hazard is less of a problem to the user than the risk associated with the swimming devices being put in the mouth, especially by children. For this reason, flammability requirements are not included in this document.

For the above reasons and to differentiate these swimming devices from aquatic toys, advisory safety measures, including marking, warning notices and user instructions are included in this document.

The range both of the design and function of buoyant aids for swimming instruction varies considerably and for this reason, the standard for swimming devices has been prepared in three parts, namely products that are intended to allow the user to become familiar with water (passive user), products that are worn (active user) and those products that are held by the user to improve swimming strokes.

- Part 1 of this series is only for products that are securely attached to the body (Class B swimming devices = for an active user). They are intended to introduce the user to the range of swimming strokes.
- Part 2 of this series is for products that are held either in the hands or by the body (class C swimming devices = for an active user) and are intended to assist with improving specific elements of the swimming stroke. For adult beginners or more advanced users they can also be used for further stages of the process to learn to swim.
- Part 3 of this series deals only with products (swim seats) to assist children up to 36 months in their first attempts to learn to swim (i.e. to get familiar with the –in-water-environment) and moving through it. The child is positioned inside the buoyant structure, which provides buoyancy and lateral support to the body, thereby keeping the child's head above water level (class A swimming devices = for a passive user).

Swim seats allow young children to experience the water environment and being moved through it. Movements of lower limbs and arms are possible. The use of swim seats does however not replicate any form of a correct swimming stroke.

Swim seats complying with this document provide a stable, floating position for a child sitting in the swim seat and avoid entrapment in case of capsizing. Children in swim seats do however require very close parental supervision. Overload beyond specified body mass, breaking waves and violent external forces are remaining risks that can cause capsizing. Use of these swimming devices in water that is of the child's standing depth will increase the risk of capsizing and will hinder or block the escape from the seat in case of emergency.

## 0.2 In-water performance

Over more than two decades of standardization work in this field it was not possible to establish test methods to verify "Buoyant Aids for Swimming Instruction" with regard to their in-water performance. Do they provide help when learning to swim? Is a user supported in a way that he/she can adopt easily the optimal floating angle for chest strokes? Which type is best for what category of users? Do swimming devices prevent a passive user from sinking unstoppable to the ground? With regard to babies, infants and young children all these questions could only be estimated but never objectively measured. In-water tests were only possible with school kids and even here the behaviour of young children cannot be considered as "standard-test-method"-conform.

With this edition these problems have been solved. All above mentioned crucial parameters can be measured objectively. The allocation of a type of swimming device to a user group — defined by body weight and body size — can be based on objective performance data. Tests given prove: Due to their comparatively heavy heads, babies and infants are the most demanding users. The centre of gravity — in particular when immersed — is positioned high on the body, i.e. "top-heavy". Moreover, there is little space on the tiny bodies to attach a swimming device above the immersed centre of gravity so that a positive torque can be applied to support the heavy heads. These problems decrease with increasing age/weight/body size. The increased body height stretches the space to attach swimming devices on the torso and lowers the centre of gravity. The influence of head weight in relation to body weight gets smaller and smaller. A swimming device can be positioned close to the chest and even to the belly area without losing the desired support when learning to swim.

The performance criterion of a swimming device is the floating angle of the wearer achieved by it and not any longer only its buoyancy value alone. Prevention from sinking of the wearer is measured as freeboard at back head. The performance unit is the so-called TLC (turning lifting capacity) of a swimming device. It is measured in angle degrees. A positive value means that the upper body of smaller persons (children with less than 30 kg body weight) is lifted and supported. To reproduce the top heaviness of small children the test manikins are calibrated to a negative sinking angle. Manikins representing older users are calibrated to only  $-10^\circ$  and finally to  $0^\circ$  for persons above 30 kg body weight. In all these above cases it is important that the swimming device does not generate a downwards torque. The natural sinking angle persons above 30 kg body weight and normal body-built is however positive, i.e. they sink feet first, buoyancy conditions change.

The manikin tests specified in this document end with the age/weight group of 6 to 7 years and 30 kg. From this size on anthropometrical circumstances and behavioural capabilities offer the option to carry out testing with human test subjects also the child age 7 to 14 years. The human tests subjects are requested to behave like the manikins and simulate a passive user. The reason for this is that a standard test method striving for objective and reproducible product related performance measurements has to eliminate subjective factors. Not the skills of a user to handle a product are needed to be measured but solely the product properties and their performance data.

All test conditions simulate a worst-case situation, i.e. a passive user. The manikin's head however is immersed and receives buoyancy during all tests. In practice, children still struggle to generate sufficient dynamic buoyancy to keep the head above water and to move forwards. Swimming aids are no life preservers, they do not protect against drowning. But they help and give a certain protection without releasing the user from the efforts when learning to swim.

This document is a preview generated by EVS

## 1 Scope

This document specifies safety and in water performance requirements for construction, sizing, marking and information supplied by the manufacturer for swimming aids intended to ensure a degree of buoyancy to assist beginners with movement through the water while learning to swim or while learning part of a swimming stroke. It also gives methods of test for verification of these requirements.

This document applies only to swimming devices that are designed to be worn, to be securely attached to the body and which have either inherent buoyancy or can be inflated. It only applies to class B swimming devices intended to introduce the user to the range of swimming strokes.

It does not apply to class A or class C swimming devices, to pull buoys, swim rings, lifebuoys, buoyancy aids, lifejackets or aquatic toys.

This document is not applicable for products known as 'baby neck rings' aiming to keep the user's airways above the water level.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 71-1:2014+A1:2018, *Safety of toys — Part 1: Mechanical and physical properties*

EN 20105-A02:1994, *Textiles — Tests for colour fastness — Part A02: Grey scale for assessing change in colour (ISO 105-A02:1993)*

EN ISO 105-E03:2010, *Textiles — Tests for colour fastness — Part E03: Colour fastness to chlorinated water (swimming-pool water) (ISO 105-E03:2010)*

EN ISO 105-E04:2013, *Textiles — Tests for colour fastness — Part E04: Colour fastness to perspiration (ISO 105-E04:2013)*

EN ISO 105-X12:2016, *Textiles — Tests for colour fastness — Part X12: Colour fastness to rubbing (ISO 105-X12:2016)*

EN ISO 216:2007, *Writing paper and certain classes of printed matter — Trimmed sizes — A and B series, and indication of machine direction (ISO 216:2007)*

EN ISO 3696:1995, *Water for analytical laboratory use — Specification and test methods (ISO 3696:1987)*

EN ISO 7010:2020, *Graphical symbols — Safety colours and safety signs — Registered safety signs (ISO 7010:2011, Corrected version 2020-06)*

EN ISO 25649-1:2017, *Floating leisure articles for use on and in the water — Part 1: Classification, materials, general requirements and test methods (ISO 25649-1:2017)*

ISO 3864-1:2011, *Graphical symbols — Safety colours and safety signs — Part 1: Design principles for safety signs and safety markings*